

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

## WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 31280	API No. 15 - 031-23096-00-00
Name: Birk Petroleum	Spot Description:
Address 1: 874 12th Rd SW	SE_NW_NE_SW Sec. 29 Twp. 22 S. R. 17 Fast West
Address 2:	2,145 Feet from ☐ North / ☑ South Line of Section
City: Burlington State: Ks Zip: 66839 +	3,465 Feet from 🗸 East / 🗌 West Line of Section
Contact Person: Brian L Birk	Footages Calculated from Nearest Outside Section Corner:
Phone: ( 620 ) 364-1311	□ NE □ NW ☑ SE □ SW
•	County: Coffey
CONTRACTOR: License # 31280  Name: Birk Petroleum	Lease Name: Parmely A Well #: 38
Wellsite Geologist: None	Field Name: Parmely
Coffessille Passurces '	Producing Formation: Squirrel
	Elevation: Ground: 1064 est Kelly Bushing:
Designate Type of Completion:	· · · · · · · · · · · · · · · · · · ·
▼ New Well	Total Depth: 1006' Plug Back Total Depth: 1006'
☑ oii ☐ wsw ☐ swb ☐ slow	Amount of Surface Pipe Set and Cemented at: 42 Feet
Gas D&A ENHR SIGW	Multiple Stage Cementing Collar Used?
☐ OG ☐ GSW ☐ Temp. Abd.	If yes, show depth set: Feet
CM (Coal Bed Methane)	If Alternate II completion, cement circulated from: 988
Cathodic Other (Core, Expl., etc.):	feet depth to: surface w/ 120 sx cmt.
If Workover/Re-entry: Old Well Info as follows:	
Operator:	Drilling Fluid Management Plan
Well Name:	(Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth:	Chloride content:ppm Fluid volume:bbls
☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD	Dewatering method used:
Conv. to GSW	Dewatering method used.
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	Operator Name:
Dual Completion Permit #:	Lease Name: License #:
SWD Permit #:	Quarter Sec TwpS. R
ENHR Permit #:	County: Permit #:
GSW Permit #:	County Festill #.
12/07/2011 12/08/2011 12/08/2011 12/08/2011	
Spud Date or Date Reached TD Completion Date or Recompletion Date Recompletion Date	
INSTRUCTIONS: An original and two copies of this form shall be filed with Kansas 67202, within 120 days of the spud date, recompletion, workover or coof side two of this form will be held confidential for a period of 12 months if required itiality in excess of 12 months). One copy of all wireline logs and geologist well BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 for	nversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information uested in writing and submitted with the form (see rule 82-3-107 for confiden- Il report shall be attached with this form. ALL CEMENTING TICKETS MUST
AFFIDAVIT	KCC Office Use ONLY
I am the affiant and I hereby certify that all requirements of the statutes, rules and m	egu-
lations promulgated to regulate the oil and gas industry have been fully complied	
and the statements herein are complete and correct to the best of my knowledge	e. Confidential Release Date: RECEIVED
HAMIAN YLINT	Wireline Log Received
Signature:	Geologist Report Received JAN 2 3 2012
Title: Agent Date: 01/19/2012	UIC Distribution  ALT

## Side Two

Operator Name: Birk Petroleum			Leas	e Name: _	Parmely A		_ Well #:3	8	<del></del>	
Sec. 29 Twp.22	s. R. <u>17</u>	✓ East		Cour	ty: Coffe	y	٠.			
INSTRUCTIONS: Shi time tool open and clo recovery, and flow rat line Logs surveyed. A	sed, flowing and shu es if gas to surface te	t-in press st, along v	ures, whether si with final chart(s	hut-in pro	essure read	ched static level,	hydrostatic pres	sures, bottom	hole tem	perature, fluid
Drill Stem Tests Taken Yes V No (Attach Additional Sheets)					□ L¢	og Formation	ո (Top), Depth a	nd Datum	<b>7</b>	Sample
Samples Sent to Geo	logical Survey	□ Y	es 📝 No		Nam Squim			Top 993		Datum 71
Cores Taken Electric Log Run Electric Log Submitted Electronically (If no, Submit Copy)		Y	es 🗹 No		oqu					•
List Ali E. Logs Run:										
			0.000	25000				· ·		
		Repo	CASING ort all strings set-o			rw 🗸 Used ermediate, producti	on, etc.			
Purpose of String	Size Hole Drilled		t (In O.D.)		eight s. / Ft.	Setting Depth	Type of Cement	# Sacks Used		and Percent Additives
Surface Casing	9 7/8"	7"		17#		42'	Portland	15	Calciu	ım
Long String	6 1/8*	2 7/8*		6.5#		988'	Portland	120		
			ADDITIONAL	OFMEN	TIMO / 801	FE35 DE0000			<u> </u>	······································
Purpose:	Depth Top Bottom	Турс	of Cement	· · · · ·	ks Used	EEZE RECORD	Type and	Percent Additive	9S	
Protect Casing Plug Back TD Plug Off Zone										
				l					· .	
Shots Per Foot	PERFORATI Specify	ON RECOF	RD - Bridge Plug Each interval Perf	s Set/Typ orated	e 	Acid, Fracture, Shot, Cernent Squeeze Record (Amount and Kind of Material Used)  Depth				
None	Open hole completion 988-1006'					Frac w/40 sx sand 988-1006				988-1006
									·· · · ·	
									<del></del>	
TUBING RECORD: Size: Set At: Packer At: Liner Run:										
Date of First, Resumed Production, SWD or ENHR.  O1/10/2012 Producing Method:  ☐ Flowing ☐ Pumping ☐ Gas Lift ☐ Other (Explain)										
Estimated Production Per 24 Hours	Oil 2	Bbls.	Gas	Mcf	Wate	er Bt	ds.	Gas-Oil Ratio		Gravity
DISPOSITIO	ON OF GAS:			ETHOD (	OF COMPLE	Comp. Com	nmingled	PRODUCT	TON INTER	
(If vented, Sul	omit ACO-18.)		Other (Specify)		(Submit )	(Subr	nit ACO-4) —		R	ECEIVED

CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

NOTICE TO OWNER

Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filling of a mechanic's lien on the property which is the subject of this contract.

SHIP TO:

EXTENDED PRICE

SOLD TO:

BB001

IDLA REGISTER PRINTING - IOLA, KS 86749

F

B & B COOPERATIVE VENTURES 900 S. FOURTH ST.

BURLINGTON KS

DESCRIPTION

B12/18 B & B COOP VENTURES/BIRK OIL 58 W TO WAYSIDE RD N 1 MI TO 5TH RD W 1/2 MI WELL # PARMELY A #38

TIME	FORMULA	LOAD SIZE	YARDS ORDERED		DRIVER/TRUCK		PLANT/TRANSACTION #
Marie State	E-INSEE			% CAL	- WK	% AIR	
02:19:03p	WELL	12.00 yd	12.00 yd	0.00	35	0.00	4 000 000
DATE		LOAD#	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
	To Date	2	24.00 yd :			SECTION 1	
12-08-11	Today		12.00 yd	19311	G/yd 0.0	4.00 in	30779

WARNING IRRITATING TO THE SKIN AND EYES

s Portland Cement. Weer Rubber Boots and Gloves; PROLONGES BURNS, Avoid Contact With Eyes, and Prolonged Contact With Skin, in Case of Wall, Skin, or Eyes, Flush Thoroughly With Water, if Imitation Persists, Get Medica Contact With Skin or Eyes, Flush 1 Attention, KEEP CHILDREN AWAY.

CONCRETE IS A PERISHABLE COMMODITY and BECOMES the PROPERTY Of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum. Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. Excess Delay Time Charged @ \$50/HR.

QUANTITY CODE

PROPERTY DAMAGE RELEASE
(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

Dear Customer-The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause diamage to the premises and/or adjacent properly if it places the marting, in this load where you deater it. It is not with a hot led you or eavy shapmatter area, bothin dode no do that the driver is requesting that you sign that RELEASE this region that the supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, busings, addresslar, drivwways, corts, etc., by the delivery of this material, and that you also agree to help him remove much from the wheels of his vehicle about the window of the struck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyons to have arisin out of delivery of this order.

X

Excessive Water is Detrimental to Concrete Performance H<sub>2</sub>0 Added By Request/Authorized By

GAL X

WEIGHMASTER

GRAND TOTAL

X

COMMITT	0000					
12.00 WELL 2.50 TRUCKING		WELL (10 S TRUCKING C	ACKS PER UNITY	12.00 2.50	76.00 50.00	912.00
			BB			
RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED		
			1. JOB NOT READY		SubTotal \$ Tax % 6.300	1037,00
LEFT PLANT	ARRIVED JOB	START UNLOADING	4. CONTRACTOR BROKE DOWN 9. OTHER 5. ADDED WATER	TIME DUE	Total \$	1102.33
2:43	5.18				Order \$ ADDITIONAL CHARGE 1 _	1100,33
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		DELAY TIME	ADDITIONAL CHARGE 2	
ASSESSED FROM			PRINCIPLE NORTH AND ALL		THE RESERVE OF THE PARTY OF THE	

RECEIVED JAN 2 3 2012 KCC WICHITA