

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1071781

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 34046	API No. 15 - 15-207-28001-00-00
Name: Laymon, Michael	Spot Description:
Address 1: 1206 N GROVE	SE_SE_NW_NW Sec. 15 Twp. 24 S. R. 16 Fast West
Address 2:	4050 Feet from ☐ North / 🗹 South Line of Section
City: YATES CENTER State: KS Zip: 66783 +	1155 Feet from East / West Line of Section
Contact Person:Michael Laymon	Footages Calculated from Nearest Outside Section Corner:
Phone: (<u>620</u>) <u>496-8638</u>	□ NE □ NW □ SE ☑ SW
CONTRACTOR: License # 32710	County: Woodson
Name: Laymon Oil II, LLC	Lease Name: Well #: 3-11
Wellsite Geologist: none	Field Name:
Purchaser:	Producing Formation: Squirrel
Designate Type of Completion:	Elevation: Ground: 1015 Kelly Bushing: 1020
√ New Well Re-Entry Workover	Total Depth: 1060 Plug Back Total Depth:
✓ Oil WSW SWD SIOW Gas D&A ENHR SIGW OG GSW Temp. Abd. CM (Coal Bed Methane) CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: 40 Feet Multiple Stage Cementing Collar Used? Yes No If yes, show depth set: Feet If Alternate II completion, cement circulated from: 0
Cathodic Other (Core, Expl., etc.):	feet depth to: 40 w/ 10 sx cmt
If Workover/Re-entry: Old Well Info as follows:	
Operator:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth: Deepening Re-perf. Conv. to ENHR Conv. to SWD Conv. to GSW	Chloride content: 0 ppm Fluid volume: 80 bbls Dewatering method used: Evaporated
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	Operator Name:
Dual Completion Permit #:	Lease Name: License #:
SWD Permit #:	Quarter Sec TwpS. R
ENHR Permit #:	County: Permit #:
GSW Permit #:	
Spud Date or Date Reached TD Completion Date or	
Recompletion Date Recompletion Date	

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY					
Letter of Confidentiality Received					
Date:					
Confidential Release Date:					
Wireline Log Received					
Geologist Report Received					
UIC Distribution					
ALT I III Approved by: Deems Garriou Date: 01/17/2012					

Side Two



Operator Name: Layrr	on, Michael		Lease l	Name: _	Lueking		Well #: <u>3-1</u>	1
Sec. 15 Twp.24	s. r. <u>16</u>	✓ East	County	Wood	dson			
INSTRUCTIONS: Show time tool open and close recovery, and flow rates line Logs surveyed. Atta	ed, flowing and shu if gas to surface te	t-in pressures, whether s st, along with final charte	shut-in pres	sure read	ched static level,	hydrostatic pr	essures, bottom h	ole temperature, fluid
Drill Stem Tests Taken (Attach Additional Shi	eets)	Yes No	·	L		n (Top), Depth		☐ Sample
Samples Sent to Geolog	gical Survey	Yes No		Nam Attach			Top Attached	Datum Attached
Cores Taken Electric Log Run Electric Log Submitted I	Electronically	☐ Yes ☑ No ☑ Yes ☐ No ☑ Yes ☐ No ☑ Yes ☐ No						
List All E. Logs Run:								
Gamma Ray Neutron								
		CASING	RECORD	✓ Ne	w Used			
	Circ Hele	Report all strings set-	T		· · · · · · · · · · · · · · · · · · ·	 		Time and Daniel
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Wei		Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	10.2500	8.6250	24		40	common	10	
Production	6.1250	2.8570	6.7		1055	common	150	
		ADDITIONA	CEMENT	NO / CO!	IFFZF BEGORD].	
Purpose:	Depth Top Bottom	Type of Cement	# Sacks		JEEZE RECORD	Type ar	nd Percent Additives	
Protect Casing Plug Back TD	-							
Plug Off Zone	-							
					L			
Shots Per Foot		ON RECORD - Bridge Plu- Footage of Each Interval Pe				cture, Shot, Cen mount and Kind o	nent Squeeze Record f Material Used)	Depth
					·			
		, , , , , , , , , , , , , , , , , , ,						
TUBING RECORD:	Size:	Set At:	Packer A	t:	Liner Run:	Yes	No	
Date of First, Resumed Pr	roduction, SWD or EN	HR. Producing Met	hod:	ıg [Gas Lift ☐ O	ther (Explain)		
Estimated Production Per 24 Hours	Oil	Bbls. Gas	Mcf	Wat	er Bt	ols.	Gas-Oil Ratio	Gravity
	105010					····		
DISPOSITION Vented Sold	NOF GAS:	Open Hote [METHOD OF	_		nmingled	PRODUCTIO	ON INTERVAL:
(If vented, Subm	_	Other (Specify)		(Submit		nit ACO-4)		

Form	ACO1 - Well Completion
Operator	Laymon, Michael
Well Name	Lueking 3-11
Doc ID	1071781

Tops

Soil	0	12
Shale & Lime	12	412
Shale	412	440
Lime	440	530
Black Shale	530	535
Lime	535	600
Big Shale	600	700
Lime	700	746
Black Shale	746	750
Shale	750	760
Lime	760	920
Black Shale	920	925
Lime	925	947
Black Shale	947	948
Upper Squirrel Sand	948	955
Shale	955	981
Cap Rock	981	982
Shale	982	984
Cap Rock	984	985
Lower Squirrel Sand	985	995
Shale	995	1060

**Dif Field Supply

SALES DELIVERY PACKING SLIP

DATE	Oct	24	2011	1
(2/112				

210 S. State lola, KS 66749 Phone: 620-365-3131 Fax: 620-365-3138

Loymon II Acco

CUSTOMER

ACCOUNT #: 2495

SALESMAN: RIJ

LOCATION	V:			SALESMAN:		····	
	CASH	CHARGE	QUO	nt l	RETURN	ED MDSE.	· ·
YTLIAUQ		DESCRIPTION		PART∉	PRICE	AMOUN	NT.
50	Sacks	Portland Ceme.	+ (FS-100AC	999	499	5
						42	71
						542	21
	* note - K	ock-pockup omber Deliver					
	Klin /	mber Deliver	40				1
	Shop -						7.
						<u> </u>	
						<u></u>	<u> </u>
·				·		<u> </u>	
							<u> </u>
						ļ	
							<u> </u>
		J					
	1						
·	1 heras	d 16-11 -	ID				
	. /						<u> </u>
	Luckin	G -		 			
	Hekid	2-11	10				
	Lukin	J 3-11	10				<u> </u>
		<u> </u>					
					<u> </u>		
							<u> </u>
						<u> </u>	

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588



Barrier W. Commission

CONDITIONS
Concrete to be delivered to the nearest accessible point over passable mad, under truck's own power. Due to delivery at owner's or instrinedary's principon, safer assumes no responsibility for damages in any manner to sidewalks roadways, driveways, buildings, trees, shrubbery etc. which are at outstreet risk. The macerium abcomma delired time for unlocating trucks is 3 minutes per yard. A charge will be made for holding trucks longer this concrete contains correct water containts for strength or mis indicated. We do not assume responsibility for strength test when water is added at customer's request.

NOTICE TO OWNER.
Failure of this contract can result in the firing of a mechanic's ten on the property which is the subject of this contract.

TIME	FORMULA	LOAD SIZE	YARDS ORDERED		DRIVER/TRUCK		PLANT/TRANSACTION #
			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	7 4 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7			
ţ, DATE		LOAD #	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
						D. M	
N IRRITAT Contains Portland Cement	WARNING ING TO THE SKIN A Wear Rubber Boots and Gioves. P	ND EYES ROLONGED CONTACT MAY	PROPERTY CAMAL [10] BE SIGNED IF DELIVERY TO II Dear Customer-The driver of this truct you for your sonabling at of the opinion	SE MADE INSIDE CURB LINE) # presenting this RELEASE to	H₂0 Add	s Detrimental to Con ed By Request/Auth	
CAUSE BURNS. Avoid Contact With Eyes and Protonged Contact With Slon. In Case of Contact With Slon or Eyes, Flush Thoroughly With Water, If Inflation Persists, Get Medical Middlingon, IREEP, CHILDREN AWAY. CONCRETE a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER JPON LEAVING the FLANT ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OPPICE SEPORE LOADING STATIS. THE EPHONED to the OPPICE SEPORE LOADING STATIS. THE EPHONED to the OPPICE SEPORE LOADING STATIS. THE ACCOUNTS overed. A accounts not post within 31 days of delivery will been interest at the rate of 24% par arrown. Not Responsible for Reachine Aggregate or Color Querty for Color Aboved University Made at Tane Made at in Coliners.		fruch may possibly cause damage to the premises and/or adapted property if a prace the malertal in the load where you dear it. It is our wish to habt you is every very that we can, but in order so do this the driver is requesting that you sign this RELEASE releving him and this supplier from any encourability from any damage that may occur to the premises and/or adapted property busings, sidewalls, driveways, cables, side, by the delivery of this maleral and that you also agree to happ him remove much soon the wheels of his verse is to that the end not like the public street firsther, as additional corsi deviation, the undestigated agreed to indomn'ty and hold harmless the driver of this truck and this subprier for any and all damage to the premises and/or adapted to provide the promises and/or adapted to the control of the premises and/or adapted to the premises and/or adapted to the premises and/or adapted to the premise and/or adapted to the premise and/or of calvery to livis order.		GAL X			
				• .			
				NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED VIEW DELIVERING INSIDE CURB LINE. LOAD RECEIVED BY			
							A \$25 Service Charge and Le Excess Delay Time Charged @
QUANTITY	CODE	DESCRIPTION			•	UNIT PRICE	EXTENDED PRICE

RETURNED TO PLANT	LEFT JOB .	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN		TIME ALLOWED	7
		•	1 JOS NOT READY 2 SLOW POUR OR PUMP 3 TRUCK AHEAD ON JOS	6. TRUCK BROKE COMN 7. ACCIDENT 8. CITATION		
LEFT PLANT	ARRIVED JOB	START UNLOADING	4 CONTRACTOR BROKE DOWN 5 ADDED WATER	9 OTHER	TIME DUE	7
						ADDITIONAL CHARGE 1
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME			DELAY TIME	ADDITIONAL CHARGE 2
						GRAND TOTAL