15-169-00463-00-00

To:	API NUMBER 15+ 2 6 9	
STATE CORPORATION COMMISSION CONSERVATION DIVISION - PLUGGING SECTION	, Sec. <u>24</u> , <u>T 15</u> s, <u>R 2</u> w/t	
200 COLORADO DERBY BUILDING WICHITA, KANSAS 67202	1980 feet from 1/3 section line	
TECHNICIAN'S PLUGGING REPORT	1980 feet from W/# section line	
Operator License # 60.50	Lease Name Krauss Well # A - 4	
Operator: Kelso Casing Pulling	County Salme	
Name & NEISC CASINI CHANNEL Address	Well Total Depth 2728 feet	
#BOX 176 Chase ts	Conductor Pipe: Sizefeet	
1/1/2	Surface Casing: Size 103 feet 162	
Abandoned Oil Well Gas Well Inpu	t Well SWD Well D&A	
Other well as hereinafter indicated	, <u> </u>	
Plugging Contractor Kelso CASING P	Ulling License Number 60 50	
Address	•	
Company to plug at: Hour: 10:00 Day: 1	6 Month: MAVCh Year:1983	
VERBAL PLUGGING ORDERS GIVEN TO DAY'S	1 Kelso	
(company name) Kelso CASING PO	llug(phone)	
were: Budged At 200'	filled to surface	
with 5 405		
· .		
Bottom - Sanded +	0 2650 Cap Wo sks.	
	Signed(TECHNICIAN)	
Plugging Operations attended by Agent?: All		
Operations Completed: Hour: 12:07 Day:	 - · ·	
ACTUAL PLUGGING REPORT		
North Peddelio Abroni		
SAME A	s Above	
<u>-''</u>		
Remarks: 7 Recovered 2027		
	instructions were given as herein stated	
and that I (did / did not) observe this plugg:	rug.	

(TECHNICIAN)

FORM CP-2/3 Rev. 9-82

RECEIVED
STATE CORPORATION COMMISSION

MAR 23 1983

MAR 23 1983

CONSERVATION DIVISION
Wichita, Kansas

MAR 23 1983 03-33-83 CONSERVATION DIVISION Wichita, Kansas

15-169-00463-00-68

SALINA CONCRETE PRODUCTS

· Ph	one 827-7281	SALINA, KANSAS	1100 W. Ash St.
Deli	vered to	DELIVERY RECEIPT Load	No. 10-400 an colored Ford
QUAN.	DESCRIPTIO	Nucl ment you on PRICE 9	AMOUNT
4	Cu. Yds. 💪	Sks. Sand Concrete @	\$
	Cu. Yds.	Sks. Rock Concrete @	\$
			\$
			\$
	% Cal. Chlor. Time arrived —45 Minutes ER WAIVES ALL CLAIR	1/4 0(-)	Truck No. 5/

Signature of Person Receiving

crete should be avoided because in

-NO CREDIT ALLOWED FOR CONCRETE RETURNED-

contains alkali and is caustic.

Body contact with fresh (moist) con-

15-169-00443-00-00

SALINA CONCRETE PRODUCTS, Inc.

Phone 827-7281 SALINA, KANSAS

1100 W. Ash St.

Body contact with fresh (moist) concrete should be avoided because it contains alkali and is caustic.

Deli	vered to, Kelso Casing 5 56	ad No. 2 6 K. 4-6/2 M/N-1/2 M/C
QUAN.	DESCRIPTION PRICE	AMOUNT
7	Cu. Yds. 6 Sks. Sand Concrete @	\$
	Cu. Yds. Sks. Rock Concrete @	\$
		\$
`		\$
	A	
	Gallons Water Added on Job % Cal. Chlor. A. E. () Hot Water () TAX	ĸ .
114	Time arrived at job	
	SER WAIVES ALL CLAIMS FOR PERSONAL OR PROPERTY DAMAGE CAUSI R'S TRUCK WHEN DELIVERY IS MADE BEYOND STREET CURB LINE.	50 Thursby No. 54

-NO CREDIT ALLOWED FOR CONCRETE RETURNED-