Form G-2 (Rev. 7/03)

## KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Test: (See Instructions on Reverse Side)													
Open Flow				Tool Date	Test Date: API No. 15								
Detiverabilty					rest Date					190. 15 23-20993-00	-00		
Company Noble Energy Inc					Lease Douthit			Well N 12-21			Well Number		
				Section 21				RNG (E/W) 41W		,	Acres Attributed		
					Reservoir Niobrara			Gas Gathering Connection Southern Star/Kinder Morgan					
Completion Date 8/26/2011				Plug Bac 1427'	Plug Back Total Depth 1427'			Packer Set at					
Casing Size Weight 7", 4 1/2" 17#, 11.6				Internal Diameter 6# 9 7/8", 6 1/4"			Set at 121', 1468'		rations 3'	To 1292'	· -		
				Internal (	Internal Diameter Set at			Perforations		То	То		
Type Completion (Describe) Single (gas)					<u> </u>	Type Fluid Production Saltwater			Pump Unit or Traveling Plunger		Plunger? Yes	/ No	
Producing	3 Thru	(Anr	nulus / Tubing	)	% C	% Carbon Dioxide			% Nitrogen		Gas Gra	Gas Gravity - G <sub>g</sub>	
Annulus													
Vertical Depth(H) Pressure Taps (Meter Run) (Prover) Size													
Pressure	Buildu	p:	Shut in 8/3	1 2	0 11 at 9	:15	(PM)	Taken		20	at	(AM) (PM)	
Well on L	ine:		Started 9/22	2	0 <u>11</u> at <u>1</u>	1:10	(PM)	Taken		20	at	(AM) (PM)	
						OBSERVE	D SURFAC	E DATA			Duration of Shut-	n_530 Hours	
Static / Dynamic Property	ynamic Size		Circle one: Meter Prover Pressu		Flowing Well Head Temperature t t		Casing Wellhead Pressure (P <sub>w</sub> ) or (P <sub>t</sub> ) or (P <sub>c</sub> )		Tubing Wellhead Pressure (P <sub>=</sub> ) or (P <sub>t</sub> ) or (P <sub>c</sub> )		Duration (Hours)	Liquid Produced (Barrels)	
Shut-In			psig (Pm)	Inches H <sub>2</sub> 0	3		201	psia	psig	psia	· · · · · · · · · · · · · · · · · · ·		
Flow													
						FLOW STR	REAM ATTR	IBUTES					
Plate Coeffiecient (F <sub>b</sub> ) (F <sub>p</sub> ) Mcfd		Circle one:  Meter or  Prover Pressure  psia		Press Extension √ P <sub>m</sub> x h	Gravity Factor F <sub>o</sub>		Flowing Temperature Factor F <sub>f1</sub>	Deviation Factor F <sub>pv</sub>		Metered Flow R (Mcfd)	GOR (Cubic Fe Barrel)	Flowing Fluid Gravity G <sub>m</sub>	
(P <sub>c</sub> ) <sup>2</sup> =			(P <sub>w</sub> ) <sup>2</sup> =		(OPEN FL	• •	'ERABILITY % (F	) CALCUL ' 14.4) +			(P <sub>a</sub> ) <sup>2</sup>	= 0.207	
$(P_{o})^{2} - (P_{a})^{2}$ or $(P_{o})^{2} - (P_{o})^{2}$		(P <sub>e</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup>		Choose formula 1 or 2:  1. P <sub>c</sub> <sup>2</sup> - P <sub>s</sub> <sup>2</sup> 2. P <sub>c</sub> <sup>2</sup> - P <sub>s</sub> <sup>2</sup> Ithided by: P <sub>c</sub> <sup>2</sup> - P <sub>s</sub> <sup>2</sup>	LOG of formula 1, or 2, and divide	P <sub>2</sub> ·P <sub>2</sub> ²	Backpressure Curve Slope = "n"or Assigned Standard Slope		T		Antilog	Open Flow Deliverability Equals R x Antilog (Mcfd)	
Open Flo	<u> </u>			Mcfd @ 14.	65 psia		Deliverab	ility		<u></u>	Mcfd @ 14.65 psi		
			l a de de de		<u> </u>						<del></del>		
				i benait of the						ovember	rt and that he ha	s knowledge of, 20 <u>11</u> .	
								CK	leu,	Ob	Kusa	RECEIVED	
			Witness (if	any)			_		1	ForC	ompany	DEC 10 000	
			For Commi	ssion			-			Chec	ked by	<del>ucu 13 201</del>	

KCC WICHITA

exempt and that correct	eclare under penalty of perjury under the laws of the state of Kansas that I am authorized to request status under Rule K.A.R. 82-3-304 on behalf of the operator Noble Energy Inc.  It the foregoing pressure information and statements contained on this application form are true and to the best of my knowledge and belief based upon available production summaries and lease records of the pass well herein named.
	reby request a one-year exemption from open flow testing for the
	Il on the grounds that said well:
l fu	(Check one)  is a coalbed methane producer  is cycled on plunger lift due to water  is a source of natural gas for injection into an oil reservoir undergoing ER  is on vacuum at the present time; KCC approval Docket No.  is not capable of producing at a daily rate in excess of 250 mcf/D  rther agree to supply to the best of my ability any and all supporting documents deemed by Commission
staff as	necessary to corroborate this claim for exemption from testing.
Date: _1	1/21/2011
	Signature: Keryl Johnson  Title: Regulatory Analyst II

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

RECEIVED

DEC 13 2011

KCC WICHITA



## **NATURAL GAS ANALYSIS**

PROJECT NO.: 201110131

ANALYSIS NO.:

COMPANY NAME: NOBLE ENERGY

ANALYSIS DATE: OCTOBER 29, 2011

ACCOUNT NO.: PRODUCER:

SAMPLE DATE: TQ: OCTOBER 20, 2011

LEASE NO.:

E1502320993

YUMA

EFFECTIVE DATE: NOVEMBER 1, 2011

NAME/DESCRIP.: **DOUTHIT 12-21** 

\*\*\*FIELD DATA\*\*\*

SAMPLED BY: M. MCCALL

COMPRESSIBILITY FACTOR:

CYLINDER NO.:

1060

SAMPLE PRES.: SAMPLE TEMP.:

AMBIENT TEMP.: **GRAVITY:** 

SAMPLE TYPE:

**VAPOR PRES.:** 

0.99801

FIELD COMMENTS: LAB COMMENTS:

	NORM.	GPM @	GPM @	
COMPONENTS	MOLE%	14.65	14	<b>1.73</b>
HELIUM	0.10	-	_	
HYDROGEN	0.00	•	-	
OXYGEN/ARGON	0.04	•	-	
NITROGEN	4.95	-	-	
CO2	1.47	•	•	
METHANE	91.63	-	•	
ETHANE	1.27	0.338		0.340
PROPANE	0.36	0.099		0.099
ISOBUTANE	0.06	0.020		0.020
N-BUTANE	0.06	0.019		0.019
ISOPENTANE	0.02	0.007		0.007
N-PENTANE	0.01	0.004		0.004
HEXANES+	0.03	0.013		0.013
TOTAL	100.00	0.500	<del></del>	0.502
BTU @ 60 DEG F		14.65		14.73
NET DRY REAL =		867.0		871.8
NET WET REAL =		851.8		856.6
GROSS DRY REAL =		962.5		967.8
GROSS WET REAL =		945.7		951.0
RELATIVE DENSITY REAL (A	AIR=1 @ 14.696 PSIA 60F	0.6021		

NOTE: REFERENCE GPA 2261(ASTM D1945), 2145, & 2172 CURRENT PUBLICATIONS

THIS DATA HAS BEEN ACQUIRED THROUGH APPLICATION OF CURRENT STATE-OF-THE-ART ANALYTICAL TECHNIQUES. THE USE OF THIS INFORMATION IS THE RESPONSIBLITY OF THE USER. EMPACT ANALYTICAL SYSTEMS, ASSUMES NO RESPONSIBILITY FOR ACCURACY OF THE REPORTED INFORMATION NOR ANY CONSEQUENCES OF IT'S APPLICATION.

> RECEIVED DEC 13 2011 KCC WICHITA

EMPACT Analytical Systems, Inc. 365 S. Main St. Brighton, CO 80601 303-637-0150