## KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Test: (See Instructions on Reverse Side)																	
Open Flow Deliverability				Test Date	Test Date: API No. 15 15-181-205					No. 15  -181-20546-(	46-00-00						
Company Noble E		Inc							Lease Billinger					23-1	Weil Nu	mber	
County Location Sherman NE-SW-NE-SW				Section 1				TWP 6S		RNG (E/W) 40W			Acres Attributed				
Field Prairie Star					Reservoir Niobrara				Gas Gathering Connection Kinder Morgan								
Completion Date 5/17/2011				Plug Bac 1505'	Plug Back Total Depth 1505'				Packer	Set at							
Casing Size Weight 7", 4 1/2" 17#, 9.5#					Internal Diameter 9 7/8", 6 1/4"			Set at 381', 1551'		Perforations 1352'			то 1383'				
	Tubing Size Weight				Internal Diameter S			·				То					
Type Completion (Describe) Single (gas)				Type Flui	Type Fluid Production Saltwater				Pump Unit or Traveling Plunger? Yes / No Yes								
Producing		(Anı	nulus / Tubir	ıg)			% Carbon Dioxide				· · · · · · · · · · · · · · · · · · ·			Gas Gr	Gas Gravity - G <sub>q</sub>		
Tubing  Vertical Depth(H) Pressure Taps											(Meter F	Run) (P	rover) Size				
Pressure			Shut in 6/1		2	0_11_at_12 0_11_at_12	2:30					20					
Well on L	ine:		Started	_	20	0 at			(AM) (PM)	Taken		20					
Charles	Circle one: Pressure				OBSERVED SURFACE DATA Casing			Duration Tubing			on of Shut-	n of Shut-in 48 Hours					
Static / Oynamic Property	nic Size		Meter Prover Pressure psig (Pm)		Differential in Inches H,0	Flowing Temperature t	Well Head Temperature t		Wellhead Pressure (P <sub>w</sub> ) or (P <sub>1</sub> ) or (P <sub>c</sub> ) psig psia		Wellhead Pressure (P <sub>w</sub> ) or (P <sub>1</sub> ) or (P <sub>q</sub> ) psig psis			Ouration (Hours)		Liquid Produced (Barrels)	
Shut-In			-		•				218	рана	pary	psia					
Flow																	
				1			FLOW S	TRE	AM ATTRI	BUTES							
Plate Coeffiecient (F <sub>B</sub> ) (F <sub>B</sub> ) Mcfd		Circle one: Meter or Prover Pressure psia			Press Extension P <sub>m</sub> ×h	Fact	Gravity Factor F <sub>g</sub>		Flowing emperature Factor F <sub>rt</sub>	Fa	viation Metered Flow actor R F <sub>pv</sub> (Mcfd)		,   	GOR (Cubic Fe Barrel)	et/	Flowing Fluid Gravity G <sub>m</sub>	
										<u> </u>			<u> </u>				
(P <sub>c</sub> ) <sup>2</sup> =		_:	(P <sub>w</sub> ) <sup>2</sup> :	=	<u></u> :	(OPEN FLO	OW) (DEL	.IVE %	RABILITY)	CALCUL - 14.4) +		:		(P <sub>a</sub> ) <sup>2</sup> (P <sub>a</sub> ) <sup>2</sup>	2 = 0.2 2 =	07	
$(P_a)^2 - (P_4)^2$ or $(P_a)^2 - (P_a)^2$		(P <sub>c</sub> ) <sup>2</sup> · (P <sub>w</sub> ) <sup>2</sup>		:	1. P <sup>2</sup> -P <sup>2</sup> 2. P <sup>2</sup> -P <sup>2</sup> ted by: P <sup>2</sup> -P <sup>2</sup> to book formula 1. or 2. and divide by:		P 2 - P 2		Backpressure Curve Slope = "n" or Assigned Standard Slope		n x LOG		A	Antiloo		Open Flow Deliverability Equals R x Antilog (Mcfd)	
Open Flor	<u>-</u> ! w		L		Mcfd @ 14.6	( 65 psia			Deliverabil	lity			Mcfd €	14.65 psi	! а		
		igned	authority, o	n b	ehalf of the	Company, s	tates that	he	is duly aut	thorized to	o make ti	ne above repo				ledge of	
the facts s	tated ti	herei	n, and that s	aid	report is true	and correct	t. Execut	ed t	his the 4		day of $\frac{N}{2}$	lovember	1			20 11	
			Witness	(if euro	<i>t</i> )		-		_	CA	ley	1/ /	ompany	Kurd	$\sim$	RECEIVE	
			For Com					•	_				ked by		— <b>(</b>	EC 13-2	

I declare und	er penalty of perjury under the laws of the state of Kansas that I am authorized to request
exempt status un	der Rule K.A.R. 82-3-304 on behalf of the operator Noble Energy Inc
and that the fore	going pressure information and statements contained on this application form are true and
correct to the bes	t of my knowledge and belief based upon available production summaries and lease records
• •	allation and/or upon type of completion or upon use being made of the gas well herein named.  est a one-year exemption from open flow testing for the Billinger 23-1
gas well on the g	rounds that said well:
(Checi	one)
	is a coalbed methane producer
	is cycled on plunger lift due to water
	is a source of natural gas for injection into an oil reservoir undergoing ER
	is on vacuum at the present time; KCC approval Docket No.
<b>~</b>	is not capable of producing at a daily rate in excess of 250 mcf/D
_	e to supply to the best of my ability any and all supporting documents deemed by Commission y to corroborate this claim for exemption from testing.
Date: 11/4/2011	
	01.01.0

## Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

DEC 13 2011



## **NATURAL GAS ANALYSIS**

PROJECT NO.: 201106109 ANALYSIS NO.: 07

COMPANY NAME: NOBLE ENERGY ANALYSIS DATE: JUNE 26, 2011 ACCOUNT NO.: YUMA SAMPLE DATE: JUNE 16, 2011

PRODUCER: TO:

LEASE NO.: E1518120546 EFFECTIVE DATE: JULY 1, 2011

NAME/DESCRIP. : BILLINGER 23-1

\*\*\*FIELD DATA\*\*\*

SAMPLED BY: S. KENNEDY CYLINDER NO.: 47

SAMPLE PRES.: 73

SAMPLE TEMP.: 85

SAMPLE TYPE: SPOT

AMBIENT TEMP.: GRAVITY:
VAPOR PRES.:

FIELD COMMENTS: NO PROBE

LAB COMMENTS:

	NORM.	GPM @	GPM @		
COMPONENTS	MOLE%	14.65	14.73		
HELIUM	0.14	-	-		
HYDROGEN	0.02	-	-		
OXYGEN/ARGON	0.05	-	•		
NITROGEN	5.48	-	-		
CO2	0.50	-	-		
METHANE	91.59	-	-		
ETHANE	1.58	0.420		0.423	
PROPANE	0.44	0.121		0.121	
ISOBUTANE	0.07	0.023		0.023	
N-BUTANE	0.08	0.025		0.025	
ISOPENTANE	0.02	0.007		0.007	
N-PENTANE	0.01	0.004		0.004	
HEXANES+	0.02	0.009		0.009	
TOTAL	100.00	0.609		0.612	
BTU @ 60 DEG F		14.65		14.73	
NET DRY REAL =		874.0	<del></del>	878.8	
NET WET REAL =		858.7		863.5	
GROSS DRY REAL =		970.1		975.4	
GROSS WET REAL =		953.1		958.4	
RELATIVE DENSITY REA	AL (AIR=1 @ 14.696 PSIA 60F):	0.5971			

## NOTE: REFERENCE GPA 2261(ASTM D1945), 2145, & 2172 CURRENT PUBLICATIONS

THIS DATA HAS BEEN ACQUIRED THROUGH APPLICATION OF CURRENT STATE-OF-THE-ART ANALYTICAL TECHNIQUES. THE USE OF THIS INFORMATION IS THE RESPONSIBLITY OF THE USER. EMPACT ANALYTICAL SYSTEMS, ASSUMES NO RESPONSIBLITY FOR ACCURACY OF THE REPORTED INFORMATION NOR ANY CONSEQUENCES OF IT'S APPLICATION.

EMPACT Analytical Systems, Inc. 365 S. Main St. Brighton, CO 80601 303-637-0150