KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Test: (See Instructions on Reverse Side)													
Open Flow Deliverability			Test Date:				API No. 15						
	HIVERAL	шу							15-	023-21312-0	00-00		
Company Noble Energy Inc				Lease R. Zweygardt					Well Number 43-32				
County Location Cheyenne SE-NW-NE-SE				Section TWP 32 5S				RNG (E/	W)	,	Acres Attributed		
Field Prairie Star			Reservoi Niobrara					hering Conne Morgan	ection				
Completion Date 6/1/2011			Plug Back Total Depth 1509'			Packer Set at			'				
			Weight 17#, 1			nternal Diameter 9-7/8", 6-1/4"		Set at Perfo 391',1556' 133		rations 4'	To 1362'		
Tubing Size Weight 2-3/8' 4.7#				Internal I 1.995	Diameter	Set a	1	Perforations		То			
Type Completion (Describe) Single (gas)				Type Fluid Production Saltwater				Pump Unit or Traveling Plui Yes		Plunger? Yes	/ No		
Producing	g Thru	(An	nulus / Tubing)	% Carbon Dioxide				% Nitrogen		Gas Gravity - G		
Vertical D	Depth(l	1)				Pres	ssure Taps	<u> </u>		 ,	(Meter F	Run) (Prover) Size	
Pressure	Buildu	ıp:	Shut in 6/6	2	0_11_at_1	1:00	(PM)	Taken		20	at	(AM) (PM)	
0447 44 7:45					Taken		20	at	(AM) (PM)				
						OBSERV	ED SURFACE	DATA	••	-	Duration of Shut-i		
Static / Dynamic Property	Dynamic Size		Circle one: Meter Prover Pressur		Flowing Well Hea Temperature t t		Midlibood Processo		Tubing Wellhead Pressure (P _w) or (P ₁) or (P _c)		Duration (Hours)	Liquid Produced (Barrels)	
Shut-In	,,,,,		psig (Pm)	Inches H ₂ 0	`	,	psig 195	psia	psig	psia			
Flow													
					.,	FLOW ST	REAM ATTRI	BUTES					
Plate Coeffied (F _b) (F Mofd	ient)	Pro	Circle one: Meter or over Pressure psia	Press Extension	Grav Fac F	tor	Flowing Temperature Factor F _{rt}	Fa	iation ctor :	Metered Flov R (Mcfd)	y GOR (Cubic Fer Barrel)	Flowing Fluid Gravity G _m	
					(0.051) 51			0.11.0111	47000				
(P _c) ² =		_:	(P _*) ² =_	:	P _d =		VERABILITY) .% (P.	14.4) +		:	(P _a) ² (P _a) ²	= 0.207	
(P _c) ² - (or (P _c) ² - (P_)² P_)²	(F	P _e) ² - (P _u) ²	1. P _c ² - P _s ² 2. P _c ² - P _s ² wided by: P _c ² - P _s ²	LOG of formula 1, or 2. and divide	p2.p2	Slope Ass	sure Curve	n x l	.og []	Antilog	Open Flow Deliverability Equals R x Antilog (Mcfd)	
Open Flo	<u> </u>			Mcfd @ 14.	65 neia		Deliverabil	itu			Mcfd @ 14.65 psi		
•		• <u> </u>	al acade - de		•							···	
		-	a authority, on in, and that sai				-			e above repo ovember	rt and that he ha	s knowledge of	
			Witness (if				_(Che	ujl	Jo Li	MONTH TO THE PARTY	RECEIVED	
<u></u>			For Commis	•		<u></u>	_		0 0		ked by	DEC 13 201	

	re under penalty of perjury under the laws of the state of Kansas that I am authorized to request tus under Rule K.A.R. 82-3-304 on behalf of the operator Noble Energy Inc
	e foregoing pressure information and statements contained on this application form are true and
correct to ti	he best of my knowledge and belief based upon available production summaries and lease records
• •	ent installation and/or upon type of completion or upon use being made of the gas well herein named. By request a one-year exemption from open flow testing for the R Zweygardt 43-32
	n the grounds that said well:
guo mon on	The grounds that date well.
	(Check one)
	is a coalbed methane producer
	is cycled on plunger lift due to water
	is a source of natural gas for injection into an oil reservoir undergoing ER
	is on vacuum at the present time; KCC approval Docket No
	is not capable of producing at a daily rate in excess of 250 mcf/D
	er agree to supply to the best of my ability any and all supporting documents deemed by Commission cessary to corroborate this claim for exemption from testing.
Date: 11/2	8/2011
	Signature: Cley Jo Lucor Title: Regulatory Analyst II

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

DEC 13 2011



NATURAL GAS ANALYSIS

PROJECT NO.:

201109152

ANALYSIS NO.:

05

COMPANY NAME: NOBLE ENERGY

ANALYSIS DATE:

OCTOBER 4, 2011

ACCOUNT NO.:

YUMA

SAMPLE DATE: TO: **SEPTEMBER 22, 2011**

PRODUCER: LEASE NO.:

E1502321312

EFFECTIVE DATE: NOVEMBER 1, 2011

NAME/DESCRIP.: R ZWEYGARDT 43-32

FIELD DATA

SAMPLED BY:

JOSHUA WALTERS

MODE

CYLINDER NO.: AMBIENT TEMP.:

0.99802

619

SAMPLE PRES.: SAMPLE TEMP.:

39 89

GRAVITY: VAPOR PRES.:

SAMPLE TYPE: **SPOT**

COMPRESSIBILITY FACTOR:

FIELD COMMENTS: NO PROBE

LAB COMMENTS:

	NORM.	GPM @	GPM @	
COMPONENTS	MOLE%_	14.65	14.73	
HELIUM	0.11	-	-	····
HYDROGEN	0.00	-	•	
OXYGEN/ARGON	0.04	-	-	
NITROGEN	4.60	-	•	
CO2	0.53	•	-	
METHANE	92.71	-	-	
ETHANE	1.39	0.370		0.372
PROPANE	0.43	0.118		0.118
ISOBUTANE	0.07	0.023		0.023
N-BUTANE	0.08	0.025		0.025
ISOPENTANE	0.02	0.007		0.007
N-PENTANE	0.01	0.004		0.004
HEXANES+	0.01	0.004		0.004
TOTAL	100.00	0.551		0.553
BTU @ 60 DEG F		14.65		14.73
NET DRY REAL =		880.4	•	885.2
NET WET REAL =		865.0		869.8
GROSS DRY REAL =		977.3		982.6
GROSS WET REAL =		960.2		965.5
RELATIVE DENSITY REAL	. (AIR=1 @ 14.696 PSIA 60F):	0.5925		

NOTE: REFERENCE GPA 2261(ASTM D1945), 2145, & 2172 CURRENT PUBLICATIONS

THIS DATA HAS BEEN ACQUIRED THROUGH APPLICATION OF CURRENT STATE-OF-THE-ART ANALYTICAL TECHNIQUES. THE USE OF THIS INFORMATION IS THE RESPONSIBLITY OF THE USER. EMPACT ANALYTICAL SYSTEMS, ASSUMES NO RESPONSIBLITY FOR ACCURACY OF THE REPORTED INFORMATION NOR ANY CONSEQUENCES OF IT'S APPLICATION.

> EMPACT Analytical Systems, Inc. 365 S. Main St. Brighton, CO 80601 303-637-0150

RECEIVED DEC 13 2011 KCC WICHITA