KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Test	Type Test: (See Instructions on Reverse Side)												
Open Flow				T D-4	Tour Bodon								
Deliverabilty			test Date	Test Date:				API No. 15 15-023-21277-00-00					
Company Noble Energy Inc					Lease Nipps				Well Numbe				
County Location Cheyenne N2-SW-SW-NW				Section 33	Section TWP			RNG (E/W) 39W			Acres Attributed		
Field Prairie Star			<u>. </u>	Reservoir Niobrara			Gas Gathering Con Kinder Morgan			ection			
Completion Date 4/29/11				Plug Bac 1504'	Plug Back Total Depth 1504'			Packer S	Set at	 		_	
Casing Size 7", 4-1/2"			Weigh 17#,	nt 11.6#	Internal Diameter 9-7/8", 6-1/4"		Set at 402', 1547'		Perforations 1349'		то 1376'		
Tubing Size Weight 2-3/8" 4.7#			nt	Internal Diameter Set 1.995			it	Perfo	rations	То			
Type Completion (Describe) Single (gas)				• •	Type Fluid Production Saltwater			Pump Unit or Traveling Plung Yes		Plunger? Yes	ger? Yes / No		
			nulus / Tubin	g)	% C	% Carbon Dioxide			% Nitrogen		Gas Gr	Gas Gravity - G	
Tubing							<u>-</u>				<u></u>		
Vertical Depth(H) Pressure Taps (Meter Run) (Prover) Size													
Pressure Buildup: Shut in 5/4 20 11 at 11:00 (PM) Taken 20 at (AM) (PM)													
Well on L	ine:		Started 6/1	2	0 <u>11</u> at <u>1</u>		<u> </u>				at		
						OBSERVE	D SURFACE	E DATA			Duration of Shut-	in_648	Hours
Property (inches) Prover Pressure in		Flowing Well Head			Casing Wellhead Pressure		fubing ad Pressure	Duration	Liquid Produced				
			Prover Pressure in		Temperature Temperature t		(P _w) ∝ (P ₁) or (P _e)		$(P_w) \text{ or } (P_t) \text{ or } (P_c)$		(Hours)	(Barrels)	'
Shut-In			psig (Pm)	Inches H ₂ 0			psig 190	psia	psig	pšiá			
Flow													\Box
				'	·	FLOW STR	EAM ATTRI	BUTES				• • • • • • • • • • • • • • • • • • • •	
Plate Gircle one:			Press	Grav	Gravity		Flowing Dev		Metered Flov	v GOR	Flowi	- 1	
Coeffiecient (F _b) (F _b)		Meter or Prover Pressure		Extension	Faci	ior į	emperature Factor		ctor	R (Mcfd)	(Cubic Fe Barrel)	ev i	/ Fluid Gravity
Mcfd			psia	✓ P _m xh	``	1	F _{II}	<u> </u>	pv	(MCIG)	Ballely	G,	
					(OPEN FL	OW) (DELIV	ERABILITY)	CALCUL	ATIONS		(P,)	² = 0.207	
(P _c) ² =	·····	_:_	(P _w) ² =		P₀≂		% (Р	_e - 14.4) +	14.4 =	:	(P _d)		
(P _c)²- (I	P_)2	(F	P _c) ² - (P _w) ²	Choose formula 1 or 2 1. P _c ² - P _d ²	LOG of			ssure Curve		_ []		Open Flow	
or (P _e) ² -(P _d) ²		,		2. P _c ² · P _c ² alvided by: P _c ² · P _c ³	formula 1, or 2, and divide by:	P _e ^z -P _e ^z	or Assigned Standard Slope		n x LOG		Antilog	Deliverabili Equals R x Ar (Mcfd)	•
					<u> </u>	<u></u>							\dashv
											!		\neg
Open Flow Mcfd @ 14.65			65 psia	5 psia Deliverability			Mcfd @ 14.65 psia						
The undersigned authority, on behalf of the Company, states that he is duly authorized to make the above report and that he has knowledge of													
the facts stated therein, and that said report is true and correct. Executed this the 28 day of November , 20 11													
Charles Ali													
Witness (if any) RECEIVED													
			For Comm	ession			-		V	Chec	cked by	EC 13 20	<u>111</u>

KCC WICHITA

exemp and the correct of equi	declare under penalty of perjury under the laws of the state of Kansas that I am authorized to request of status under Rule K.A.R. 82-3-304 on behalf of the operator Noble Energy Inc. at the foregoing pressure information and statements contained on this application form are true and to the best of my knowledge and belief based upon available production summaries and lease records ipment installation and/or upon type of completion or upon use being made of the gas well herein named, ereby request a one-year exemption from open flow testing for the Nipps 12-33.
	(Check one) is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No. ✓ is not capable of producing at a daily rate in excess of 250 mcf/D urther agree to supply to the best of my ability any and all supporting documents deemed by Commissions necessary to corroborate this claim for exemption from testing.
Date: _	11/28/2011 Signature: Lengt African
	Title: Regulatory Analyst II

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

RECEIVED

DEC 13 2011

KCC WICHITA



NATURAL GAS ANALYSIS

PROJECT NO.:

201106109

ANALYSIS NO.:

17

COMPANY NAME: NOBLE ENERGY

ANALYSIS DATE:

JUNE 26, 2011 JUNE 16, 2011

ACCOUNT NO.:

YUMA

SAMPLE DATE: TO:

PRODUCER: LEASE NO.:

E1502321277

EFFECTIVE DATE: JULY 1, 2011

NAME/DESCRIP.: NIPPS 12-33

FIELD DATA SAMPLED BY:

S. KENNEDY

CYLINDER NO.:

472

SAMPLE PRES.: SAMPLE TEMP.: 50 85

AMBIENT TEMP.:

GRAVITY: VAPOR PRES.:

SPOT SAMPLE TYPE:

FIELD COMMENTS: LAB COMMENTS:

	NORM.	GPM @	GPM @
COMPONENTS	MOLE%	14.65	14.73
HELIUM	0.12	-	-
HYDROGEN	0.00	-	•
OXYGEN/ARGON	0.04	-	•
NITROGEN	4.41	-	-
CO2	0.98	-	-
METHANE	92.52	-	•
ETHANE	1.35	0.359	0.361
PROPANE	0.40	0.110	0.110
ISOBUTANE	0.06	0.020	0.020
N-BUTANE	0.07	0.022	0.022
ISOPENTANE	0.02	0.007	0.007
N-PENTANE	0.02	0.007	0.007
HEXANES+	0.01	0.004	0.004
TOTAL	100.00	0.529	0.531
BTU @ 60 DEG F		14.65	14.73
NET DRY REAL =		877.1	881.9
NET WET REAL =		861.8	866.6
GROSS DRY REAL =		973.6	979.0
GROSS WET REAL =		956.6	962.0

RELATIVE DENSITY REAL (AIR=1 @ 14.696 PSIA 60F):

0.5956

NOTE: REFERENCE GPA 2261(ASTM D1945), 2145, & 2172 CURRENT PUBLICATIONS

THIS DATA HAS BEEN ACQUIRED THROUGH APPLICATION OF CURRENT STATE-OF-THE-ART ANALYTICAL TECHNIQUES. THE USE OF THIS INFORMATION IS THE RESPONSIBLITY OF THE USER. EMPACT ANALYTICAL SYSTEMS, ASSUMES NO RESPONSIBILITY FOR ACCURACY OF THE REPORTED INFORMATION NOR ANY CONSEQUENCES OF IT'S APPLICATION.

> EMPACT Analytical Systems, Inc. 365 S. Main St. Brighton, CO 80601 303-637-0150

RECEIVED DEC 13 2011 **KCC WICHITA**