15-675-20795-0000

KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Test						(See Instru	ucti	ons on Re	rerse Sic	de)		NADILII		E91			
✓ Open Flow Deliverability			Test Date) :				ΔPIN	lo 15 - 07 4	5- 20	205	- 44	••					
		ilty				12-2-20	11						lo. 15 - 07 5	-20	י, ראס	- 00	00	
M M Ene		nc							Lease Maxfield	i					#.		Well N	umber
County Location Hamilton C SW				Section 2			TWP 21S			RNG (E/W) 41W					Acres .	Attributed		
Field Bradsha	w					Reservoir Winfield						Gas Gathe Oneok	ering Conn	ection)			
Completion Date 1/2003							Plug Back Total Depth 3204						Packer Set at none					
Casing Size 5.5			Weigi 17	nt		Internal D 4.99	nternal Diameter 1.99		Set at 3204			Perfora 2744		To 2860			· · · · · · · · · · · · · · · · · · ·	
Tubing Si 2.375	ize		Weigl	nt		Internal C	Diameter		Set a	t		Perfora	tions		To			<u>.</u>
Type Con single	npletion	n (De	escribe)			Type Flui	d Producti	ion				Pump Unit DU	or Traveling	Plun	ger?	Yes	/ No	
Producing	_	(Anı	nulus / Tubin	g)		% C	arbon Dio	xid	le			% Nitrogei	<u> </u>		G	as Gr	avity -	G _o
Vertical D		1)					Pre	288	ure Taps						(N	leter l	Run) (P	rover) Size
	Buildu	p:	Shut in 12	2	2	0_11_at_1	2:30 pm	<u> </u>	(AM) (PM)	Taken 1	2	/5	20	11	at 12	2:25	pm	(AM) (PM)
Well on L			Started 12/	5	2	0 <u>11</u> at <u>1</u> 2	2:35 pm	_ ((AM) (PM)	Taken _	2	/6	20	11	at	:40	pm	(AM) (PM) (AM) (PM)
 .							OBSERV	/EC	SURFACI	DATA							in	
Static / Dynamic Property	namic Size		Circle one: Meter Prover Press psig (Pm)	Differ i en	sure ential n s H _a 0	rntlal Flowing Temperature		Well Head Temperature t		ng Pressure	Wellhea (P _w) or		fubing ad Pressure r (P ₁) or (P _c)		Duration (Hours)		Liquid Produced (Barrels)	
Shut-In		•••	, , ,						5 0	psia 64.4	,	psig	psia		-		_	
Flow	į								37									
,							FLOW ST	TRE	EAM ATTR	BUTES								·
Plate Coefflecient (F _b) (F _p) Mcfd		Clicts one: Meter or Prover Pressure psla		Press Extension ✓ P _m x h		Gravity Factor F _o		Flowing Temperature Factor F _{t1}		Deviation Factor F _{pv}		tor	Metered Flow R (Mcfd)		GOR (Cubic Fee Barrel)			Flowing Fluid Gravity G _m
			<u> </u>	<u></u>		(OPEN FLO	OW) (DEL	IVE	RABILITY	CALCU	IL/		 <u></u>		_	/P \	² = 0.2	207
(P _c) ² =		_:_	(P _w) ² =		_:_	P _d =		_%	(F	c - 14.4)	+	14.4 =				(P _d)	2 =	
(P _c) ² - (I or (P _c) ² - (I		(F	P _c) ² - (P _w) ²	1. P _c ² 2. P _c ² divided by: 1	- P _a ² - P _a ²	LOG of formula 1. or 2. and divide	P_2. P_2		Slop	ssure Curv e = "n" or signed ard Slope		n x LC	og [Antilog	. <u>.</u>	De Equal	pen Flow liverability s R x Antilog (McId)
Open Flo			1	Mefd	@ 14.	65 psia	· · · · · · · · · · · · · · · · · · ·		Deliverab	ilitu			<u></u>	Mofd	Ø 14.6	ee		
		gned	authority, o			,,i	tates that	he			to	make the	above repo		-			dedge of
			n, and that s									_	cember)		<i>i</i>		 ,	20 11
	•		Witness	il anvi					_			fle,	/h	l			_	EIVED
			***						_					Company	у		JŁĻ	1 6 2011
			For Com	นธรเดก									Che	cked by		K	CC V	VICHITA

exempt st	lare under penalty of perjury under the laws of the state of Kansas that I am authorized to request tatus under Rule K.A.R. 82-3-304 on behalf of the operator MM Energy Inc
correct to of equipm I here	the best of my knowledge and belief based upon available production summaries and lease records nent installation and/or upon type of completion or upon use being made of the gas well herein named. By request a one-year exemption from open flow testing for the
	is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No. ✓ is not capable of producing at a daily rate in excess of 250 mcf/D her agree to supply to the best of my ability any and all supporting documents deemed by Commission ecessary to corroborate this claim for exemption from testing.
	Signature: Ode Selluly Title: Corporate Sec/Treas.

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The CENTEDe signed and dated on the front side as though it was a verified report of annual test results.

DEC 1 6 2011

STATE TEST 2011

OPERATOR: M M ENERGY

WELL: MAXFIELD #2

LOCATION: 2-21-41

COUNTY: HAMILTON

SHUT IN TIME: 12/2/11 SHUT IN TAKEN: 12/5/11

TIME: 12:30 P.M. **TIME:** 12:25 P.M.

ON FLOW: 12/5/11

PRESSURE: 50#

FLOW TAKEN: 12/6/11

TIME: 12:35 P.M. **TIME:** 12:40 P.M.

DIFF: 12"

WORKING PRESSURE: 37# METER PRESSURE: 25#

> RECEIVED DEC 1 6 2011 KCC WICHITA