

Kansas Corporation Commission
Oil & Gas Conservation Division

1073302

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 32710	API No. 15 - 15-207-27995-00-00
Name: Laymon Oil II, LLC	Spot Description:
Address 1: 1998 SQUIRREL RD	NW_SE_SW_SE_Sec17_Twp24_S. R16_ VEast West
Address 2:	
City: NEOSHO FALLS State: KS Zip: 66758 + 7124	1815 Feet from 🗹 East / 🗌 West Line of Section
Contact Person: Michael Laymon	Footages Calculated from Nearest Outside Section Corner:
Phone: (620) 963-2495	□ne □nw Øse □sw
CONTRACTOR: License #_32710	County: Woodson
Name: Laymon Oil II, LLC	Lease Name: Shepard Well #: 20-11
Wellsite Geologist: none	Field Name:
Purchaser:	Producing Formation: Squirrel
Designate Type of Completion:	Elevation: Ground: 1074 Kelly Bushing: 1079
▼ New Well Re-Entry Workover	Total Depth: 1100 Plug Back Total Depth:
☑ Oil □ wsw □ swb □ slow	Amount of Surface Pipe Set and Cemented at: 40 Feet
☐ Gas ☐ D&A ☐ ENHR ☐ SIGW	Multiple Stage Cementing Collar Used?
☐ OG ☐ GSW ☐ Temp. Abd.	If yes, show depth set: Feet
CM (Coal Bed Methane)	If Alternate II completion, cement circulated from:
Cathodic Other (Core, Expl., etc.):	feet depth to: 40 w/ 10 sx cmt,
If Workover/Re-entry: Old Well Info as follows:	
Operator:	Drilling Cluid Monogoment Clean
Well Name:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth:	Chloride content: 0 ppm Fluid volume: 80 bbls
☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD	Dewatering method used: Hauled to Disposal
Conv. to GSW	Dewatering metriod used.
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	Operator Name: Laymon Oll II
Dual Completion Permit #:	Lease Name: Sturdivan License #: 32710
SWD Permit #:	Quarter SE Sec. 33 Twp 23 S. R. 16 Feast West
ENHR Permit #:	County: Woodson Permit #: D-17640
GSW Permit #:	County, remit # remit.
01/10/2012 01/12/2012 01/13/2012	
Spud Date or Date Reached TD Completion Date or Recompletion Date	

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Letter of Confidentiality Received
Date:
Confidential Release Date:
☑ Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I I II Approved by: Desires Gorison Date: 02/02/2012

Side Two



Operator Name: Layr	non Oil II, LLC			Lease I	Name: 📑	Snepara		Well #:20-	11	
Sec. 17 Twp.24	s. r. <u>16</u>	✓ East		County	: Woo	dson				
INSTRUCTIONS: Sho time tool open and clos recovery, and flow rates line Logs surveyed. At	ed, flowing and shu if gas to surface te	t-in pressu st, along v	res, whether si with final chart(s	hut-in pres	sure read	ched static level,	hydrostatic pr	essures, bottom h	ole temp	erature, fluid
Drill Stem Tests Taken (Attach Additional St	heets)	Y€	es 📝 No		- L		n (Top), Depth			Sample
Samples Sent to Geological Survey Cores Taken Electric Log Run Electric Log Submitted Electronically (If no, Submit Copy)		Ye Ye Ye Ye	es 🗸 No es 🗌 No		Attach			Top Attached		Datum tached
List All E. Logs Run:										
Gamma Ray Neutron	1									
		Reno		RECORD	√ Ne	w Used	on etc			
Purpose of String	Size Hole Drilled	Siz	e Casing (In O.D.)	Wei	ght	Setting Depth	Type of Cement	# Sacks Used		and Percent
Surface	10.2500	8.6250		24	,	40	portland	10		
production	6.1250	2.8750		6		1095	common	150		
			ADDITIONAL	CEMENTI	NG / SQL	EEZE RECORD			<u> </u>	
Purpose:	Top Bottom									
Protect Casing Plug Back TD Plug Off Zone	•									
	<u></u>									
Shots Per Foot	Shots Per Foot PERFORATION RECORD - Bridge Plugs Set/Type Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)						Depth			
								 		
										· · · · ·
TUBING RECORD:	Size:	Set At:		Packer A	t:	Liner Run:		No		
Date of First, Resumed F	Production, SWD or EN	IHR.	Producing Meth	hod:	ng [Gas Lift C	ther (Explain)			
Estimated Production Per 24 Hours	Oit	Bbls.	Gas	Mcf	Wat		bls.	Gas-Oil Ratio		Gravity
DISPOSITIO	N OF GAS:		_	METHOD OF	_	r	Ţ., Ţ	PRODUCTIO	ON INTER	VAL:
Vented Sold (If vented, Subr	Used on Lease		Open Hole L	_ Perf.	U Dually (Submit.		nmingled mit ACO-4)			

Form	ACO1 - Well Completion	
Operator	Laymon Oil II, LLC	
Well Name	Shepard 20-11	
Doc ID	1073302	

Tops

Soil	0	9
Shale	9	195
Lime	195	380
Shale & Lime	380	660
Shale	660	800
Lime	800	948
Black Shale	948	950
Lime & Shale	950	985
Black Shale	985	988
5' Lime	988	991
Black Shale	991	994
Upper Squirrel Sand	994	1010
Shale	1010	1045
Cap Rock	1045	1046
Shale	1046	1048
Cap Rock	1048	1049
Lower Squirrel Sand	1049	1056
Shale	1056	1100

The New Klein Lumber

CUSTOMER NO. JOB NO. PURCHASE ORDER NO.	REFERENCE	TERMS	CLERK	DATE	TIME
3447			•	11/30/	l J
	<u></u>				
s y O	S				
Saymon tell					
	P				
T 0	T O				

SHIPPED	ORDERED	UM	SKU	DESCRIPTION		UNITS	PRICE/PER	EXTENSION
	100			Sacks Portland Com	rent	100	945	94500
							etal	80%
								1025-80
Lueki	5 ټرب	-11	-10 De	۵.				
Rice.	2-11		- ID DAG	rko				
Lkip	 	21.	11 100	001.0				
Rica	1 10-11 2 -11	•	ID Do				•	•
Shepa	0.20	J)	11 D Do 10 Dock 10 Dock					
		,,	, , , , , , , ,					<u> </u>

X		
	RECEIVED BY	

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588

1 1 1

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks

CODE

DESCRIPTION

Excess Delay Time Charged @ \$50,1-R QUANTITY

1 .5



奇好植物 的人 "福德法集","这 THE CONTRACTOR IN CO.

The 196 we in the water

117 15 1

CONDITIONS:

Concrete to be delivered to the nearest accessible point over passable road under truck's own power. Due to delivery at owner's or intermediary's director, seller assumes no responsibility for damages in any manner to adevalus roadways, citiveways, buildings, trees, shrubbery, etc. which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard A charge will be made for holding trucks longer. This concrete contains cornect water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request NOTICE TO OWNER

Failure of this contractor to pay those persone supplying material or services to complete this contract can result in the Ring of a mechanic's lien on the property which is the subject of this contract.

UNIT PRICE

EXTENDED PRICE

i Kalendara e 😘 🦛 m 3-34,15-40-5 TIME **FORMULA** LOAD SIZE YARDS ORDERED DRIVER/TRUCK PLANT/TRANSACTION # 1 1 14 DATE LOAD # YARDS DEL BATCH# WATER TRIM SLUMP TICKET NUMBER PROPERTY DELAGE RELEASE
(TO BE SIGNED IF DELIMENY TO BE MADE INSIDE CURB LINE) Excessive Water is Detrimental to Concrete Performance WARNING (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)
Duer Customer-The over of the feech in presenting the RELEASE to
you for your signature is of the opport that the size and weight of the
little may possibly cause transact to the premises and/or adjacent
property it is places the material Effects and where you desire it, it is
our wish to help voyale every yeary feet we can, out in order to do this
the driver in requising that you sain the RELEASE referely this may
the driver in requising that you sain the RELEASE referely this may
the driver in requising that you sain the RELEASE referely this may
the driver in requising the property, buildings, sidewates,
of the remains could be added to the material, and that you
also agree to help him reflecte mud from the wheels of his whole so
that he will not little the public street, Further as additional consideration, the undersymped agrees to indefinitely and not members the driver
of his truck and his supplier for any and all densings to the premises
and/or adjacent properly which may be cleared by anyone to nave
ensure of delivery of this order.

SIGRED H₂0 Added By Request/Authorized By IRRITATING TO THE SKIN AND EYES
Contains Portland Cement. Weer Rubber Boots and Gloves. PROLONGED CENTRACT MAY CAUSE BURNS. Avoid Contact With Eyler and Prolonged Contact With Sidn. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water, if Initiation Pensists, Get Medical Attention. KEEP CHILDREN AWAY. WEIGHMASTER CONCRETE IN A PERSHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER LPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION OF ORIGINAL PASTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS. The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting MOTICE MY SIGNATURE BELOW INDICATES THAT I HAVE PEAD THE HEALTH WARNING MOTICE AND SUPPLIER WILL HOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING MISTIE CURB LINE All accounts not paid writer 30 days of delivery will bear interest at the rate of 24% per annum. Not Resonneible for Reactive Agryagate or Color Quality. No Claim Allowed Unless Made at Time LOAD RECEIVED BY Malera e Deivered

DELAY EXPLANATION CYLINDER TEST TAKEN

RETURNED TO PLANT FINISH UNLOADING LEFT JOB TIME ALLOWED 1 JOB NOT READY , 6 TRUCK BROKE DOWN. 2 SLOW POUR OR PUMP 7 ACCIDENT 3. TRUCK AHEAD ON JOB 8 CITATION 4 CONTRACTOR BROKE DOWN LEFT PLANT 9 OTHER ARRIVED JOB START UNLOADING TIME DUE 5. ADDED WATER ADDITIONAL CHARGE 1 _ TOTAL ROUND TRIP TOTAL AT JOB UNLOADING TIME **DELAY TIME** ADDITIONAL CHARGE 2 ... GRAND TOTAL