

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1073015

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #6766	<u>. </u>		API No. 15 - 15-037-22183-00-00
Name: N & W Enterprises	i, Inc.		Spot Description:
Address 1: 1111 S MARGRAVE			W2_SE Sec. 33 Twp. 28 S. R. 22 V East West
Address 2:			Feet from North / 🗹 South Line of Section
City: FORT SCOTT	State: KS Zip:	66701 + 2834	
Contact Person: Thomas Nor			Footages Calculated from Nearest Outside Section Corner:
Phone: (620) 223-6559			□ne □nw Øse □sw
CONTRACTOR: License # 33	734		County: Crawford
Name: Hat Drilling LLC			Lease Name: Meyer Well #: INJ 27
Wellsite Geologist: NA			Field Name: Walnut SE
Purchaser:			Producing Formation: Bartlesville
Designate Type of Completion:			Elevation: Ground: 997 Kelly Bushing: 3
			Total Depth: 408 Plug Back Total Depth: 408
Oil Wsw	SWD	siow	Amount of Surface Pipe Set and Cemented at: 20 Feet
☐ Gas ☐ D&A ☐ OG	☑ ENHR ☐ GSW	SIGW Temp. Abd.	Multiple Stage Cementing Collar Used? ☐ Yes ☑ No
CM (Coal Bed Methane)	G3W	iemp. Abd.	If yes, show depth set:Feet
Cathodic Other (Co	ore. Expl., etc.):		If Alternate II completion, cement circulated from:
If Workover/Re-entry: Old Well		· -	feet depth to: sx cmt
Operator:			
Well Name:			Drilling Fluid Management Plan
Original Comp. Date:			(Data must be collected from the Reserve Pit)
Deepening Re-pe		NHR Conv. to SWD	Chloride content: 0 ppm Fluid volume: 0 bbls
	Conv. to G		Dewatering method used: Evaporated
Plug Back:	_		Location of fluid disposal if hauled offsite:
Commingled	·=	·	Operator Name:
Dual Completion	Permit #:		Lease Name: License #:
SWD	Permit #:		
☐ ENHR	Permit #:		Quarter Sec. Twp S. R. East West
☐ GSW			County: Permit #:
11/20/2011 11/21	/2011	12/16/2011	
Spud Date or Date R Recompletion Date		Completion Date or Recompletion Date	

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY					
Letter of Confidentiality Received					
Date:					
Confidential Release Date:					
☑ Wireline Log Received					
Geologist Report Received					
☑ UIC Distribution					
ALT I I II Approved by: Ocarrie Gardson Date: 02/01/2012					

Side Two



Operator Name: N & W Enterprises, Inc.			Lease N	Lease Name: Meyer Well #: INJ 27					
Sec. 33 Twp.28	33 Twp.28 S. R. 22			County: Crawford					
INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach complete copy of all Electric Wireline Logs surveyed. Attach final geological well site report.									
Drill Stem Tests Taken Ye (Attach Additional Sheets)		Yes 🗸 No	es 📝 No		og Formation	n (Top), Depth	th and Datum		Sample
Samples Sent to Geological Survey		☐ Yes ✓ No	Yes ☑ No Bart		e sville		Top Di 396 404		Datum 04
Cores Taken Electric Log Run Electric Log Submitted Electronically (If no, Submit Copy)		Yes No Yes No Yes No	Yes No						
List All E. Logs Run:									
Gamma Ray Neutro	n								
			RECORD	₩ Ne					·
Purpose of String	Size Hole	Report all strings set- Size Casing	Weig	ght	Setting	Type of	# Sacks		and Percent
	Drilled	Set (In O.D.)	Lbs. /	Ft.	Depth	Cement	Used I 71	Additives	
Production	6	2.875	6.4	408		Portland #1			
Casing	12	8	0		20	Portland #1	#1 6		
		ADDITIONAL	CEMENT	VG / SOI	JEEZE DECORD	<u>!</u>			
Purpose: Depth Type of Cement Top Bottom				# Sacks Used Type and Percent Additives					
Protect Casing Plug Back TD	•								
Plug Off Zone	-								
Shots Per Foot PERFORATION RECORD - Bridge Plugs Set/Type Acid, Fracture, Shot, Cement Squeeze Record									
Specity Footage of Each Interval Perforat									Depth
17 396-404					10 Sac frac				396-404
					-				
TUBING RECORD: Size: Set At: Packer At: Liner Run: 2.875 408 0 □ Yes ✓ No						<u>I</u>			
Date of First, Resumed Production, SWD or ENHR. Producing Method: Flowing Pumping Gas Lift Other (Explain)									
Estimated Production Oil Bbis, Gas Mcf Per 24 Hours		Mcf	Water Bbls. Gas-C		Gas-Oil Ratio		Gravity		
Diopositio		1	METHODOG		TION:	-	DDADUCT	201100000	
DISPOSITIO	ON OF GAS:	· [METHOD OF ✓ Perf.	F COMPLETION: PRODUCTION INTERVAL: Dually Comp. Commingled				VAL:	
(Submit ACO-5) (Submit ACO-4)									

Kepley Well Service, LLC

Township: 28 Range: 22

19245 Ford Road Chanute, KS 66720 Date Invoice # 12/21/2011 46457

Cement Treatment Report

N & W Enterprise Inc. 1111 S. Margrave Fort Scott, KS 66701

TYPE OF TREATMENT: Production Cosing HOLE SIZE: 5.5" TOTAL DEPTH: 408

weπ Name	terms		e Date			
	Net 15 days 12/21/2011		21/2011	12-16-11		
Service or Product		Qty	Per Foot Pri	cing/Unit Pricing	Amount	
Run and cement 2 7/8 Sales Tax		407		3.00 7.30%	1,221.00 0.00	
Meyer Inj #27 Crawford County Section: 33						

Hooked onto 2.7 8" cosin). I stablished circulation with 3 harrels of water. GIL: MFTSO, COFTONSIFD ahead, blended 71 sacks of 2% cement, dropped rubber plug, and pumped 2.4 harrels of water.

Total	\$1,221.00			
Payments/Credits	\$0.00			
Balance Due	\$1,221.00			