

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1073021

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 67	66		API No. 15 - 15-037-22189-00-00
Name: N & W Enterpris			Spot Description:
Address 1: 1111 S MARGR	AVE		N2_S2_NW_Sec33_Twp28_S. R22_
Address 2:			3630 Feet from North / ✓ South Line of Section
City: FORT SCOTT	_ State: KS Zin	_{5:} 66701 ₊ 2834	3960 Feet from ▼ East / West Line of Section
Contact Person: Thomas N			Footages Calculated from Nearest Outside Section Corner:
Phone: (620) 223-65			□ NE □ NW ☑ SE □ SW
CONTRACTOR: License #_		<u> </u>	County: Crawford
Name: Hat Drilling LLC			Lease Name: Walsh/Meyer Well #: 29
Wellsite Geologist: na			Field Name: Walnut SE
Purchaser:			Producing Formation: Bartlesville
Designate Type of Completion			Elevation: Ground: 987 Kelly Bushing: 3
		Workover	Total Depth: 428 Plug Back Total Depth: 423
	_	_	Amount of Surface Pipe Set and Cemented at: 20 Feet
☑ oii □ wsw	SWD	SIOW	Multiple Stage Cementing Collar Used? Yes No
∐ Gas	☐ ENHR	∐ SIGW ☐ Temp, Abd.	
CM (Coal Bed Methane)	_	remp. Abd.	If yes, show depth set:Feet
Cathodic Other			If Alternate II completion, cement circulated from:
If Workover/Re-entry: Old We			feet depth to: sx cmt.
Operator:			
Well Name:			Drilling Fluid Management Plan
	Orieinal Ta	And Donath	(Data must be collected from the Reserve Pit)
Original Comp. Date:	_	· <u> </u>	Chloride content: 0 ppm Fluid volume: 0 bbls
☐ Deepening ☐ Re-	peri Conv. to	ENHR Conv. to SWD	Dewatering method used: Evaporated
Plug Back:	_		Location of fluid disposal if hauled offsite:
Commingled		y back total beptil	
Dual Completion			Operator Name:
☐ SWD			Lease Name: License #:
☐ ENHR			QuarterSecTwpS. R East West
☐ GSW	Permit #:		County: Permit #:
12/9/2011 12/	12/2011	12/16/2011	
Spud Date or Date Recompletion Date	Reached TD	Completion Date or Recompletion Date	

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Off	îce Use ONLY
Letter of Confidentiality Re	eceived
Date:	
Confidential Release Date:	
Wireline Log Received	
Geologist Report Received	d
UIC Distribution	
ALT I II III Approv	ed by: Deanns Garrison Date: 02/01/2012

Side Two

1073021

Operator Name: N &	<u>W Enterprises, I</u>	nc.		Lease N	Name: _	/vaisn/ivieyer		Well #:29		
Sec. 33 Twp.28	s. R. <u>22</u>	✓ East		County	: Craw	ford				
INSTRUCTIONS: Sho time tool open and clos recovery, and flow rates line Logs surveyed. Att	ed, flowing and shu s if gas to surface te	t-in pressu st, along w	ires, whether s vith final chart(hut-in press	sure read	ched static level,	hydrostatic pro	essures, bottom h	ole temp	erature, fluid
Drill Stem Tests Taken Yes V No (Attach Additional Sheets)				✓ Log Formation (Top), Department			pth and Datum		Sample	
Samples Sent to Geological Survey ☐ Yes ✔ No				Name Bartlesville			Top Datur 396 406		Datum D6	
•		☐ Ye	s 🗌 No							
List All E. Logs Run:										
Gamma Ray Neutron	1									
				RECORD	✓ Ne	_				
Purpose of String	Size Hole		Report all strings set-c Size Casing		urface, inte ght	ermediate, product Setting	on, etc. Type of	# Sacks	Туре	and Percent
Pulpose of Saling	Drilled		(In O.D.)	Lbs.	Ft.	Depth	Cement	Used	A	Additives
Production	6	2.875		6.4		423	Portland #1	73		
Casing	12	8		0		20	Portland #1	6	ļ	
						<u>.</u>	_		<u> </u>	
Purpose:	Depth			Τ΄		JEEZE RECORD				
Perforate	Top Bottom	Туре	of Cement	# Sacks Used		Type and Percent Additives				
Protect Casing Plug Back TD	-									
Plug Off Zone	-			<u></u>						
Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Acid, Fracture, Shot, Cement Squeeze Record Specify Foolage of Each Interval Perforated (Amount and Kind of Material Used) Depth								Depth	
20	396-406				10 sac sand frac				396-406	
					• "					
TUBING RECORD:	Size: 875	Set At: 423		Packer A	t:	Liner Run:	Yes	No		
Date of First, Resumed F	Production, SWD or EN	IHR.	Producing Met	hod: Pumpin	9 🗆	Gas Lift 🔲 (Other (Explain)			
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wat	er B	bis.	Gas-Oil Ratio		Gravity
DISPOSITIO	N OF GAS:			METHOD OF	COMPLI	ETION:		PRODUCTION	ON INTER	RVAL:
Vented										
(If vented, Subr	_		Other (Specify)		(Submit	4CO-5) (Sub	mit ACO-4)			



Kepley Well Service, LLC 19245 Ford Road Chanute, KS 66720

Invoice # Date 18447 12/14/2011

Cement Treatment Report

N & W Enterprise Inc. 1111 S. Margrave Fort Scott, KS 66701

Hooked onto 2.7 8" casing. Established circulation with 3 horrels of water, GEL, MFTSO, COFTONSEED chaud, blended 73 sacks of 3% coment, dropped rubber play, and pumped

2.4 harrels of water

(x) Landed Plug on Bottom et 500 PS1 () Shut in Pressure 700 (x)Good Cement Returns () Topped cli well with sucks (x) Set Flort Shoe

TYPE OF TREATMENT. Production Casing HOLE SIZE 5.5" TOTAL DEPTH. 428

Payments/Credits

Balance Due

\$0.00

\$1,275.00

Well Name	Terms					
	Net 15 days					
Sandas 6	or Product	Qty	Per Foot	Pricing/Unit Pricing	Amount	
Run and cement 2 7/8" Sales Tax WatshMeyer Product Crawford County Section. 33 Township: 28 Range: 22		425		3.00 7.30%	1,275.00 0.00	
				Total	\$1,275.0	