

Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #6766	API No. 15 - 15-037-22187-00-00
Name: N & W Enterprises, Inc.	Spot Description:
Address 1: 1111 S MARGRAVE	NW_NW_SE_NW_Sec33 Twp28 S. R22
Address 2:	
City: FORT SCOTT State: KS Zip: 66701 + 2834	3795 Feet from ▼ East / West Line of Section
Contact Person: Thomas Norris	Footages Calculated from Nearest Outside Section Corner:
Phone: (620) 223-6559	□ne □nw ☑se □sw
CONTRACTOR: License # 33734	County: Crawford
Name: Hat Drilling LLC	Lease Name: Walsh/Meyer Well #: INJ 26
Wellsite Geologist: na	Field Name: Walnut SE
Purchaser:	Producing Formation: Bartlesvile
Designate Type of Completion:	Elevation: Ground: 988 Kelly Bushing: 3
✓ New Well	Total Depth: 428 Plug Back Total Depth: 424
□ Oil □ wsw □ swp □ slow	Amount of Surface Pipe Set and Cemented at: 20 Feet
☐ Gas ☐ D&A	Multiple Stage Cementing Collar Used?
☐ OG ☐ GSW ☐ Temp. Abd.	If yes, show depth set: Feet
CM (Coal Bed Methane)	If Alternate II completion, cement circulated from:
Cathodic Other (Core, Expl., etc.):	feet depth to:w/sx cmt.
If Workover/Re-entry: Old Well Info as follows:	
Operator:	Dallian Chald Management Cha
Well Name:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth:	Chloride content: 0 ppm Fluid volume: 0 bbls
☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD	Dewatering method used: Evaporated
Conv. to GSW	Dewatering method used:
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	Operator Name:
Dual Completion Permit #:	Lease Name: License #:
SWD Permit #:	Quarter Sec TwpS. R
ENHR Permit #:	
GSW Permit #:	County: Permit #:
12/5/2011 12/6/2011 12/13/2011	
Spud Date or Date Reached TD Completion Date or Recompletion Date	

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY			
Letter of Confidentiality Received			
Date:			
Confidential Release Date:			
✓ Wireline Log Received			
Geologist Report Received			
☑ UIC Distribution			
ALT I II III Approved by: December Corribor Date: 02/01/2012			

Side Two

1073019

Operator Name: N 8	W Enterprises,	nc.	Lease Na	me: _	Walsh/Meyer		Well #:INJ	J 26	
Sec. 33 Twp. 28	s. R. <u>22</u>	✓ East	County: _				,		
time tool open and clo	sed, flowing and shu es if gas to surface te	nd base of formations pen it-in pressures, whether s est, along with final chart(well site report.	hut-in pressu	re read	ched static level,	hydrostatic pre	ssures, bottom h	ole temp	perature, fluid
Drill Stem Tests Taker		Yes No		 ✓Lo	og Formation	n (Top), Depth a	and Datum		Sample
Samples Sent to Geological Survey		١,	Name Bartlesville			Top 0 400 41		Datum 10	
Cores Taken Electric Log Run Electric Log Submitte (If no, Submit Cop)	•	Yes No Yes No Yes No		Sai tiot			400	·	, 0
List All E. Logs Run:									
Gamma Ray Neutro	on								
		CASING Report all strings set-		✓ Ne		on. etc.			
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight	:	Setting Depth	Type of Cement	# Sacks Used		and Percent Additives
Production	6	2.875	6.4		424	Portland #1	74		
Casing	12	8	0		20	Portland #1	6		
	<u> </u>		<u></u>						
	<u> </u>	ADDITIONAL	CEMENTING	/ SQL	JEEZE RECORD				· · · · · · · · · · · · · · · · · · ·
Purpose: —— Perforate	Top Bottom		# Sacks Used Type and Percent Additives						
Protect Casing Plug Back TD Plug Off Zone									
Flug Oil Zoile	-	İ	<u> </u>						
Shots Per Foot		ON RECORD - Bridge Plug Footage of Each Interval Per				cture, Shot, Ceme	ent Squeeze Recor Material Used)	d	Depth
20	400-410				10 Sac Sand	l Frac			400-410
				•					
									
TUBING RECORD:	Size:	Set At:	Deelies At		Lines Dun.				
	2.875	424	Packer At:		Liner Run:	Yes N	lo 		
Date of First, Resumed	Production, SWD or EN	HR. Producing Met	hod:		Gas Lift 🔲 C	other (Explain)			
Estimated Production Per 24 Hours	Oil	Bbls. Gas	Mcf	Wate	er B	bis.	Gas-Oil Ratio		Gravity
DISPOSITE	ON OF GAS:		METHOD OF C	OMPI F	TION		PRODUCTION	N INTEG	
Vented Sold			Perf.] Dually	Comp. Cor	nmingled		*** H41 E13	
(If vented, Sui	(Submit ACO-4) (Submit ACO-4)								

Kepley Well Service, LLC

19245 Ford Road Chanute, KS 66720

Date Invoice # 12/14/2011 46445

Cement Treatment Report

N & W Enterprise Inc. 1111 S. Margrave Fort Scott, KS 66701

(x) Landed Plug on Bottom at 800 PSI () Shut in Pressure 700 (x)Good Cement Returns () Topped off well with (x) Set Float Shoe

TYPE OF TREATMENT. Production Casing HOLE SIZE: 5.5" TOTAL DEPTH: 428

Well Name	Terms	Due Date 12/14/2011				
	Net 15 days]		
Service or Product Qty		Qty	Per Foot Pricing/Unit Pricing		Amount	
Run and cement 2 7/8" Sales Tax		425		3.00 7.30%	1,275.00 0.00	

WalshMeyer Injection 26 Crawford County Section: 33 Township: 28 Range:

Hooked onto 2.7/8" casing. Established circulation with 3 barrels of water, GF1. METSO, COFIONSFED ahead, blended 74 sacks of 2% content, dropped rubber plug, and pumped 2.4 harrels of water

Total	\$1,275.00
Payments/Credits	\$0.00
Balance Due	\$1,275.00