

ORIGINAL

Form ACO-1  
September 1999  
Form Must Be Typed

CONFIDENTIAL

KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION

WELL COMPLETION FORM

WELL HISTORY - DESCRIPTION OF WELL & LEASE

CONFIDENTIAL

Operator: License # 30606  
Name: Murfin Drilling Company, Inc.  
Address: 250 N. Water, Suite 300  
City/State/Zip: Wichita, Kansas 67202  
Purchaser: None  
Operator Contact Person: Leon Rodak  
Phone: ( 316 ) 267-3241  
Contractor: Name: Murfin Drilling Company, Inc.  
License: 30606  
Wellsite Geologist: Wes Hansen

Designate Type of Completion:  
 New Well  Re-Entry  Workover  
 Oil  SWD  SIOW  Temp. Abd.  
 Gas  ENHR  SIGW  
 Dry  Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:

Operator: \_\_\_\_\_

Well Name: \_\_\_\_\_

Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_

Deepening  Re-perf.  Conv. to Enhr./SWD  
 Plug Back  Plug Back Total Depth  
 Commingled  Docket No. \_\_\_\_\_  
 Dual Completion  Docket No. \_\_\_\_\_  
 Other (SWD or Enhr.?)  Docket No. \_\_\_\_\_

12/04/09 12/14/09 12/14/09  
Spud Date or Date Reached TD Completion Date or  
Recompletion Date Recompletion Date

API No. 15 - 057-20658-0000

County: Ford

S2 SW SW Sec. 32 Twp. 27 S. R. 24  East  West

330 FSL feet from (S) N (circle one) Line of Section

660 FWL feet from E (W) (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:

(circle one) NE SE NW SW

Lease Name: Fischer B Well #: 1-32

Field Name: Wildcat

Producing Formation: None

Elevation: Ground: 2567 Kelly Bushing: 2578

Total Depth: 5325 Plug Back Total Depth: None

Amount of Surface Pipe Set and Cemented at 393 Feet

Multiple Stage Cementing Collar Used?  Yes  No

If yes, show depth set \_\_\_\_\_ Feet

If Alternate II completion, cement circulated from \_\_\_\_\_

feet depth to \_\_\_\_\_ w/ \_\_\_\_\_ sx cmt.

Drilling Fluid Management Plan PAUS 1-25-10  
(Data must be collected from the Reserve Pit)

Chloride content \_\_\_\_\_ ppm Fluid volume \_\_\_\_\_ bbls

Dewatering method used \_\_\_\_\_

Location of fluid disposal if hauled offsite: \_\_\_\_\_

Operator Name: \_\_\_\_\_

Lease Name: \_\_\_\_\_ License No.: \_\_\_\_\_

Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West

County: \_\_\_\_\_ Docket No.: \_\_\_\_\_

**INSTRUCTIONS:** An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: \_\_\_\_\_


Title: Leon Rodak, VP Production Date: \_\_\_\_\_

Subscribed and sworn to before me this \_\_\_\_\_ day of \_\_\_\_\_

20 10

Notary Public: \_\_\_\_\_

Date Commission Expires: 11/2011



KCC Office Use ONLY

- Letter of Confidentiality Received
- If Denied, Yes  Date: \_\_\_\_\_
- Wireline Log Received *emailed per oper.*
- Geologist Report Received
- UIC Distribution

RECEIVED

JAN 06 2010

KCC WICHITA

Operator Name: Murfin Drilling Company, Inc. Lease Name: Fischer B Well #: 1-32  
 Sec. 32 Twp. 27 S. R. 24  East  West County: Ford

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken  Yes  No  
 (Attach Additional Sheets)  
 Samples Sent to Geological Survey  Yes  No  
 Cores Taken  Yes  No  
 Electric Log Run  Yes  No  
 (Submit Copy)

Log Formation (Top), Depth and Datum  Sample  
 Name Top Datum

SEE ATTACHED LIST

List All E. Logs Run:

Emailed Electronically:  
 Dual Induction, Compensated Porosity,  
 Microresistivity

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface		8 5/8	24#	393	Common	400	3% cc, 2% gel

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate				
<input type="checkbox"/> Protect Casing				
<input type="checkbox"/> Plug Back TD				
<input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth

RECEIVED  
 JAN 08 2010  
 KCC WICHITA

TUBING RECORD		Size	Set At	Packer At	Liner Run <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Date of First, Resumerd Production, SWD or Enhr.	Producing Method <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)				
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity

Disposition of Gas **METHOD OF COMPLETION** Production Interval  
 Vented  Sold  Used on Lease  Open Hole  Perf.  Dually Comp.  Commingled  
 (If vented, Submit ACO-18.)  Other (Specify)

MDCI  
 Fischer 'B' #1-32  
 330 FSL 660 FWL  
 Sec. 32-T27S-R24W  
 2578' KB

Tennessee G & O Co  
 #1 Barngrover  
 NE SE SW  
 Sec. 26-T27S-R24W  
 2533' KB

Formations	Sample Tops	Datum	Ref	Log tops	Datum	Ref	Log tops	Datum
Krider				2778	-200	-52	2681	-148
Wabanssee	3551	-973	-32	3562	-984	-43	3474	-941
Heebner	4295	-1717	-37	4299	-1721	+4	4258	-1725
Lansing	4360	-1782	-22	4382	-1804	Flat	4337	-1804
Stark				4732	-2154	-34	4653	-2120
Marmaton	4876	-2298	-32	4874	-2296	-30	4799	-2266
Pawnee	4953	-2375	-34	4950	-2372	-31	4874	-2341
Cherokee	5024	-2446	-25	5028	-2450	-29	4954	-2421
Base Pen Lime				5107	-2529	-34	5028	-2495
Mississippian	5114	-2536	-18	5124	-2546	-28	5051	-2518
RTD	5325	-2747					5238	
LTD				5336	-2758		5235	

RECEIVED  
 JAN 08 2010  
 KCC WICHITA



24 S. Lincoln Street  
 P.O. Box 31  
 Russell, KS 67665-2906  
 Voice: (785) 483-3887  
 Fax: (785) 483-5566

*acct. Liz*  
**INVOICE**

Invoice Number: 120833  
 Invoice Date: Dec 4, 2009  
 Page: 1

**Bill To:**  
 Murfin Drng. Co., Inc.  
 250 N. Water  
 STE #300  
 Wichita, KS 67202

*operator pay / om*

Customer ID	Well Name# or Customer P.O.	Payment Terms	
Murfin	Fischer B #1-32 / <i>om</i>	Net 30 Days	
Job Location	Camp Location	Service Date	Due Date
KS1-01	Oakley	Dec 4, 2009	1/3/10

Quantity	Item	Description	Unit Price	Amount
300.00	MAT	Class A Common	15.45	4,635.00
6.00	MAT	Gel	20.80	124.80
11.00	MAT	Chloride	58.20	640.20
317.00	SER	Handling	2.40	760.80
50.00	SER	Mileage 317 sx @ .10 per sk per mi	31.70	1,585.00
1.00	SER	Surface	1,018.00	1,018.00
95.00	SER	Extra Footage	0.85	80.75
50.00	SER	Pump Truck Mileage	7.00	350.00

*OKA*

RECEIVED  
 JAN 08 2010  
 KCC WICHITA

ALL PRICES ARE NET, PAYABLE 30 DAYS FOLLOWING DATE OF INVOICE. 1 1/2% CHARGED THEREAFTER. IF ACCOUNT IS CURRENT, TAKE DISCOUNT OF

**\$ 3218.09**

ONLY IF PAID ON OR BEFORE  
**Dec 4, 2009**

Subtotal	9,194.55
Sales Tax	375.30
Total Invoice Amount	9,569.85
Payment/Credit Applied	
<b>TOTAL</b>	<i>MM</i> <b>9,569.85</b>

# ALLIED CEMENTING CO., LLC. 044356

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT: Dakley (K)

DATE <u>12/4/09</u>	SEC. <u>32</u>	TWP. <u>27</u>	RANGE <u>24</u>	CALLED OUT	ON LOCATION <u>2:00 PM</u>	JOB START <u>9:30 AM</u>	JOB FINISH <u>10:00 AM</u>
LEASE <u>Fischer B</u>		WELL # <u>1-32</u>	LOCATION <u>Hodge City E 70 Rd S to Saddle Rd W to Rd 113, N-E into</u>		COUNTY <u>Ford</u>	STATE <u>K</u>	
OLD OR NEW (Circle one)							

CONTRACTOR Murfin 22  
 TYPE OF JOB Surface  
 HOLE SIZE 12 1/4 T.D. 395'  
 CASING SIZE 8 7/8 DEPTH 395'  
 TUBING SIZE DEPTH  
 DRILL PIPE DEPTH  
 TOOL DEPTH  
 PRES. MAX MINIMUM  
 MEAS. LINE SHOE JOINT  
 CEMENT LEFT IN CSG. 15'  
 PERFS.  
 DISPLACEMENT 24.2 bbl H<sub>2</sub>O  
 EQUIPMENT

OWNER Sammy  
 CEMENT AMOUNT ORDERED 300 Com 390cc  
290 gel

PUMP TRUCK CEMENTER Alan  
 # 22 HELPER Wayne  
 BULK TRUCK DRIVER Alan  
 # 396  
 BULK TRUCK DRIVER

COMMON	<u>300 yds</u>	@ <u>15.45</u>	<u>4635.00</u>
POZMIX		@	
GEL	<u>6 yds</u>	@ <u>20.80</u>	<u>124.80</u>
CHLORIDE	<u>6 yds</u>	@ <u>8.20</u>	<u>640.00</u>
ASC		@	
RECEIVED @			
JAN 08 2010 @			
KCC WICHITA @			
HANDLING	<u>317 yds</u>	@ <u>2.40</u>	<u>760.80</u>
MILEAGE	<u>10.5 yds/mile</u>	@	<u>158.40</u>
			TOTAL <u>7745.80</u>

REMARKS:  
Cement did NOT circulate

*Thank you  
Alan, Wayne, Robene*

CHARGE TO: Murfin Drilling  
 STREET \_\_\_\_\_  
 CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

SERVICE

DEPTH OF JOB			
PUMP TRUCK CHARGE			<u>1018.75</u>
EXTRA FOOTAGE	<u>95'</u>	@ <u>0.85</u>	<u>80.75</u>
MILEAGE	<u>50</u>	@ <u>7.00</u>	<u>350.00</u>
MANIFOLD		@	
			TOTAL <u>1448.75</u>

PLUG & FLOAT EQUIPMENT

	@	
	@	
	@	
	@	
	@	
TOTAL _____		

To Allied Cementing Co., LLC.  
 You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

PRINTED NAME \_\_\_\_\_  
 SIGNATURE Kelly Wilson

SALES TAX (If Any) \_\_\_\_\_  
 TOTAL CHARGES \_\_\_\_\_  
 DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS



24 S. Lincoln Street  
 P.O. Box 31  
 Russell, KS 67665-2906

Voice: (785) 483-3887  
 Fax: (785) 483-5566

*acct*  
*Liz*  
**INVOICE**

Invoice Number: 120834  
 Invoice Date: Dec 5, 2009  
 Page: 1

**Bill To:**  
 Murfin Drfg. Co., Inc.  
 250 N. Water  
 STE #300  
 Wichita, KS 67202

*operator pay*

Customer ID	Well Name# or Customer P.O.	Payment Terms	
Murfin	Fischer B #1-32 <i>om</i>	Net 30 Days	
Job Location	Camp Location	Service Date	Due Date
KS1-01	Oakley	Dec 5, 2009	1/4/10

Quantity	Item	Description	Unit Price	Amount
100.00	MAT	Class A Common	15.45	1,545.00
2.00	MAT	Gel	20.80	41.60
4.00	MAT	Chloride	58.20	232.80
106.00	SER	Handling for Surface	2.40	254.40
50.00	SER	Mileage 106 sx @.10 per sk per mi	10.60	530.00

*OK*

RECEIVED  
 JAN 08 2010  
 KCC WICHITA

ALL PRICES ARE NET, PAYABLE  
 30 DAYS FOLLOWING DATE OF  
 INVOICE. 1 1/2% CHARGED  
 THEREAFTER. IF ACCOUNT IS  
 CURRENT, TAKE DISCOUNT OF

\$ 911.33

ONLY IF PAID ON OR BEFORE  
 Dec 5, 2009

Subtotal	2,603.80
Sales Tax	126.45
Total Invoice Amount	2,730.25
Payment/Credit Applied	
<b>TOTAL</b>	<b>2,730.25</b>

*W*

# ALLIED CEMENTING CO., LLC. 044357

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT: Dakley

DATE <u>12/9/09</u>	SEC <u>32</u>	TWP <u>27</u>	RANGE <u>24</u>	CALLED OUT	ON LOCATION <u>2:00pm</u>	JOB START <u>4:00am</u>	JOB FINISH <u>4:30am</u>
LEASE <u>Fischer</u> WELL # <u>1-32</u>			LOCATION <u>Dodge City 4 E To Rd 117 S To</u>			COUNTY <u>Ford</u>	STATE <u>KS</u>
OLD OR NEW (Circle one)			<u>Saddle Rd W To Rd 113 N - FINTO</u>				

CONTRACTOR Murkin Dr OWNER Same

TYPE OF JOB Surface - 1"

HOLE SIZE 7 7/8 T.D. 395'

CASING SIZE 8 5/8 DEPTH 395'

TUBING SIZE DEPTH

DRILL PIPE DEPTH

TOOL DEPTH

PRES. MAX MINIMUM

MEAS. LINE SHOE JOINT

CEMENT LEFT IN CSG.

PERFS.

DISPLACEMENT

CEMENT AMOUNT ORDERED 100 SKs Cem  
370 cc 20 gal

COMMON	<u>100</u>	@	<u>1545</u>	<u>1545.00</u>
POZMIX		@		
GEL	<u>8</u>	@	<u>2000</u>	<u>47.60</u>
CHLORIDE	<u>8</u>	@	<u>580</u>	<u>232.80</u>
ASC		@		

RECEIVED	@		
JAN 08 2010	@		
KCC WICHITA	@		
HANDLING <u>106 SK</u>	@	<u>240</u>	<u>25940</u>
MILEAGE <u>104 SK/mile</u>	@		<u>530</u>
TOTAL			<u>2603.40</u>

EQUIPMENT

PUMP TRUCK CEMENTER Alan

# 422 HELPER Wayne

BULK TRUCK DRIVER Kelly

# 347 DRIVER

BULK TRUCK DRIVER

REMARKS:  
1" to Circulate Cement to Surface  
60' Down - Circulate to Surface  
Thank You Alan, Wayne, Kelly

CHARGE TO: Murkin Drilling

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

SERVICE

DEPTH OF JOB	<u>395'</u>
PUMP TRUCK CHARGE	<u>nc</u>
EXTRA FOOTAGE	@
MILEAGE <u>50</u>	@ <u>2.00</u> <u>nc</u>
MANIFOLD	@
TOTAL	<u>nc</u>

PLUG & FLOAT EQUIPMENT

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

TOTAL \_\_\_\_\_

To Allied Cementing Co., LLC.  
 You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

PRINTED NAME \_\_\_\_\_

SIGNATURE Kelly Wilson

SALES TAX (If Any) \_\_\_\_\_

TOTAL CHARGES \_\_\_\_\_

DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

24 S. Lincoln Street  
P.O. Box 31  
Russell, KS 67665-2906  
Voice: (785) 483-3887  
Fax: (785) 483-5566

# INVOICE

Invoice Number: 120954  
Invoice Date: Dec 14, 2009  
Page: 1

*PROD COPY*

*acct. list.*

*operator pay*

**Bill To:**  
Murfin Drig. Co., Inc.  
250 N. Water  
STE #300  
Wichita, KS 67202

Customer ID	Well Name# or Customer P.O.	Payment Terms	
Murfin	Fischer B #1-32 / <i>BM</i>	Net 30 Days	
Job Location	Camp Location	Service Date	Due Date
KS1-03	Medicine Lodge	Dec 14, 2009	1/13/10

Quantity	Item	Description	Unit Price	Amount
150.00	MAT	Class A Common	15.45	2,317.50
100.00	MAT	Pozmix	8.00	800.00
9.00	MAT	Gel	20.80	187.20
250.00	SER	Handling	2.40	600.00
50.00	SER	Mileage 250 sx @ .10 per sk per mi	25.00	1,250.00
1.00	SER	Rotary Plug	1,017.00	1,017.00
50.00	SER	Pump Truck Mileage	7.00	350.00

Account	Unit Rig	W L	No.	Amount	Description
<i>05600</i>	<i>022</i>	<i>40</i>	<i>3553</i>	<i>6974.96</i> <i>(2282.60)</i>	<i>PTA</i>

RECEIVED  
JAN 08 2010  
KCC WICHITA

*OK*

ALL PRICES ARE NET, PAYABLE 30 DAYS FOLLOWING DATE OF INVOICE. 1 1/2% CHARGED THEREAFTER. IF ACCOUNT IS CURRENT, TAKE DISCOUNT OF

\$ 2282.60

ONLY IF PAID ON OR BEFORE  
Jan 8, 2010

Subtotal	6,521.70
Sales Tax	453.26
Total Invoice Amount	6,974.96
Payment/Credit Applied	
<b>TOTAL</b>	<b>6,974.96</b>

*2282.60*

*4692.36*



# ALLIED CEMENTING CO., LLC. 043021

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT: Madriachdgets

DATE <u>12-16-09</u>	SEC. <u>32</u>	TWP. <u>27S</u>	RANGE <u>24W</u>	CALLED OUT <u>12:00 Noon</u>	ON LOCATION <u>3:30 PM</u>	JOB START <u>5:00 AM</u>	JOB FINISH <u>8:45 PM</u>
LEASE <u>Fischer B</u> WELL # <u>1-32</u>		LOCATION <u>Ford, KS, 1/4 N, 12 1/4 W, 1/2 N, 1/2 W</u>			COUNTY <u>Ford</u>	STATE <u>KS</u>	
OLD OR NEW (Circle one)							

CONTRACTOR Munfin #  
 TYPE OF JOB Rotary Plug  
 HOLE SIZE 7 7/8 T.D. 5325  
 CASING SIZE 8 5/8 DEPTH 393  
 TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_  
 DRILL PIPE 4 1/2 DEPTH 1590  
 TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_  
 PRES. MAX 300 MINIMUM \_\_\_\_\_  
 MEAS. LINE \_\_\_\_\_ SHOE JOINT N/A  
 CEMENT LEFT IN CSG. N/A  
 PERFS. \_\_\_\_\_  
 DISPLACEMENT Fresh H<sub>2</sub>O & Drilling Mud  
 EQUIPMENT \_\_\_\_\_

PUMP TRUCK CEMENTER D. Fabio  
 # 352 HELPER S. Priddy  
 BULK TRUCK \_\_\_\_\_  
 # 364 DRIVER M. Themisth  
 BULK TRUCK \_\_\_\_\_  
 # \_\_\_\_\_ DRIVER \_\_\_\_\_

OWNER Munfin Drilling Co.  
 CEMENT AMOUNT ORDERED 250sx60:40:40 gage

COMMON <u>A</u>	<u>150</u>	@ <u>15.45</u>	<u>2317.50</u>
POZMIX	<u>100</u>	@ <u>8.00</u>	<u>800.00</u>
GEL	<u>9 5X</u>	@ <u>20.80</u>	<u>187.20</u>
CHLORIDE		@	
ASC		@	
		@	
		@	
		@	
		@	
		@	
		@	
HANDLING	<u>250</u>	@ <u>2.40</u>	<u>600.00</u>
MILEAGE	<u>250/50/.10</u>		<u>1250.00</u>
			TOTAL <u>5154.70</u>

REMARKS:

Drill Pipe at 1590; Load Hole, Pump 8 1/2 Bbls Fresh H<sub>2</sub>O Spacer, Mix 50sx60:40 cement, Disp. w/ 3 Bbls Fresh & 76 Bbls mud, Drill Pipe at 960; Load Hole, Pump 8 1/2 Bbls Fresh H<sub>2</sub>O Spacer, Mix 80sx60:40 Cement, Disp. w/ 3 Fresh & 5 1/2 Bbls Mud, Drill Pipe at 420; Load Hole, Pump 9 Bbls Spacer, Mix 50sx60:40 cement, Disp. w/ 2 1/2 Bbls Fresh H<sub>2</sub>O, Drill Pipe at 60; Load Hole, Mix 20sx60:40 cement, Plug Ret Hole w/ 30sx Cement, Plug More Hole w/ 20sx Cement

SERVICE

DEPTH OF JOB 1590  
 PUMP TRUCK CHARGE 1017.00  
 EXTRA FOOTAGE @ \_\_\_\_\_  
 MILEAGE 50 @ 7.00 350.00  
 MANIFOLD N/A @ \_\_\_\_\_  
 @ \_\_\_\_\_  
 @ \_\_\_\_\_

TOTAL 1367.00

PLUG & FLOAT EQUIPMENT

None @ \_\_\_\_\_  
 @ \_\_\_\_\_  
 @ \_\_\_\_\_  
 @ \_\_\_\_\_  
 @ \_\_\_\_\_

TOTAL \_\_\_\_\_

CHARGE TO: Munfin Drilling Co.  
 STREET \_\_\_\_\_  
 CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

To Allied Cementing Co., LLC.  
 You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

PRINTED NAME \_\_\_\_\_

SIGNATURE Kelly Wilson

SALES TAX (If Any) \_\_\_\_\_  
 TOTAL CHARGES 1367.00  
 DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

RECEIVED  
 JAN 08 2010  
 KCC WICHITA