## KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Test	Type Test: (See Instructions on Reverse Side)												
Open Flow					Test Date: API No. 15								
De	liverab	ilty			iosi bait	<b>.</b>				181-20581-0	0-00		
Company Noble Energy Inc							Lease Bucholtz				31-6B	Well Number 31-6B	
County Location Sherman SW-NE-NW-NE				Section 6				RNG (E/W) 39W			Acres Attributed		
Field Goodland Niobrara Gas Area					Reservoir Niobrara			Gas Gat Prairie	hering Conne Star	ection	· · · · · · · · · · · · · · · · · · ·		
Completion Date 5/11/2011				Plug Bac 1493'	Plug Back Total Depth 1493'			Packer S	Set at		<del>'</del>		
Casing S 7", 4 1/2	Casing Size Weight 7", 4 1/2" 17#, 11.6#			Internal ( 9 7/8",		Set at 404', 1540'		Perforations 1320'		To 1353'			
Tubing Si	Tubing Size Weight				Internal I		Set at		Perforations		То		
Type Completion (Describe) Single (gas)			Type Fluid Production Saltwater			Pump Ur yes	nit or Traveling	Plunger? Yes	? Yes / No				
Producing	g Thru	(An	nulus / Tubing)		% C	% Carbon Dioxide				% Nitrogen		Gas Gravity - G	
Tubing													
Vertical D	)epth(F	1)				Pre	ssure Taps				(Meter	Run) (Prover) Size	
Pressure	Buildu	<b>p</b> :	Shut in5/17	20	11 at 1	0:00	_ (PM)	Taken		20	at	(AM) (PM)	
Well on L			Started 6/1	20	11 at 1	0:30	- (PM)	Taken	<del> </del>	20	at	(AM) (PM)	
				·		OBSERV	ED SURFAC	E DATA			Duration of Shut	-in_336 Hours	
Static / Dynamic Property	Static / Onlice Meter ynamic Size Prover Pressure			Temperature Temperatur		I Wellhead Preceure		Tubing Wellhead Pressure $(P_w)$ or $(P_t)$ or $(P_c)$		Duration (Hours)	Liquid Produced (Barrels)		
Shut-In			psig (Pm)	inches H <sub>2</sub> 0			190	psia	psig	psia			
Flow													
						FLOW ST	REAM ATT	RIBUTES					
Plate Coefficcient (F <sub>b</sub> ) (F <sub>p</sub> ) Mcfd		Prover Pressure		Press Extension √ P <sub>m</sub> x h	Gravity Factor F <sub>a</sub>		Flowing Temperature Factor F <sub>n</sub>	perature Factor		Metered Flow R (Mcfd)	GOR (Cubic Fo Barrel	et/ Fluid Gravity	
					(OPEN EL	OW) (DELI	VERABILITY	() CALCIII	ATIONS				
(P <sub>c</sub> ) <sup>2</sup> =		:	(P <sub>w</sub> ) <sup>2</sup> =_	:	P <sub>g</sub> =			P <sub>e</sub> - 14.4) +		:	(P <sub>a</sub> ) (P <sub>d</sub> )	) <sup>2</sup> = 0.207 ) <sup>2</sup> =	
(P <sub>c</sub> ) <sup>2</sup> - (P <sub>s</sub> ) <sup>2</sup>				1. P <sub>c</sub> <sup>2</sup> -P <sub>c</sub> <sup>2</sup> 2. P <sub>c</sub> <sup>2</sup> -P <sub>d</sub> <sup>2</sup>	LOG of formula 1. or 2.		Backpressure Curve Slope = "n"or		n x 100		Antilog	Open Flow Deliverability Equals R x Antilog	
	4'		di di	vided by: P <sub>c</sub> <sup>2</sup> -P <sub>w</sub> <sup>2</sup>	by:	P <sub>c</sub> <sup>2</sup> - P <sub>c</sub> <sup>2</sup>		dard Slope				(Mcfd)	
						<u> </u>							
Open Flow Mcfd @ 14.65 psia				Deliverability			Acfd @ 14.65 psia						
		_	•					uthorized t	N	e above repor	rt and that he ha	ū	
uie tacis š	iateo il	ierei	n, and that said	u repart is true	and correc	i. Execute	a (nis the <u>'</u>	<u> </u>	day of	11		, 20 <u>11</u> . RECEIVE[	
			Witness (if a	uny)					<u>viy</u>	For C	ompany	2 2 ا ر	
			For Commis	sion						Chec	ked by		

exempt status under and that the foregoi correct to the best of of equipment installa	penalty of perjury under the laws of the state of Kansas that I am authorized to request Rule K.A.R. 82-3-304 on behalf of the operator Noble Energy Inc  ng pressure information and statements contained on this application form are true and my knowledge and belief based upon available production summaries and lease records ation and/or upon type of completion or upon use being made of the gas well herein named.  a one-year exemption from open flow testing for the Bucholtz 31-6B
gas well on the grou	
is is I further agree to	as a coalbed methane producer as cycled on plunger lift due to water as a source of natural gas for injection into an oil reservoir undergoing ER as on vacuum at the present time; KCC approval Docket No as not capable of producing at a daily rate in excess of 250 mcf/D as supply to the best of my ability any and all supporting documents deemed by Commission of corroborate this claim for exemption from testing.
Date: 11/11/2011	
Date:	Signature: <u>Lecyl Johnson</u> Title: Regulatory Analyst II

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under OBSERVED SURFACE DATA. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption IS denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the voicinta onice no tate. The form must be perfectly signed and dated on the front side as though it was a verified report of annual test results.

\*\*RECEIVED\*\*

\*\*RECEIVED\* The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than



## **NATURAL GAS ANALYSIS**

PROJECT NO.:

201106109

ANALYSIS NO.:

10

COMPANY NAME: NOBLE ENERGY

ANALYSIS DATE:

JUNE 26, 2011

ACCOUNT NO.:

YUMA

SAMPLE DATE: TO:

PRODUCER: LEASE NO.:

E1502321284

EFFECTIVE DATE: JULY 1, 2011

NAME/DESCRIP.:

**BUCHOLTZ 31-6B** 

\*\*\*FIELD DATA\*\*\*

M. MCCALL

CYLINDER NO.:

59

SAMPLED BY: **SAMPLE PRES.:** 

170

AMBIENT TEMP.:

SAMPLE TEMP.:

88

**GRAVITY: VAPOR PRES.:** 

SAMPLE TYPE: **SPOT** FIELD COMMENTS: NO PROBE

LAB COMMENTS:

	NORM.	GPM @	GPM @	
COMPONENTS	MOLE%_	14.65	14.73	
HELIUM	0.12	-	-	
HYDROGEN	0.07	-	-	
OXYGEN/ARGON	0.06	-	=	
NITROGEN	4.36	-	-	
CO2	0.52	•	-	
METHANE	92.88	-	-	
ETHANE	1.39	0.370		0.372
PROPANE	0.41	0.112		0.113
ISOBUTANE	0.07	0.023		0.023
N-BUTANE	0.07	0.022		0.022
ISOPENTANE	0.02	0.007		0.007
N-PENTANE	0.02	0.007		0.007
HEXANES+	0.01	0.004		0.004
TOTAL	100.00	0.545		0.548
BTU @ 60 DEG F		14.65		14.73
NET DRY REAL =		881.7	•	886.5
NET WET REAL =		866.3		871.1
GROSS DRY REAL =		978.8		984.1
GROSS WET REAL =		961.7		967.0
RELATIVE DENSITY RE	EAL (AIR=1 @ 14.696 PSIA 60F) :	0.5911		

NOTE: REFERENCE GPA 2261(ASTM D1945), 2145, & 2172 CURRENT PUBLICATIONS

THIS DATA HAS BEEN ACQUIRED THROUGH APPLICATION OF CURRENT STATE-OF-THE-ART ANALYTICAL TECHNIQUES. THE USE OF THIS INFORMATION IS THE RESPONSIBILITY OF THE USER. EMPACT ANALYTICAL SYSTEMS, ASSUMES NO RESPONSIBLITY FOR ACCURACY OF THE REPORTED INFORMATION NOR ANY CONSEQUENCES OF IT'S APPLICATION.

> RECEIVED DEC 0 2 2011 KCC WICHITA

EMPACT Analytical Systems, Inc. 365 S. Main St. Brighton, CO 80601 303-637-0150