## KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Acres Attributed   Acres Attri	Type Test	:			(	See Instruct	ions on Re	verse Side	)			
Total	Ор	en Flow			Tort Date				A Di	No. 15		
## Acras Attributed 80   ## Acras Attributed 80   ## RIG (EW)   ## RIG (	De	liverabilty									-0000	
INGMAN	Company MTM P		EUM, INC.	-				E/HILLS				Well Number
PRIVEY_GRABS_BASIL		AN				··			8W			
Internal Diameter   Set at   Perforations   To   A392			BS-BASIL		MISSI	SSIPPIAN						TD.
14   5.012   4460   4387   4392	8/30/02	<u> </u>				x Total Dept	h					
### Pressure Buildup: Shut in 11/14 20 11 at 9:50 AM) (PM) Taken 11/15 20 11 at 9:50 AM) (PM) Taken 20 at Am) (PM) Pressure Buildup: Shut in 11/14 20 11 at 9:50 AM) (PM) Taken 11/15 20 AM) (PM) (PM) Taken 11/15 20 AM) (PM) Taken 11/15 20 AM) (PM) (PM) (PM) Taken 11/15 20 AM) (PM) (PM) (PM) (PM) (PM) (PM) (PM) (P	5.5							4460				
FLOW STREAM ATTRIBUTES    Continuency (Processure Processure Proce	2.875 6.5			2.5		4397		4397		4397		
### Complete   O.1   O.1   O.1   O.3   O.3   O.944      Pressure Taps	SINGLE				GAS 8	WATER			PUMP	ING		
FLANGE  Pressure Buildup: Shut in 11/14 20 11 at 9:50 (AM) (PM) Taken 11/15 20 11 at 9:50 (AM) (PM)  Velt on Line: Starled 20 at (AM) (PM) Taken 20 at (AM) (PM)  Starled 20 at (AM) (PM) Taken 20 at (AM) (PM)  OBSERVED SURFACE DATA Duration of Shut-in House Prover Pressure Prover Pressure Direction Inches H,0 (Pm)  OBSERVED SURFACE DATA Duration of Shut-in House Prover Pressure Duration (Inches H,0 (Pm))  Flowing Inches H,0 (Pm)  Flowing Temperature Prover Pressure Prover Pressure Extension Factor Fact	TUBING				Carbon Dioxi	de			jen	•		
Velion Line:   Started	Vertical D 4397	epth(H)					•				•	Run) (Prover) Size
Static / Orifice Size (Inches) Pressure paig (Pm) Inches H <sub>2</sub> 0 Pressure (Inches) Property (Inches) Pro	Pressure	Buildup:	Shut in	42	0 11 at 9	:50	(PM)	Taken_1	/15	20	11 at 9:50	( <b>M</b> )(PM)
Static / Orifice Size Property (inches)   Prossure Property (inches)   Prossure Property (inches)   Property   Prover Pressure Property (inches)   Prover Pressure Property (inches)   Prover Pressure Property (inches)   Prover Pressure Prover Pressure Property (inches)   Prover Pressure Pressure Prover Pressure Prover Pressure Pressure Prover Pressure Prover Pressure Pressure Prover Pressure Pressure Prover Pressure Prover Pressure Pressure Prover Pressure Pressure Prover Pressure Pr	Well on L	ine:	Started	2	0 at		(AM) (PM)	Taken	u	20	at	(AM) (PM)
Static / Orifice Size Pyramic State / Orifice Size Pyramic State / Orifice Size Pyramic State / Orifice Size Pyramic Size Size Pyramic Size Size Size Size Size Size Size Size					<del></del>	OBSERVE	D SURFAC	E DATA			Duration of Shut-	in Hour
FLOW STREAM ATTRIBUTES  Flowing Temporature Factor Fig. (McId)  Prover Prossure Prover Prossure Prover Prossure Prover Prossure Prover Prossure Prover Prossure Prover Pro	Static / Dynamic Property	Size	Meter Prover Pressure	Differential e in	Temperature	Temperature	Wellhead (P <sub>w</sub> ) or (F	Pressure	Wellhe	Tubing ad Pressure r (P <sub>1</sub> ) or (P <sub>0</sub> )	Duration	Liquid Produced
FLOW STREAM ATTRIBUTES  Plate Coefficient (F <sub>e</sub> ) (F <sub>p</sub> ) Motid  Prover Pressure psia  Copen Flow) (P <sub>e</sub> ) Prover Pressure psia  Copen Flow) (P <sub>e</sub> ) Prover Pressure psia  Copen Flow) (P <sub>e</sub> ) Prover Pressure psia  Copen Flow) (OPEN FLOW) (DELIVERABILITY) CALCULATIONS  (P <sub>e</sub> ) Prover Pressure Factor F <sub>it</sub> Gravity G	Shut-In			· · · · ·		<b>-</b>		psia	psig	рыа		
Plate Coefficient Coefficient (F <sub>p</sub> )(F <sub>p</sub> ) Meter or Prover Pressure psia (P <sub>m</sub> ×n) F <sub>m</sub> ×n F <sub>o</sub> F <sub>o</sub> Factor F <sub>ector</sub> F <sub>ect</sub>	Flow											
Coefficient (F <sub>p</sub> ) (F <sub>p</sub> ) Meter or Prover Pressure paia P <sub>m</sub> xh Factor F <sub>e</sub> P <sub>m</sub> xh Factor F <sub>e</sub> P <sub>m</sub> xh Factor F <sub>e</sub> P <sub>m</sub> xh						FLOW STR	EAM ATTR	RIBUTES				
P <sub>c</sub> ) <sup>2</sup> = : (P <sub>w</sub> ) <sup>2</sup> = : P <sub>d</sub> = % (P <sub>c</sub> - 14.4) + 14.4 = : (P <sub>d</sub> ) <sup>2</sup> = Open Flow      Open Flow	Coeffiect (F <sub>b</sub> ) (F	ient p) Pi	Meter or rover Pressure	Extension	Fac	tor T	remperature Factor	Fe	ctor	R	(Cubic Fe	et/ Fluid Gravity
P <sub>c</sub> ) <sup>2</sup> = : (P <sub>w</sub> ) <sup>2</sup> = : P <sub>d</sub> = % (P <sub>c</sub> - 14.4) + 14.4 = : (P <sub>d</sub> ) <sup>2</sup> = Open Flow      Open Flow					(OBEN EI	OW) (DELIV	EDADII ITV	) CALCIII	ATIONS			
Open Flow  Mcfd @ 14.65 psia  Deliverability  The undersigned authority, on behalf of the Company, states that he is duly authorized to make the above report and that he has knowledge of a facts stated therein, and that said report is true and correct. Executed this the 21ST  Witness (if any)  Open Flow  Slope = "n"  Antillog  Open Flow  Slope = "n"  Assigned  Standard Slope  In x LOG  Antillog  Open Flow  Note Slope = "n"  Antillog  P2. P2. P2. and divide by:  Equals R x Antillog  (Mcfd)  Open Flow  Antillog  Open Flow  Deliverability  Equals R x Antillog  (Mcfd)  Open Flow  Deliverability  Equals R x Antillog  Open Flow  Antillog  P2. P2. D2. and divide by:  Equals R x Antillog  Open Flow  Antillog  Note Slope = "n"  Assigned  Standard Slope  Open Flow  Deliverability  Antillog  Note Slope = "n"  Anti	(P <sub>c</sub> ) <sup>2</sup> =	:	(P <sub>w</sub> ) <sup>2</sup> =	:				-		:		
The undersigned authority, on behalf of the Company, states that he is duly authorized to make the above report and that he has knowledge of efacts stated therein, and that said report is true and correct. Executed this the 21ST day of NOVEMBER 20 11  Witness (if any)	ог	-	(P <sub>e</sub> )² - (P <sub>w</sub> )²	1. $P_c^2 - P_a^2$ 2. $P_a^2 - P_d^2$	LOG of formula 1. or 2. and divide	Pe2. Pu2	Slo As	pe = "n" - or ssigned			Antilog	Deliverability Equals R x Antilog
The undersigned authority, on behalf of the Company, states that he is duly authorized to make the above report and that he has knowledge of efacts stated therein, and that said report is true and correct. Executed this the 21ST day of NOVEMBER 20 11  Witness (if any)												
e facts stated therein, and that said report is true and correct. Executed this the 21ST day of NOVEMBER , 20 11  Witness (if any)	Open Flor	w		Mcfd @ 14.	65 psia		Deliverat	oility			Mcfd @ 14.65 ps	ia
Witness (if any)  RECI	The u	undersigne	ed authority, on	behalf of the	Company,	states that h	e is duly a	uthorized t	o make th	ne above repo	rt and that he ha	is knowledge of
For Commission  Cycloded by  RECE  NOV 2  KCC WI	ne facts si	tated there	ein, and that sai	d report is true	and correc	t. Executed	this the 2	1ST 2V/	day of N	IOVEMBER	and L	, 20 <sup>11</sup> .
For Commission Cycked by NOV 2		-	Witness (if a	any)			_	11/0	-2000	For C	опторуку Д	2 RECE
KCC W			For Commis	sion	-		-	····		Chéc	ked by	- NOV 2
• • • • • • • • • • • • • • • • • • • •												KCC WI

	ler penalty of perjury under the laws of the state of Kansas that I am authorized to request
	der Rule K.A.R. 82-3-304 on behalf of the operator MTM PETROLEUM, INC.
	going pressure information and statements contained on this application form are true and
	at of my knowledge and belief based upon available production summaries and lease records
	allation and/or upon type of completion or upon use being made of the gas well herein named.  est a one-year exemption from open flow testing for the BOYLE/HILLS #1
	rounds that said well:
gao well on the g	rounds that said well.
(Check	cone)
	is a coalbed methane producer
	is cycled on plunger lift due to water
	is a source of natural gas for injection into an oil reservoir undergoing ER
	is on vacuum at the present time; KCC approval Docket No.
	is on vacuum at the present little, NOC approval Docket No.
<b>V</b>	is not capable of producing at a daily rate in excess of 250 mcf/D
I further agre	is not capable of producing at a daily rate in excess of 250 mcf/D
	is not capable of producing at a daily rate in excess of 250 mcf/D e to supply to the best of my ability any and all supporting documents deemed by Commission
	is not capable of producing at a daily rate in excess of 250 mcf/D
staff as necessai	is not capable of producing at a daily rate in excess of 250 mcf/D e to supply to the best of my ability any and all supporting documents deemed by Commission
	is not capable of producing at a daily rate in excess of 250 mcf/D e to supply to the best of my ability any and all supporting documents deemed by Commission
staff as necessai	is not capable of producing at a daily rate in excess of 250 mcf/D e to supply to the best of my ability any and all supporting documents deemed by Commission
staff as necessai	is not capable of producing at a daily rate in excess of 250 mcf/D e to supply to the best of my ability any and all supporting documents deemed by Commission
staff as necessai	is not capable of producing at a daily rate in excess of 250 mcf/D e to supply to the best of my ability any and all supporting documents deemed by Commission
staff as necessai	is not capable of producing at a daily rate in excess of 250 mcf/D e to supply to the best of my ability any and all supporting documents deemed by Commission
staff as necessai	is not capable of producing at a daily rate in excess of 250 mcf/D e to supply to the best of my ability any and all supporting documents deemed by Commission by to corroborate this claim for exemption from testing.  Signature:  RECEN
staff as necessai	is not capable of producing at a daily rate in excess of 250 mcf/D e to supply to the best of my ability any and all supporting documents deemed by Commission by to corroborate this claim for exemption from testing.

## Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption IS denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.