KCC WICHITA

## KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Test:				(	See Instruct	ions on Reve	erse Side	9)			
Dpen Fl	ow			T D							
Deliverabilty			Test Date 11/9/11		API No. 15 15-077-21486-0000						
Company MTM PETF	ROLE	EUM, INC.		-	· - • ·	Lease FRYAR				_	Well Number
County HARPER				Section 2		TWP 31S		RNG (E/W) 8W		Acres Attributed	
<sup>Field</sup> SPIVEY-GI	RAB	S-BASIL		Reservoir MISSIS	SSIPPIAN	١			hering Conne	oction ORATION, L	TD.
Completion Date 07/01/04				Plug Bac 4544	k Total Dept	h		Packer Set at NONE			
Casing Size 5.5	15.5			Internal Diameter 4.950		Set at 4608		Perforations 4403		то 4407	
Tubing Size 2.375	•			Internal Diameter 1.995		Set at 4437		Perforations 4437		To 4437	
Type Completion (Describe) SINGLE				Type Flui	d Production		<u> </u>			g Plunger? Yes / No	
Producing Thru (Annulus / Tubing) TUBING				% Carbon Dioxide 0.079				% Nitrogen 5.282		Gas Gravity - G <sub>g</sub>	
Vertical Depth(H) 4405				Pressure Taps FLANGE							Run) (Prover) Size
Pressure Build	up:	Shut in	2	0_11_at_8	:20	(PM)	Taken_1	1/9	20	11 at 8:20	(AM)(PM)
Well on Line:		Started	2	0 at		(AM) (PM)	Taken		20	at	(AM) (PM)
					OBSERVE	D SURFACE	DATA			Duration of Shut	-in Hours
Static / Orifice Dynamic Size Property (inches		Circle one Meter Prover Pressur psig (Pm)	Pressure Differential in Inches H <sub>2</sub> 0	Temperature Temperature		Mollhood Processro		Tubing Wellhead Pressure (P <sub>w</sub> ) or (P <sub>i</sub> ) or (P <sub>c</sub> ) psig psia		Duration (Hours)	Liquid Produced (Berrels)
Shut-In					-	180	psia	pang	рыа	<del></del>	
Flow											
	1			<del></del>	FLOW STR	EAM ATTRI	BUTES			-   H	
Plate Coeffiecient (F <sub>b</sub> ) (F <sub>p</sub> ) Mcfd	Pro	Circle one Meter or ver Pressure psia	Press Extension P <sub>m</sub> x h	Grav Fac F	or Temperature		Fa	Deviation Metered Factor R F <sub>p*</sub> (Mcf		GOR Flowing (Cubic Feet/ Barrel) Gravity G <sub>n</sub>	
									<u>.</u>		
P <sub>c</sub> )² =	_ :	$(P_w)^2 = \int_{\mathbb{R}^n} e^{-t} dt$	:	(OPEN FL	, ,	ERABILITY) % (P¸	CALCUL - 14.4) +		:	(P <sub>a</sub> ) (P <sub>d</sub> )	$r^2 = 0.207$ $r^2 = 0.207$
$(P_c)^2 - (P_u)^2$ or $(P_c)^2 - (P_d)^2$	(F	P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup>	1. P <sub>e</sub> <sup>2</sup> - P <sub>e</sub> <sup>2</sup> 2. P <sub>e</sub> <sup>2</sup> - P <sub>e</sub> <sup>2</sup>	LOG of formula 1 or 2 and divide	P.2-P.2	Slope ( Assi	sure Curve = "n" or gned	nxl	LOG	Antilog	Open Flow Deliverability Equals R x Antilog (Mctd)
		di	Andread phase Life - Life	by:	<u>" "</u>	Standar	rd Slope		, ,		, moral
pen Flow Mcld @ 14.			65 psia		Deliverability		Mcfd @ 14.65 psia				
		d authority, on n, and that said				044			e above repo OVEMBER	rt and that he ha	as knowledge of
		Witness (if a				4	20/	k	- 0	Marie	GEORN.
		For Commis			-	_		<del></del>		kod by	NOV 23

	e under penalty of perjury under the laws of the state of Kansas that I am authorized to request us under Rule K.A.R. 82-3-304 on behalf of the operator MTM PETROLEUM, INC.
correct to th of equipmer I hereby	e foregoing pressure information and statements contained on this application form are true and the best of my knowledge and belief based upon available production summaries and lease records at installation and/or upon type of completion or upon use being made of the gas well herein named. The request a one-year exemption from open flow testing for the FRYAR #4 the grounds that said well:
I further staff as nece	is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No. is not capable of producing at a daily rate in excess of 250 mcf/D agree to supply to the best of my ability any and all supporting documents deemed by Commission essary to corroborate this claim for exemption from testing.
Date: 11/21	Signature: MARVIN A. MILLER, PRESIDENT

## Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

RECEIVED

NOV 2 3 2011

KCC WICHITA