For KCC Use: Effective Date: District #... SGA? Yes No

Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

	as Surface Owner Notification Act, MUST be submitted with this form.
Expected Spud Date: March 9th 2012	Spot Description:
month day year	N/2 - SE - SW - Sec. 12 Twp. 18 S. R. 24 E X W
OPERATOR: License# 5146	(Q/Q/Q/Q/Q) 990 feet from N / S Line of Section
Name: Rains & Williamson Oil Co., Inc.	1,980 feet from E / X W Line of Section
Address 1: 220 W. Douglas, Suite 110	Is SECTION: Regular Irregular?
Address 2:	
City: Wichita State: KS Zip: 67202 +	(Note: Locate well on the Section Plat on reverse side) County: Graham
Contact Person: Juanita Green Phone: 316-265-9686	Lease Name: Prose Well #: 1
	Field Name: Unnamed
CONTRACTOR: License# 33575	Is this a Prorated / Spaced Field?
Name:	Target Formation(s): Arbuckle
Well Drijled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 990'
⊠oil Enh Rec ⊠Infield ⊠Mud Rotary	Ground Surface Elevation: 2318' feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water: 480' /3
Other:	Depth to bottom of usable water: 1400 /150
If OWWO: old well information as follows:	Surface Pipe by Alternate: XIII
	Length of Surface Pipe Planned to be set: 250'
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth: 4100'
Original Completion Date: Original Total Depth:	
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:
If Yes, true vertical depth:	
Bottom Hole Location:	DWR Permit #:(Note: Apply for Permit with DWR
KCC DKT #:	
	Will Cores be taken? If Yes, proposed zone: Yes No
^	
	RECEIVED
The undersigned hereby affirms that the drilling, completion and eventual p	lugging of this well will comply with K.S.A. 55 et. seq.
The undersigned hereby affirms that the drilling, completion and eventual p lt is agreed that the following minimum requirements will be met:	lugging of this well will comply with K.S.A. 55 et. seq. MAR 0 2 2012
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well:	lugging of this well will comply with K.S.A. 55 et. seq. MAR 0 2 2012
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall</i> be posted on eac 3. The minimum amount of surface pipe as specified below <i>shall</i> be se	th drilling rig; the drilling rig; the virculating cement to the top; in all cases surface pine shall so set to the top; in all cases surface pine shall so s
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the	th drilling rig; th drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set The underlying formation.
 The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall</i> be posted on eac 3. The minimum amount of surface pipe as specified below <i>shall</i> be se through all unconsolidated materials plus a minimum of 20 feet into ti 4. If the well is dry hole, an agreement between the operator and the dis 	th drilling rig; th drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.
 The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall</i> be posted on each as the minimum amount of surface pipe as specified below <i>shall</i> be sethrough all unconsolidated materials plus a minimum of 20 feet into the first the well is dry hole, an agreement between the operator and the district office will be notified before well is either pluging. If an ALTERNATE II COMPLETION, production pipe shall be cement. 	th drilling rig; th drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set me underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 DAYS of spud date.
 The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall</i> be posted on each as the property of the approved notice of intent to drill <i>shall</i> be posted on each as the property of the proving all unconsolidated materials plus a minimum of 20 feet into the property of the well is dry hole, an agreement between the operator and the district office will be notified before well is either pluging. If an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order # 	th drilling rig; th drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set me underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133.891-C. which applies to the KCC District 3 area alternate II cementing.
 The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: Notify the appropriate district office prior to spudding of well; A copy of the approved notice of intent to drill shall be posted on each at the composition of the approved notice of intent to drill shall be posted on each at the composition of the surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the surface well is dry hole, an agreement between the operator and the district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order the must be completed within 30 days of the spud date or the well shall be 	th drilling rig; th drilling rig; th drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing.
 The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall</i> be posted on each as the property of the approved notice of intent to drill <i>shall</i> be posted on each as the property of the proving all unconsolidated materials plus a minimum of 20 feet into the property of the well is dry hole, an agreement between the operator and the district office will be notified before well is either pluging. If an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order # 	th drilling rig; th drilling rig; th drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the disense of the sequence of the well is either plug for the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of	th drilling rig; th drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. my knowledge and belief.
 The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: Notify the appropriate district office prior to spudding of well; A copy of the approved notice of intent to drill shall be posted on each at the composition of the approved notice of intent to drill shall be posted on each at the composition of the surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the surface well is dry hole, an agreement between the operator and the district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order the must be completed within 30 days of the spud date or the well shall be 	th drilling rig; th drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In this interior office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: President
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the approved notice of intent to drill shall be posted on each and the district office prior and the district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order the must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of Date: Signature of Operator or Agent: For KCC Use ONLY	th drilling rig; th drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: President Remember to:
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be a three plus of the spud date or the well shall be set of the spud case of the spud to the best of the spud case of the spud to the best of the spud case of the statements made herein are true and to the best of the spud case of the spud case of the spud to the best of the spud case of the spud case of the spud to the best of the spud case of the spud that the statements made herein are true and to the best of the spud case of the spu	th drilling rig; th drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: President Remember to: File Certification of Compliance with the Kansas Surface Owner Notification
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the search of the well is dry hole, an agreement between the operator and the disentation of the search of the appropriate district office will be notified before well is either pluging the search of the	th drilling rig; th drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. my knowledge and belief. Title: President Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the set into the set into the set of the set into the set i	th drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in, and form below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Title: President Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well shall be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a complete shall be a complet	th drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. my knowledge and belief. Title: President Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and an amount of surface pipe as specified below shall be sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sether plus of the well is either plus sether plus of the sether plus of the sether plus sether plus of pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be sether plus of the spud date or the well shall be sether plus of the spud date or the well shall be sether plus of the spud date or the well shall be sether plus of the spud date or the well shall be sether plus of the spud date or the well shall be sether plus of the spud date or the well shall be sether plus of the spud date or the well shall be sether plus of the spud date or the well shall be sether plus of the spud date or the well shall be sether plus of the spud date or the well shall be sether plus of the spud date or the well shall be sether plus of the sether plus of the spud date or the sether plus of the spud date or the sether plus of the sether plus of the spud date or the sether plus of t	th drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set to be underlying formation. It be underlying formation. It is to ffice on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. It is a surface within 120 DAYS of spud date. It is a surface within 120 DAYS of spud date. It is a surface within 120 DAYS of spud date. It is a surface within 120 DAYS of spud date. It is a surface within 120 DAYS of spud date. It is a surface within 120 DAYS of spud date. It is a surface within 120 DAYS of spud date. It is a surface within 120 DAYS of spud date. It is a surface within 120 DAYS of spud date. It is a surface within 120 DAYS of spud date. It is a surface within 120 DAYS of spud date. It is a surface with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and an amount of surface pipe as specified below shall be setherough all unconsolidated materials plus a minimum of 20 feet into the setherough all unconsolidated materials plus a minimum of 20 feet into the setherough all unconsolidated materials plus a minimum of 20 feet into the setherough all unconsolidated materials plus a minimum of 20 feet into the setherough all unconsolidated materials plus a minimum of 20 feet into the setherough sethe	th drilling rig; th drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing are plugged. In all cases, NOTIFY district office prior to any cementing. Title: President Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and an amount of surface pipe as specified below shall be sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sethrough all unconsolidated materials plus a minimum of 20 feet into the sether plus of the well is either plus sether plus of the sether plus of the sether plus sether plus of pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be sether plus of the spud date or the well shall be sether plus of the spud date or the well shall be sether plus of the spud date or the well shall be sether plus of the spud date or the well shall be sether plus of the spud date or the well shall be sether plus of the spud date or the well shall be sether plus of the spud date or the well shall be sether plus of the spud date or the well shall be sether plus of the spud date or the well shall be sether plus of the spud date or the well shall be sether plus of the spud date or the well shall be sether plus of the sether plus of the spud date or the sether plus of the spud date or the sether plus of the sether plus of the spud date or the sether plus of t	th drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in, ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Title: President Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as the copy of the approved notice of intent to drill shall be posted on each as the copy of the approved notice of intent to drill shall be posted on each as the copy of the approved on each as the copy of the approved on the copy of the posted on each as the copy of the approved on each as the copy of the approved on each as the copy of the spud below shall be set through all unconsolidated materials plus a minimum of 20 feet into the district of the well is either plug of the spud before well is either plug of the appropriate district office will be notified before well is either plug of pursuant to Appendix "B" - Eastern Kansas surface casing order where the completed within 30 days of the spud date or the well shall be approved to the well shall be approved to the statements made herein are true and to the best of the plug of the copy of the spud date or the well shall be approved by: Signature of Operator or Agent: For KCC Use ONLY API # 15 - OUS - 23817-00-00 Conductor pipe required	AMAR 1) 2 2017 The drilling rig; The drilling rig; The drilling rig; The drilling rig; The underlying formation. The underlying formation casing is cemented in; The underlying form to plugging; The underlying form to underlying formation of spud date. The underlying formation in all cases, underlying in the underlying formation orders; The underlying formation in all cases, underlying in the underlying formation orders; The underlying formation in all cases, underlying in the underlying formation orders; The underlying formation in all cases, underlying in the underlying formation orders; The underlying formation in all cases surface pipe shall be set The underlying formation in all cases surface pipe shall be set The underlying formation in all cases surface pipe shall be set The underlying formation in all cases, u
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and an amount of surface pipe as specified below shall be setherough all unconsolidated materials plus a minimum of 20 feet into the setherough all unconsolidated materials plus a minimum of 20 feet into the setherough all unconsolidated materials plus a minimum of 20 feet into the setherough all unconsolidated materials plus a minimum of 20 feet into the setherough all unconsolidated materials plus a minimum of 20 feet into the setherough sethe	th drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in, ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Title: President Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.

For KCC Use ONLY
A5, # 13 - 065-23817-0500

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

se: Pro:	Rains & Williamson Oil Co., Inc.			Location of Well: 990	
l Numbe	4			1,980	feet from N / S Line of Section
d:					feet from E / W Line of Section
· .		uniae		Sec. <u>12</u> 7	Twp. 26 🔰 S. R. 24 🔃 E 🔀 W
	Acres attributable to well: _ QTR/QTR of acreage:N/2			Is Section:	Regular or Irregular
			DI.	Section corner us	egular, locate well from nearest corner boundary. sed: NENWSESW
ı	Show location of the lease roads, tank batteries	s, pipelines and electrica	al lines, as requ	ase or unit boundary	v line. Show the predicted locations of Surface Owner Notice Act (House Bill 2032).
r		Sheridan Cou			
				:	
					LEGEND
					O Well Location
		:			Tank Battery Location
	: :	:	•		Pipeline Location
					Electric Line Location
	: :	:			Lease Road Location
	······				
				:	
L		• • • • • • • • • • • • • • • • • • • •			EXAMPLE
	:	12	:		
İ					
			•		
			: :	:	
	:				
	: :		•••••		1980' FSL
.001			:	:	1980 FSL
80'		Ö	:	•	
-		· o			
980' WL					
-		• • • • • • • • • • • • • • • • • • • •			SEWARD CO. 3390' FEL RECEIVE

In plotting the proposed location of the well, you must show:

KCC WICHITA

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

5146					
OPERATOR: License # 5146 Rains & Williamson Oil Co. Inc.	Well Location: N/2 SE SW Sec. 12 Twp. 16 S. R. 24 Eas West				
Name: Rains & Williamson Oil Co., Inc. Address 1: 220 W. Douglas, Suite 110					
	County: Graham Lease Name: Prose Well #: 1				
Address 2: 67202	Lease Name: Well #: _!				
Contact Person, Juanita Green	If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:				
Phone: (316) 265-9686 Fav. (316) 265-9671					
City: Wichita State: KS Zip: 67202 + Contact Person: Juanita Green Phone: (316) 265-9686 Fax: (316) 265-9671 Email Address: pat@rains.kscoxmail.com					
Surface Owner Information:					
Name: Mary E. Prose & Max Prose	When filing a Form T-1 involving multiple surface owners, attach an additional				
Name: Mary E. Prose & Max Prose Address 1: HC 1, Box 250	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the				
Address 2:	county, and in the real estate property tax records of the county treasurer.				
City: Beeler State: KS Zip: 67518 +					
Select one of the following:	on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.				
owner(s) of the land upon which the subject well is or will be	Act (House Bill 2032), I have provided the following to the surface located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.				
I have not provided this information to the surface owner(s). It is KCC will be required to send this information to the surface of task, I acknowledge that I am being charged a \$30.00 handling.	acknowledge that, because I have not provided this information, the wner(s). To mitigate the additional cost of the KCC performing this g fee, payable to the KCC, which is enclosed with this form.				
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP	n fee with this form. If the fee is not received with this form, the KSONA-1 -1 will be returned.				
I hereby certify that the statements made herein are true and correct to	o the best of my knowledge and belief.				
I hereby certify that the statements made herein are true and correct to	o the best of my knowledge and belief.				
I hereby certify that the statements made herein are true and correct to	o the best of my knowledge and belief.				
I hereby certify that the statements made herein are true and correct to	o the best of my knowledge and belief. Anita M. Atua Title: President RECEIVED				

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Rains & Williamson Oil Co., Inc.							
Operator Address: 220 W. Douglas, Suite 110			202				
Contact Person: Juanita Green							
1		Pit Location (QQQQ):	****				
Pit is:		N/2 _ SE _ SW _	1				
X Proposed	Existing	Sec. 12 Twp. 188 R. 24 East X West					
If Existing, date co	nstructed:	990 Feet from North / X South Line of Secti	ion				
Pit capacity: 3,500	(bbls)	Graham					
rea? Yes X		Obligation					
Artificial Liner?	No	How is the pit lined if a plastic liner is not used? Bentonite & Drilling Solids					
)Length (fe	et) 70	Width (feet) N/A: Steel Pits					
m ground level to dea	epest point:	(feet) No Pit					
er							
f pit:							
22feet	measured	nation: well owner electric log KDWR					
	Drilling, Worko	ver and Haul-Off Pits ONLY:					
Producing Formation:		Type of material utilized in drilling/workover: Drilling Mud & Fresh Water					
	Abandonment p	procedure: Pits allowed to dry. Backfill when dried	<u>.t</u>				
illed fluids to	Drill pits must be closed within 365 days of spud date.						
ents are true and cor	rect to the best of r	my knowledge and belief.	012				
	Juan	ita m. Street KCC WICH					
KCC OFFICE USE ONLY							
		Liner Steel Pit RFAC RFAC					
	Pit is: X Proposed If Existing, date contains Pit capacity: 3,500 Artificial Liner? Yes X Length (fem ground level to dealer If Existing in the contains Artificial Liner? Yes X Artificial Liner? Artificial Liner? Yes X Artificial Liner? Artificial Liner Art	Pit is: X Proposed Existing If Existing, date constructed:	Phone Number: 316-265-9686 Phone Number: 316-265-9686				