For KCC Use: 3-18-20/2 Effective Date:
<b>~</b>
District #
SGA? Yes No

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

shmitted with this form

Form KSONA-1, Certification of Compliance with the Kans  March 20, 2012	Spot Description:
pected Spud Date:	SE SE SW - Sec. 1 Twp. 24 S. R. 18 XE W
	(Q/Q/Q/Q) 170 feet from N / S Line of Section
ERATOR: License#	2,810 feet from X E / W Line of Section
me: _J. R. Burris	<del></del>
dress 1: PO Box 345	Is SECTION: Regular Irregular?
	(Note: Locate well on the Section Plat on reverse side)
dress 2: State: KS Zip: 66749 +	County: Allen
ntact Person: J R Burris	Lease Name: Alan Kettie Well #: 1-A
one: 620 365 9677	Field Name: IOLA
22783	Is this a Prorated / Spaced Field?
ONTRACTOR: License#_ 33783	Target Formation(s): Tucker
me: Michael Drilling	Nearest Lease or unit boundary line (in footage): 170
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 963 feet MSL
Xoil Enh Rec Infield Mud Rotary	
Air Potony	vvater well within one-quarter sinc.
Gas Storage Mooi Ext. Cable	Fubilic Water Supply West Matter Street
Seismic : # of Holes Other	Depth to bottom of fresh water: 25
· · ·	Depth to bottom of usable water: 150
Other:	Surface Pipe by Alternate: XIII
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20'
	Length of Conductor Pipe (if any):
Operator:	Projected Total Depth: 950
Well Name:	Formation at Total Depth: Tucker
Original Completion Date: Original Total Depth:	Water Source for Drilling Operations:
izentional Deviated or Horizontal wellbore?	
I COLOTES, DOTATES S. T.	
Yes, true vertical depth:	DWR Permit #:(Note: Apply for Permit with DWR [_]
ottom Hole Location:	
CC DKT #:	Viii Colco de Calletti
	If Yes, proposed zone:
	AFFIDAVIT
he undersigned hereby affirms that the drilling, completion and eventu	AFFIDAVIT
is agreed that the following minimum requirements will be met:	AFFIDAVIT cual plugging of this well will compty with K.S.A. 55 et. seq.
The undersigned hereby affirms that the drilling, completion and eventure is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;	AFFIDAVIT rual plugging of this well will comply with K.S.A. 55 et. seq.  RECE
t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	AFFIDAVIT  rual plugging of this well will comply with K.S.A. 55 et. seq.  RECE
t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted or  3. The minimum amount of surface nine as specified below <i>shall b</i>	AFFIDAVIT  rual plugging of this well will comply with K.S.A. 55 et. seq.  RECE  on each drilling rig;  be set by circulating cement to the top; in all cases surface pipe shall be set MAD. 1
<ol> <li>is agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall</i> be posted or</li> <li>The minimum amount of surface pipe as specified below <i>shall</i> b</li> </ol>	AFFIDAVIT  rual plugging of this well will comply with K.S.A. 55 et. seq.  RECE  on each drilling rig;  be set by circulating cement to the top; in all cases surface pipe shall be set  MAR 1
<ol> <li>t is agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted or</li> <li>The minimum amount of surface pipe as specified below <i>shall b</i> through all unconsolidated materials plus a minimum of 20 feet in</li> </ol>	AFFIDAVIT  cual plugging of this well will comply with K.S.A. 55 et. seq.  RECE  on each drilling rig;  be set by circulating cement to the top; in all cases surface pipe shall be set  into the underlying formation.  the district office on plug length and placement is necessary prior to plugging;
<ol> <li>is agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted or</li> <li>The minimum amount of surface pipe as specified below <i>shall b</i> through all unconsolidated materials plus a minimum of 20 feet in</li> <li>If the well is dry hole, an agreement between the operator and the suppropriate district office will be notified before well is either</li> </ol>	AFFIDAVIT trual plugging of this well will comply with K.S.A. 55 et. seq.  RECE on each drilling rig; be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. the district office on plug length and placement is necessary prior to plugging; or plugged or production casing is cemented in; or plugged or production casing is cemented in; or plugged or production casing is cemented in;
<ol> <li>s agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall</i> be posted or</li> <li>The minimum amount of surface pipe as specified below <i>shall</i> be through all unconsolidated materials plus a minimum of 20 feet in</li> <li>If the well is dry hole, an agreement between the operator and the suppropriate district office will be notified before well is either</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be certained.</li> </ol>	AFFIDAVIT trual plugging of this well will comply with K.S.A. 55 et. seq.  RECE on each drilling rig; the set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. The district office on plug length and placement is necessary prior to plugging; or plugged or production casing is cemented in; The plugged or production casing is c
<ol> <li>is agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted or</li> <li>The minimum amount of surface pipe as specified below <i>shall b</i> through all unconsolidated materials plus a minimum of 20 feet in</li> <li>If the well is dry hole, an agreement between the operator and the through all unconsolidated materials plus a minimum of 20 feet in</li> <li>If the appropriate district office will be notified before well is either</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be certain.</li> </ol>	AFFIDAVIT trual plugging of this well will comply with K.S.A. 55 et. seq.  RECE on each drilling rig; the set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. The district office on plug length and placement is necessary prior to plugging; or plugged or production casing is cemented in; The plugged or production casing is c
<ol> <li>t is agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted or</li> <li>The minimum amount of surface pipe as specified below <i>shall b</i> through all unconsolidated materials plus a minimum of 20 feet in</li> <li>If the well is dry hole, an agreement between the operator and the superportate district office will be notified before well is either</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be certain or pursuant to Appendix "B" - Eastern Kansas surface casing on must be completed within 30 days of the spud date or the well si</li> </ol>	AFFIDAVIT trual plugging of this well will comply with K.S.A. 55 et. seq.  RECE on each drilling rig; the set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. The district office on plug length and placement is necessary prior to plugging; or plugged or production casing is cemented in; The mented from below any usable water to surface within 120 DAYS of spud date.  Will the set of the second surface within 120 DAYS of spud date.  Will the second surface within 120 DAYS of spud date.  Will the second surface within 120 DAYS of spud date.  Will the second surface within 120 DAYS of spud date.  Will the second surface within 120 DAYS of spud date.  Will the second surface within 120 DAYS of spud date.  Will the second surface within 120 DAYS of spud date.  Will the second surface within 120 DAYS of spud date.  Will the second surface within 120 DAYS of spud date.  Will the second surface within 120 DAYS of spud date.  Will the second surface within 120 DAYS of spud date.
<ol> <li>t is agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted or</li> <li>The minimum amount of surface pipe as specified below <i>shall b</i> through all unconsolidated materials plus a minimum of 20 feet in</li> <li>If the well is dry hole, an agreement between the operator and the street of the appropriate district office will be notified before well is either</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cert or pursuant to Appendix "B" - Eastern Kansas surface casing on must be completed within 30 days of the spud date or the well statements made herein are true and to the be</li> </ol>	AFFIDAVIT trual plugging of this well will comply with K.S.A. 55 et. seq.  RECE on each drilling rig; the set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. the district office on plug length and placement is necessary prior to plugging; the plugged or production casing is cemented in; the mented from below any usable water to surface within 120 DAYS of spud date.  We mented from below any usable water to surface within 120 DAYS of spud date.  We mented from below any usable water to surface within 120 DAYS of spud date.  We mented from below any usable water to surface within 120 DAYS of spud date.  We mented from below any usable water to surface within 120 DAYS of spud date.  We mented from below any usable water to surface within 120 DAYS of spud date.  We mented from below any usable water to surface within 120 DAYS of spud date.  We mented from below any usable water to surface within 120 DAYS of spud date.  We mented from below any usable water to surface within 120 DAYS of spud date.  We mented from below any usable water to surface within 120 DAYS of spud date.  We mented from below any usable water to surface within 120 DAYS of spud date.  We mented from below any usable water to surface within 120 DAYS of spud date.
<ol> <li>is agreed that the following minimum requirements will be met:         <ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted or</li> <li>The minimum amount of surface pipe as specified below <i>shall b</i> through all unconsolidated materials plus a minimum of 20 feet in</li> <li>If the well is dry hole, an agreement between the operator and tr</li> <li>The appropriate district office will be notified before well is either</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cer</li> <li>Or pursuant to Appendix "B" - Eastern Kansas surface casing on must be completed within 30 days of the spud date or the well st</li> </ol> </li> </ol>	AFFIDAVIT trual plugging of this well will comply with K.S.A. 55 et. seq.  RECE on each drilling rig; the set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. The district office on plug length and placement is necessary prior to plugging; or plugged or production casing is cemented in; The mented from below any usable water to surface within 120 DAYS of spud date.  Will the set of the second surface within 120 DAYS of spud date.  Will the second surface within 120 DAYS of spud date.  Will the second surface within 120 DAYS of spud date.  Will the second surface within 120 DAYS of spud date.  Will the second surface within 120 DAYS of spud date.  Will the second surface within 120 DAYS of spud date.  Will the second surface within 120 DAYS of spud date.  Will the second surface within 120 DAYS of spud date.  Will the second surface within 120 DAYS of spud date.  Will the second surface within 120 DAYS of spud date.  Will the second surface within 120 DAYS of spud date.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted or 3. The minimum amount of surface pipe as specified below <i>shall b</i> through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the street of the appropriate district office will be notified before well is either or pursuant to Appendix "B" - Eastern Kansas surface casing on must be completed within 30 days of the spud date or the well street or certify that the statements made herein are true and to the be	AFFIDAVIT trual plugging of this well will comply with K.S.A. 55 et. seq.  RECE on each drilling rig; the set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. The district office on plug length and placement is necessary prior to plugging; the plugged or production casing is cemented in; the mented from below any usable water to surface within 120 DAYS of spud one.  Where #133,891-C, which applies to the KCC District 3 area, alternate II cementing thall be plugged. In all cases, NOTIFY district office prior to any cementing.  Title:  Title:
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted or 3. The minimum amount of surface pipe as specified below <i>shall b</i> through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the strict office will be notified before well is either of the appropriate district office will be notified before well is either of pursuant to Appendix "B" - Eastern Kansas surface casing on must be completed within 30 days of the spud date or the well street between the statements made herein are true and to the because of the statements and the statements of Operator or Agent:  2. March 12. Signature of Operator or Agent:	AFFIDAVIT  trual plugging of this well will comply with K.S.A. 55 et. seq.  RECE  on each drilling rig;  the set by circulating cement to the top; in all cases surface pipe shall be set  into the underlying formation.  the district office on plug length and placement is necessary prior to plugging;  the plugged or production casing is cemented in;  mented from below any usable water to surface within 120 DAYS of spud date.  When the strict office prior to any cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Title:  Remember to:
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted or 3. The minimum amount of surface pipe as specified below <i>shall b</i> through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the street of the street of the second of the seco	AFFIDAVIT trual plugging of this well will comply with K.S.A. 55 et. seq.  RECE on each drilling rig; the set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. The district office on plug length and placement is necessary prior to plugging; the plugged or production casing is cemented in; the mented from below any usable water to surface within 120 DAYS of spud date.  When the district office on plug length and placement is necessary prior to plugging; the plugged or production casing is cemented in; the mented from below any usable water to surface within 120 DAYS of spud date.  When the district office prior to any cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Title:  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted or 3. The minimum amount of surface pipe as specified below <i>shall b</i> through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the street of the appropriate district office will be notified before well is either of If an ALTERNATE II COMPLETION, production pipe shall be cered or pursuant to Appendix "B" - Eastern Kansas surface casing on must be completed within 30 days of the spud date or the well should be certify that the statements made herein are true and to the because of the spud shall be cered to the statements of the spud shall be cered to the statements of the spud shall be cered to the statements of the spud shall be cered to the statements of the spud shall be cered to the statements of the spud shall be cered to the statements of the spud shall be cered to the statements of the spud shall be cered to the s	AFFIDAVIT  trual plugging of this well will comply with K.S.A. 55 et. seq.  RECE  on each drilling rig;  the set by circulating cement to the top; in all cases surface pipe shall be set  into the underlying formation.  the district office on plug length and placement is necessary prior to plugging;  or plugged or production casing is cemented in;  mented from below any usable water to surface within 120 DAYS of spud date.  When the strict office prior to any cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification  Act (KSONA-1) with Intent to Drill;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted or 3. The minimum amount of surface pipe as specified below <i>shall b</i> through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the street of the appropriate district office will be notified before well is either or pursuant to Appendix "B" - Eastern Kansas surface casing on must be completed within 30 days of the spud date or the well shereby certify that the statements made herein are true and to the because of the street of	AFFIDAVIT  cual plugging of this well will comply with K.S.A. 55 et. seq.  RECE  on each drilling rig;  be set by circulating cement to the top; in all cases surface pipe shall be set  into the underlying formation.  the district office on plug length and placement is necessary prior to plugging;  or plugged or production casing is cemented in;  emented from below any usable water to surface within 120 DAYS of spud date.  Where #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing.  est of my knowledge and belief.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted or 3. The minimum amount of surface pipe as specified below <i>shall b</i> through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the statements of the appropriate district office will be notified before well is either of the appropriate district office will be notified before well is either of pursuant to Appendix "B" - Eastern Kansas surface casing on must be completed within 30 days of the spud date or the well statements made herein are true and to the between the operator of Agent:    State	AFFIDAVIT  cual plugging of this well will comply with K.S.A. 55 et. seq.  RECE  on each drilling rig;  be set by circulating cement to the top; in all cases surface pipe shall be set  into the underlying formation.  the district office on plug length and placement is necessary prior to plugging;  or plugged or production casing is cemented in;  emented from below any usable water to surface within 120 DAYS of spud date.  Where #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing.  est of my knowledge and belief.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted or 3. The minimum amount of surface pipe as specified below <i>shall b</i> through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the street of the stre	AFFIDAVIT  cual plugging of this well will comply with K.S.A. 55 et. seq.  RECE  on each drilling rig;  be set by circulating cement to the top; in all cases surface pipe shall be set  into the underlying formation.  the district office on plug length and placement is necessary prior to plugging;  or plugged or production casing is cemented in;  emented from below any usable water to surface within 120 DAYS of spud date.  Where #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing.  est of my knowledge and belief.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted or 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the strict office will be notified before well is either of the appropriate district office will be notified before well is either of pursuant to Appendix "B" - Eastern Kansas surface casing on must be completed within 30 days of the spud date or the well streeby certify that the statements made herein are true and to the between the operator of Agent:  Signature of Operator or Agent:  Conductor pipe required  Minimum surface pipe required  Approved by:  App	AFFIDAVIT  trual plugging of this well will comply with K.S.A. 55 et. seq.  RECE  on each drilling rig;  the set by circulating cement to the top; in all cases surface pipe shall be set  into the underlying formation.  In edistrict office on plug length and placement is necessary prior to plugging;  or plugged or production casing is cemented in;  emented from below any usable water to surface within 120 DAYS of spud date.  Where #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing.  est of my knowledge and belief.  Title:  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted or 3. The minimum amount of surface pipe as specified below <i>shall b</i> through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the street of the spropriate district office will be notified before well is either or pursuant to Appendix "B" - Eastern Kansas surface casing on must be completed within 30 days of the spud date or the well street or pursuant to the statements made herein are true and to the between the statements made herein are true and to the between the statements made herein are true and to the between the statements of Operator or Agent:    State	AFFIDAVIT total plugging of this well will comply with K.S.A. 55 et. seq.  RECE on each drilling rig; the set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. The district office on plug length and placement is necessary prior to plugging; are plugged or production casing is cemented in; The mented from below any usable water to surface within 120 DAYS of spud and the plugged. In all cases, NOTIFY district 3 area, alternate It cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Title:  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Others purities approved before disposing or injecting salt water.
t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted or  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in  4. If the well is dry hole, an agreement between the operator and the statement of the specified before well is either or pursuant to Appendix "B" - Eastern Kansas surface casing on must be completed within 30 days of the spud date or the well statements made herein are true and to the between the statements made herein are true and to the between the complete of the spud date or the well statements. It is a statement of Operator or Agent:  Sometimes of Operator or Agent:  Conductor pipe required  Approved by:  Minimum surface pipe required  Approved by:  Minimum surface pipe required  Approved by:  Minimum surface pipe requires:  3-13-2013	AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq.  RECE on each drilling rig; be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. The district office on plug length and placement is necessary prior to plugging; ter plugged or production casing is cemented in; ter plugged or production casing is cemented in; ter plugged or production casing is cemented in; ter plugged. In all cases, was alternate II cementing the shall be plugged. In all cases, NOTIFY district office prior to any cementing. Title:  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); - Obtain written approval before disposing or injecting salt water.
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted or 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet in through all unconsolidated materials plus a minimum of 20 feet in through all unconsolidated materials plus a minimum of 20 feet in through all unconsolidated materials plus a minimum of 20 feet in through all unconsolidated materials plus a minimum of 20 feet in through all unconsolidated materials plus a minimum of 20 feet in through all unconsolidated materials plus a minimum of 20 feet in through all unconsolidated materials plus a minimum of 20 feet in through all unconsolidated materials plus a minimum of 20 feet in through all unconsolidated materials plus a minimum of 20 feet in through all unconsolidated materials plus a minimum of 20 feet in through all unconsolidated materials plus a minimum of 20 feet in through all unconsolidated materials plus a minimum of 20 feet in through all unconsolidated materials plus a minimum of 20 feet in through all unconsolidated materials plus a minimum of 20 feet in through all unconsolidated materials plus a minimum of 20 feet in through all unconsolidated materials plus a minimum of 20 feet in through all unconsolidated materials plus a minimum of 20 feet in through all unconsolidated materials plus a minimum of 20 feet in through a minimum of 20 feet in through all unconsolidated materials plus a minimum of 20 feet in through a minimum of 20 feet in through all unconsolidated materials plus a specified below shall be posted or through through all unconsolidated materials plus a specified below shall be posted or through through through through all unconsolidated materials plus a specified below shall be posted or through thr	AFFIDAVIT rual plugging of this well will comply with K.S.A. 55 et. seq.  RECE on each drilling rig; the set by circulating cement to the top; in all cases surface pipe shall be set MAR 1 into the underlying formation. The district office on plug length and placement is necessary prior to plugging; the plugged or production casing is cemented in; the mented from below any usable water to surface within 120 DAYS of spud date.  The results of the set of surface within 120 DAYS of spud date.  Title:  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry, Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.  If well will not be drilled or permit has expired (See: authorized expiration date)
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted or 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet in through all unconsolidated materials plus a minimum of 20 feet in through all unconsolidated materials plus a minimum of 20 feet in through all unconsolidated materials plus a minimum of 20 feet in through all unconsolidated materials plus a minimum of 20 feet in through all unconsolidated materials plus a minimum of 20 feet in through all unconsolidated materials plus a minimum of 20 feet in through all unconsolidated materials plus a minimum of 20 feet in through all through the operator and through the operator and through the operator of the operator of the spud date or the well stated by the confidence of the spud date or the well stated by the operator of the spud date or the well stated by the operator of the spud date or the well stated by the operator of the spud date or the well stated by the operator of the spud date or the well stated by the operator of the spud date or the well stated by the operator of the spud date of the spud date or the well stated by the operator of the spud date of the spud d	AFFIDAVIT trual plugging of this well will comply with K.S.A. 55 et. seq.  RECE on each drilling rig; the set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. The district office on plug length and placement is necessary prior to plugging; or plugged or production casing is cemented in; or plugged or production casing is cemented in; or plugged or production casing is cemented in; or plugged. In all cases, Notify district office prior to any cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Title:  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); - Obtain written approval before disposing or injecting salt water If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted or 3. The minimum amount of surface pipe as specified below <i>shall b</i> through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the street of the street of the street of the spropriate district office will be notified before well is either of the street of the st	AFFIDAVIT rual plugging of this well will comply with K.S.A. 55 et. seq.  RECE on each drilling rig; the set by circulating cement to the top; in all cases surface pipe shall be set MAR 1 into the underlying formation. The district office on plug length and placement is necessary prior to plugging; the plugged or production casing is cemented in; the mented from below any usable water to surface within 120 DAYS of spud date.  The results of the set of surface within 120 DAYS of spud date.  Title:  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry, Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.  If well will not be drilled or permit has expired (See: authorized expiration date)

For KCC Use ONLY
API # 15 - (001 ~ 3035 6 ~ 0000

Operator: J. R. Burris

## IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Location of Well: County: Allen

ase: Alan Kettle ell Number: 1-A				170				
			. 2,810		ine of Section			
ld: IOLA				Sec. <u>1</u>	Twp. 24 S. R. 18 🔀 E	L w		
nber of Acres attributable to well:  VQTR/QTR/QTR of acreage: SE _ SE _ SW			ls Section:	ts Section: Regular or Irregular				
					is Irregular, locate well from nearest corner bo rner used: NE NW SE SW	oundary.		
				PLAT				
					undary line. Show the predicted locations of			
lease roads, t	ank batteries, p	=		•	ansas Surface Owner Notice Act (House Bill 2032)	9).		
		n	ou may attach a	separate plat if de	esirea.			
[		•	<del></del>					
					1 50510			
1	:			<u>:</u>	LEGEND			
		:	: :::::::::::::::::::::::::::::::::::::	:	O Well Location			
				:	Tank Battery Location	n		
· · · · · · · · · · · · · · · · · · ·		:	· · · · · · · · · · · · · · · · · · ·	:	Pipeline Location			
:	:	:	· · · · ·	:	Electric Line Location	n		
					Lease Road Location			
	:	:	: :	:	Loudo Noda Location			
	:	:	; ; ;	:				
	1			:	[ SYMPLE	·		
<u> </u>		<u>:</u>		:	EXAMPLE			
	:	;		:				
		-						
	:			i				
						••••		
	•••••		`			1980' FSI		
!	:	:	: :	į				
:	;	:				ı		
						•••		
						BECEN		
		122	2,8	/D	SEWARD CO. 3390' FEL	RECEN		

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

KCC WICHITA

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form KSONA-1 July 2010 Form Must Be Typed Form must be Signed All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.


Select the corresponding form being filed: C-1 (Intent) CB-1	(Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)			
OPERATOR: License # 33738  Name: J R Burris  Address 1: P O Box 345	Well Location:  SE_SE_SWSec. 1 Twp. 24 S. R. 18 XEas West			
Address 2:  City: lola	Lease Name: Alan Kettle  Well #: 1A  If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:			
Surface Owner Information:  Name: Alan Kettle  Address 1: 1401 SW Stratford Rd  Address 2:	When filing a Form T-1 involving multiple surface owners, attach an additional sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the county, and in the real estate property tax records of the county treasurer.			
the KCC with a plat showing the predicted locations of lease roads, tank	odic Protection Borehole Intent), you must supply the surface owners and k batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.			
owner(s) of the land upon which the subject well is or will be li	Act (House Bill 2032), I have provided the following to the surface ocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.			
I have not provided this information to the surface owner(s). I a KCC will be required to send this information to the surface ow task, I acknowledge that I am being charged a \$30.00 handling	icknowledge that, because I have not provided this information, the wher(s). To mitigate the additional cost of the KCC performing this fee, payable to the KCC, which is enclosed with this form.			
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.			
I hereby certify that the statements made herein are true and correct to Date: 8 March / Egnature of Operator or Agent:	- •			

MAR 1 2 2012

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

KCC WICHITA

N.A



MAR 1 2 2012 KCC WICHITA

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 May 2010 Form must be Typed

### APPLICATION FOR SURFACE PIT

🐣 Submit in Duplicate

License Number: 33738 Operator Name: JR Burris Operator Address: P O Box 345, Iola, Kansas 66749 Phone Number: 620 365 9677 Contact Person: J R Burris Pit Location (QQQQ): Lease Name & Well No.: Alan Kettle 1A SE SW Pit is: Type of Pit: Sec. 1 Twp. 24 R. 18 X East West Emergency Pit Burn Pit X Proposed Existing Feet from North / X South Line of Section X Drilling Pit If Existing, date constructed: Settling Pit 2,810 Haul-Off Pit Workover Pit Feet from X East / West Line of Section Pit capacity: (If WP Supply API No. or Year Drilled) Allen 150 mg/l Is the pit located in a Sensitive Ground Water Area? Yes X No Chloride concentration: (For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used? Artificial Liner? is the bottom below ground level? Yes X No X Yes No N/A: Steel Pits \_Width (feet) Length (feet) Pit dimensions (all but working pits): Depth from ground level to deepest point: \_ \_ (feet) Describe procedures for periodic maintenance and determining If the pit is lined give a brief description of the liner liner integrity, including any special monitoring material, thickness and installation procedure. Depth to shallowest fresh water\_ feet. Distance to nearest water well within one-mile of pit: Source of information: **KDWR** electric log x well owner 3000 measured feet teet Depth of water well \_ Drilling, Workover and Haul-Off Pits ONLY: Emergency, Settling and Burn Pits ONLY: air cuttings Type of material utilized in drilling/workover: Producing Formation: \_\_\_\_ Number of working pits to be utilized: Number of producing wells on lease: air dry & back fill Abandonment procedure:\_ Barrels of fluid produced daily: \_\_\_\_ Does the slope from the tank battery allow all spilled fluids to Drill pits must be closed within 365 days of spud date. flow into the pit? Yes No I hereby certify that the above statements are true and correct to the best of my knowledge and belief. 8 March 12 KCC WICHITA KCC OFFICE USE ONLY RFAS Steel Pit Liner Permit Date: 3-12-12 Lease Inspection: Yes 🗷 No 3-12-12 Permit Number:\_\_\_\_\_ Date Received: