For KCC Use: 3-20-2012 Effective Date: 4 District

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
March 2010
Form must be Typed
Form must be Signed
All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date:	March 30, 2012		Spot Description:	
xpecied opud bale	month da		NW SE SW NW Sec. 13 Twp. 11	1 c p 20 □ r ▽ w
	30259		(0/0/0/0)	
PERAIOR: License#			icci i citi	N / X S Line of Section E / W Line of Section
ame: Andy Werth d/b/a		ist		E / W Line of Section
ddress 1: 1308 Schwalle	r Avenue		Is SECTION: ⊠Regular ☐ Iπegular?	
ddress 2:			- (Note: Locate well on the Section Plat	on reverse side)
City: Hays		Zip: <u>67601</u> +	County:	
Contact Person: Andy We	ertn	п	Lease Name: Walz RMI	Well #: 1
Phone: (785) 624-3531			Field Name: Big Thunder west	
CONTRACTOR: License#_	31548		Is this a Prorated / Spaced Field?	Yes X No
Name: Royal Drilling, Inc.	liscover Orillin	15	Target Formation(s): Arbuckle	
	· ·	•	Nearest Lease or unit boundary line (in footage): 5	
Well Drilled For:	Well Class:	Type Equipment:	Ground Surface Elevation: 2920' Es+ 200	feet MSL
⊠Oil ✓ Enh Re	ec XInfield	Mud Rotary		
⊠Gas Storag	—	Air Rotary	Water well within one-quarter mile:	Yes XNo
Dispos	al Wildcat	Cable	Public water supply well within one mile:	Yes XNo
Seismic ;# of	Holes Other		Depth to bottom of fresh water: 170°	
Other:			Depth to bottom of usable water:	
			Surface Pine by Alternate:	_
If OWWO: old well in	nformation as follows:		Length of Surface Pipe Planned to be set: 230	
Operator:			Length of Conductor Pipe (if any): N/A	
Well Name:			Projected Total Depth: 3800'	
Original Completion Dat			Formation at Total Depth: Arbuckle	
Original Completion Date	Olig	iai iotal Dopan	Water Source for Drilling Operations:	
Directional, Deviated or Hori	izontal wellbore?	Yes⊠No	Well Farm Pond Other:	
f Yes, true vertical depth:				Make to an area with the same
f Yes, true vertical depth: 3ottom Hole Location:			DWR Permit #:	
f Yes, true vertical depth: Bottom Hole Location: KCC DKT #:			DWR Permit #:(Note: Apply for Permit with D	OWR -
Bottom Hole Location:			DWR Permit #:	OWR Yes No
Bottom Hole Location: KCC DKT #: Palaces /S-OSI- The undersigned hereby a	26238 (Cance	ellal), filed in wo Af completion and eventual p	DWR Permit #:	OWR Yes No
Bottom Hole Location: KCC DKT #: Peplace> /S-OSI- The undersigned hereby a lt is agreed that the following the company is a signed to the collowing the col	26238 (Cance offirms that the drilling, ing minimum requirem	ellal), filed in wo Af completion and eventual p ents will be met:	DWR Permit #:	OWR Yes No
Replaces /S-OSI- The undersigned hereby a It is agreed that the followi 1. Notify the appropria 2. A copy of the approv 3. The minimum amouthrough all unconso 4. If the well is dry hole 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appe	affirms that the drilling, ing minimum requirem the district office prior to ved notice of intent to ent of surface pipe as a silidated materials plus e, an agreement between trict office will be notifice to COMPLETION, produendix "B" - Eastern Kai	completion and eventual parents will be met: to spudding of well; drill shall be posted on ear specified below shall be se a minimum of 20 feet into te een the operator and the di ied before well is either plus uction pipe shall be cement meas surface casing order is	DWR Permit #: (Note: Apply for Permit with D Will Cores be taken? If Yes, proposed zone: FFIDAVIT Dugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; et by circulating cement to the top; in all cases surface	Pipe shall be set y prior to plugging; DAYS of spud date. alternate II cementing
Rocco IS-OSI-OSI-OSI-OSI-OSI-OSI-OSI-OSI-OSI-O	affirms that the drilling, ing minimum requirem the district office prior to ved notice of intent to surface pipe as a lidated materials plus an agreement between the completion, production of the surface within 30 days of the suffice within 30 d	completion and eventual parents will be met: to spudding of well; drill shall be posted on ear specified below shall be se a minimum of 20 feet into the een the operator and the di ied before well is either plus uction pipe shall be cement insas surface casing order is spud date or the well shall in	DWR Permit #: (Note: Apply for Permit with D Will Cores be taken? If Yes, proposed zone: FFIDAVIT Dlugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; et by circulating cement to the top; in all cases surface the underlying formation. istrict office on plug length and placement is necessary gged or production casing is cemented in; ted from below any usable water to surface within 120 #133,891-C, which applies to the KCC District 3 area, a be plugged. In all cases, NOTIFY district office prior	Pipe shall be set y prior to plugging; DAYS of spud date. alternate II cementing
Rocco IS-OSI-OSI-OSI-OSI-OSI-OSI-OSI-OSI-OSI-O	affirms that the drilling, ing minimum requirem the district office prior to ved notice of intent to surface pipe as a lidated materials plus an agreement between the completion, production of the surface within 30 days of the suffice within 30 d	completion and eventual parents will be met: to spudding of well; drill shall be posted on ear specified below shall be se a minimum of 20 feet into te een the operator and the di ied before well is either plus uction pipe shall be cement meas surface casing order is	DWR Permit #: (Note: Apply for Permit with D Will Cores be taken? If Yes, proposed zone: FFIDAVIT Olugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; of by circulating cement to the top; in all cases surface the underlying formation. istrict office on plug length and placement is necessary gged or production casing is cemented in; ted from below any usable water to surface within 120 #133,891-C, which applies to the KCC District 3 area, a be plugged. In all cases, NOTIFY district office prior from knowledge and belief.	pipe shall be set y prior to plugging; DAYS of spud date. alternate II cementing to any cementing.
Rocco IS-OSI-OSI-OSI-OSI-OSI-OSI-OSI-OSI-OSI-O	affirms that the drilling, ing minimum requirem the district office prior to ved notice of intent to surface pipe as a lidated materials plus an agreement between the completion, production of the surface within 30 days of the suffice within 30 d	completion and eventual parents will be met: to spudding of well; drill shall be posted on ear specified below shall be se a minimum of 20 feet into the een the operator and the di ied before well is either plus uction pipe shall be cement insas surface casing order is spud date or the well shall in a are true and to the best of	DWR Permit #: (Note: Apply for Permit with D Will Cores be taken? If Yes, proposed zone: FFIDAVIT Dlugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; et by circulating cement to the top; in all cases surface the underlying formation. istrict office on plug length and placement is necessary gged or production casing is cemented in; ted from below any usable water to surface within 120 #133,891-C, which applies to the KCC District 3 area, a be plugged. In all cases, NOTIFY district office prior	pipe shall be set y prior to plugging; DAYS of spud date. alternate II cementing to any cementing.
Roctom Hole Location: CCC DKT #: Reduces /5-05- The undersigned hereby a lt is agreed that the following agreed that the pollowing and the appropriation of the well is dry hole for the appropriate distriction of th	affirms that the drilling, ing minimum requirem te district office prior to ved notice of intent to ved notice of intent to ved materials plus an agreement between the completion of the completion of the completion of the settlements made herein and completion of the settlements made herein and completion of the settlements made herein and completion of the settlements made herein of the completion of the settlements made herein of the settlements of the	completion and eventual parents will be met: to spudding of well; drill shall be posted on ear specified below shall be se a minimum of 20 feet into the een the operator and the di ied before well is either plus uction pipe shall be cement insas surface casing order is spud date or the well shall in a are true and to the best of	DWR Permit #: (Note: Apply for Permit with D Will Cores be taken? If Yes, proposed zone: FFIDAVIT Olugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; If by circulating cement to the top; in all cases surface the underlying formation. isstrict office on plug length and placement is necessary gged or production casing is cemented in; ited from below any usable water to surface within 120 #133,891-C, which applies to the KCC District 3 area, a be plugged. In all cases, NOTIFY district office prior if my knowledge and belief. Title: Age	pipe shall be set y prior to plugging; DAYS of spud date. alternate II cementing to any cementing.
Bottom Hole Location: CCC DKT #: Peplaces /S-OSI- The undersigned hereby at it is agreed that the following and the approprian it is agreed that the following and the appropriance of the well is dry hole in a hole	affirms that the drilling, ing minimum requirem the district office prior to ved notice of intent to ent of surface pipe as so indicated materials plus e, an agreement betweet in the completion of the completion of the suffice will be notifice will be notifice of the completion of the suffice of the suffi	completion and eventual parents will be met: to spudding of well; drill shall be posted on ear specified below shall be se a minimum of 20 feet into te een the operator and the di ied before well is either plus uction pipe shall be cement insas surface casing order is spud date or the well shall it are true and to the best of erator or Agent:	DWR Permit #: (Note: Apply for Permit with D Will Cores be taken? If Yes, proposed zone: FFIDAVIT Olugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; Ich drilling rement to the top; in all cases surface the underlying formation. Ith underlying formation. Ith drilling rig; Ich drilling rig; Ith underlying formation. Ith underlying formatio	pipe shall be set y prior to plugging; DAYS of spud date. alternate II cementing to any cementing.
Bottom Hole Location: CCC DKT #: Peplaces /S-OSI- The undersigned hereby at it is agreed that the following and the approprian it is agreed that the following and the appropriance of the well is dry hole in a hole	affirms that the drilling, ing minimum requirem te district office prior to ved notice of intent to ved notice of intent to ved materials plus an agreement between the completion of the completion of the completion of the settlements made herein and completion of the settlements made herein and completion of the settlements made herein and completion of the settlements made herein of the completion of the settlements made herein of the settlements of the	completion and eventual parents will be met: to spudding of well; drill shall be posted on ear specified below shall be se a minimum of 20 feet into te een the operator and the di ied before well is either plus uction pipe shall be cement insas surface casing order is spud date or the well shall it are true and to the best of erator or Agent:	DWR Permit #: (Note: Apply for Permit with D Will Cores be taken? If Yes, proposed zone: FFIDAVIT Olugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; If by circulating cement to the top; in all cases surface the underlying formation. istrict office on plug length and placement is necessary gged or production casing is cemented in; ited from below any usable water to surface within 120 #133,891-C, which applies to the KCC District 3 area, a be plugged. In all cases, NOTIFY district office prior if my knowledge and belief. Remember to: File Certification of Compliance with the Kansas Surface.	pipe shall be set y prior to plugging; DAYS of spud date. alternate II cementing to any cementing.
Bottom Hole Location: CCC DKT #: Peplaces S-OSI- The undersigned hereby at it is agreed that the following and the superior of the appropriation of the superior of the appropriation of the well is dry hole of the appropriate distinction of the	affirms that the drilling, ing minimum requirem te district office prior to ved notice of intent to int of surface pipe as solidated materials plus as, an agreement between the complete office will be notiful to COMPLETION, produced in the complete office within 30 days of the solidatements made herein signature of Operation of the complete of the	completion and eventual parents will be met: to spudding of well; drill shall be posted on ear specified below shall be se a minimum of 20 feet into the een the operator and the direction pipe shall be cement in sas surface casing order is spud date or the well shall be a returned and to the best of the erator or Agent:	DWR Permit #: (Note: Apply for Permit with D Will Cores be taken? If Yes, proposed zone: FFIDAVIT Olugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; If yes proposed zone: If Yes, proposed z	pipe shall be set y prior to plugging; DAYS of spud date. alternate II cementing to any cementing. ent
Bottom Hole Location: CCC DKT #: Peplaces S-OSI- The undersigned hereby at it is agreed that the following and the superior of the appropriation of the superior of the appropriation of the well is dry hole of the appropriate distinction of the	affirms that the drilling, ing minimum requirem the district office prior to ved notice of intent to ent of surface pipe as selidated materials plus e, an agreement between the completion of the completion of the selements made herein within 30 days of the selements made herein Signature of Ope	completion and eventual parents will be met: to spudding of well; drill shall be posted on ear specified below shall be se a minimum of 20 feet into te een the operator and the di ied before well is either plus uction pipe shall be cement insas surface casing order is spud date or the well shall it are true and to the best of erator or Agent:	DWR Permit #: (Note: Apply for Permit with D Will Cores be taken? If Yes, proposed zone: FIDAVIT Dlugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; of by circulating cement to the top; in all cases surface the underlying formation. istrict office on plug length and placement is necessary gged or production casing is cemented in; ted from below any usable water to surface within 120 #133,891-C, which applies to the KCC District 3 area, a be plugged. In all cases, NOTIFY district office prior if my knowledge and belief. Remember to: - File Certification of Compliance with the Kansas Suate (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to	pipe shall be set y prior to plugging; DAYS of spud date. alternate II cementing to any cementing. ent urface Owner Notification Drill;
Rocco Solution Hole Location: RCC DKT #: Redaces /S-OSI- The undersigned hereby a It is agreed that the followi 1. Notify the appropria 2. A copy of the appropria 3. The minimum amouthrough all unconso 4. If the well is dry hole 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appearust be completed I hereby certify that the state Date: March 7, 2012 For KCC Use ONLY API # 15 - OSI- Conductor pipe required Minimum surface pipe req	affirms that the drilling, ing minimum requirem the district office prior to ved notice of intent to int of surface pipe as so lidated materials plus e, an agreement betweet rict office will be notifice office will be notifice of the completion of the solution of the so	completion and eventual parents will be met: to spudding of well; drill shall be posted on ear specified below shall be se a minimum of 20 feet into the een the operator and the direction pipe shall be cement in sas surface casing order is spud date or the well shall be a returned and to the best of the erator or Agent:	DWR Permit #: (Note: Apply for Permit with D Will Cores be taken? If Yes, proposed zone: FFIDAVIT Olugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; If yes proposed zone: If Yes, proposed z	pipe shall be set y prior to plugging; DAYS of spud date. alternate II cementing to any cementing. ent urface Owner Notification Drill; ud date;
Rocco Solution Hole Location: RCC DKT #: Redaces /S-OSI- The undersigned hereby a It is agreed that the followi 1. Notify the appropria 2. A copy of the appropria 3. The minimum amouthrough all unconso 4. If the well is dry hole 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appearust be completed I hereby certify that the state Date: March 7, 2012 For KCC Use ONLY API # 15 - OSI- Conductor pipe required Minimum surface pipe req	affirms that the drilling, ing minimum requirem the district office prior to ved notice of intent to int of surface pipe as so lidated materials plus e, an agreement betweet rict office will be notifice office will be notifice of the completion of the solution of the so	completion and eventual parents will be met: to spudding of well; drill shall be posted on ear specified below shall be se a minimum of 20 feet into the died before well is either plus uction pipe shall be cement insas surface casing order is spud date or the well shall in are true and to the best of the serator or Agent: feet	DWR Permit #: (Note: Apply for Permit with D Will Cores be taken? If Yes, proposed zone: FIDAVIT Dlugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; of by circulating cement to the top; in all cases surface the underlying formation. istrict office on plug length and placement is necessary gged or production casing is cemented in; ted from below any usable water to surface within 120 #133,891-C, which applies to the KCC District 3 area, a be plugged. In all cases, NOTIFY district office prior of my knowledge and belief. Remember to: File Certification of Compliance with the Kansas Suate (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of spin	pipe shall be set y prior to plugging; DAYS of spud date. alternate II cementing to any cementing. ent urface Owner Notification Drill; ud date; tion orders; orkover or re-entry;
Roctom Hole Location: CCC DKT #: Redaces /S-OSI- The undersigned hereby at it is agreed that the following and the superior of the appropriation of the appropriation of the appropriation of the well is dry hole of the appropriate distriction of the appropriate of the appropriate distriction of the appropria	affirms that the drilling, ing minimum requirem the district office prior to ved notice of intent to ent of surface pipe as so ididated materials plus e, an agreement betweet trict office will be notifice office will be notifice. COMPLETION, produendix "B" - Eastern Karwithin 30 days of the statements made herein Signature of Operation of the statements of the statement of the state	completion and eventual prents will be met: to spudding of well; drill shall be posted on ear specified below shall be se a minimum of 20 feet into teen the operator and the died before well is either plus uction pipe shall be cement in as surface casing order is spud date or the well shall in are true and to the best of erator or Agent: feet feet feet feet per ALT.	DWR Permit #: (Note: Apply for Permit with D Will Cores be taken? If Yes, proposed zone: FIDAVIT Dlugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; et by circulating cement to the top; in all cases surface the underlying formation. istrict office on plug length and placement is necessary gged or production casing is cemented in; ted from below any usable water to surface within 120 #133,891-C, which applies to the KCC District 3 area, a be plugged. In all cases, NOTIFY district office prior f my knowledge and belief. Remember to: - File Certification of Compliance with the Kansas Su Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of sperior of the production of the product	pipe shall be set y prior to plugging; DAYS of spud date. alternate II cementing to any cementing. ent urface Owner Notification Drill; ud date; tion orders; orkover or re-entry;
Roctom Hole Location: CCC DKT #: Reduces S-OS - The undersigned hereby a It is agreed that the followi 1. Notify the appropria 2. A copy of the appropria 3. The minimum amouthrough all unconso 4. If the well is dry hole 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appropriate to the completed I hereby certify that the standard the standard Total For KCC Use ONLY API # 15 - OS I Conductor pipe required — Minimum surface pipe req Approved by: WA 3- This authorization expires	affirms that the drilling, ng minimum requirem te district office prior to ved notice of intent to the final of surface pipe as solidated materials plus an agreement between the completion, product office will be notificed within 30 days of the solidatematic made herein Signature of Open Cale 285 000 0000 0000 00000 00000 00000 00000 0000	completion and eventual prents will be met: to spudding of well; drill shall be posted on earspecified below shall be se a minimum of 20 feet into the died before well is either plus uction pipe shall be cement in assurface casing order is spud date or the well shall in a re true and to the best of the died before well is either plus uction pipe shall be cement in a surface casing order is spud date or the well shall in a reture and to the best of the died before well is either plus uction pipe shall be cement in a return and to the best of the died before well is either plus uction pipe shall be cement. If the died in word well; the second is either plus uction pipe shall be cement.	DWR Permit #: (Note: Apply for Permit with D Will Cores be taken? If Yes, proposed zone: FIDAVIT Dlugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; et by circulating cement to the top; in all cases surface the underlying formation. istrict office on plug length and placement is necessary gged or production casing is cemented in; ted from below any usable water to surface within 120 #133,891-C, which applies to the KCC District 3 area, a be plugged. In all cases, NOTIFY district office prior f my knowledge and belief. Remember to: - File Certification of Compliance with the Kansas Su Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to File completion Form ACO-1 within 120 days of sperior in Notify appropriate district office 48 hours prior to we	pipe shall be set y prior to plugging; DAYS of spud date. alternate !! cementing to any cementing. ent urface Owner Notification Drill; ud date; tion orders; orkover or re-entry; npleted (within 60 days);
Roctom Hole Location: CCC DKT #: Redaces /S-OSI- The undersigned hereby at it is agreed that the following and the superior of the appropriation of the appropriation of the appropriation of the well is dry hole of the appropriate distriction of the appropriate of the appropriate distriction of the appropria	affirms that the drilling, ng minimum requirem te district office prior to ved notice of intent to the final of surface pipe as solidated materials plus an agreement between the completion, product office will be notificed within 30 days of the solidatematic made herein Signature of Open Cale 285 000 0000 0000 00000 00000 00000 00000 0000	completion and eventual prents will be met: to spudding of well; drill shall be posted on earspecified below shall be se a minimum of 20 feet into the died before well is either plus uction pipe shall be cement in assurface casing order is spud date or the well shall in a re true and to the best of the died before well is either plus uction pipe shall be cement in a surface casing order is spud date or the well shall in a reture and to the best of the died before well is either plus uction pipe shall be cement in a return and to the best of the died before well is either plus uction pipe shall be cement. If the died in word well; the second is either plus uction pipe shall be cement.	DWR Permit #: (Note: Apply for Permit with D Will Cores be taken? If Yes, proposed zone: Set 100 FFIDAVIT Diugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; et by circulating cement to the top; in all cases surface the underlying formation. istrict office on plug length and placement is necessary gged or production casing is cemented in; ted from below any usable water to surface within 120 #133,891-C, which applies to the KCC District 3 area, a be plugged. In all cases, NOTIFY district office prior of my knowledge and belief. Remember to: - File Certification of Compliance with the Kansas Surfact (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to File completion Form ACO-1 within 120 days of spin File acreage attribution plat according to field prorain Notify appropriate district office 48 hours prior to we submit plugging report (CP-4) after plugging is com	pipe shall be set y prior to plugging; DAYS of spud date. alternate !! cementing to any cementing. ent Urface Owner Notification Drill; ud date; tion orders; orkover or re-entry; npleted (within 60 days); g salt water.
Rocco Solution Hole Location: RCC DKT #: Redaces S-OSI- The undersigned hereby at it is agreed that the following and the superior of the appropriate of the superior of t	affirms that the drilling, ing minimum requirem the district office prior to ved notice of intent to ent of surface pipe as so ilidated materials plus e, an agreement between the completion of the completion of the surface will be notificated in the completion of the surface within 30 days of the surface made herein surface of Open Completion of Open Co	completion and eventual prents will be met: to spudding of well; drill shall be posted on earspecified below shall be se a minimum of 20 feet into the died before well is either plus uction pipe shall be cement in assurface casing order is spud date or the well shall in a re true and to the best of the died before well is either plus uction pipe shall be cement in a surface casing order is spud date or the well shall in a reture and to the best of the died before well is either plus uction pipe shall be cement in a return and to the best of the died before well is either plus uction pipe shall be cement. If the died in word well; the second is either plus uction pipe shall be cement.	DWR Permit #: (Note: Apply for Permit with D Will Cores be taken? If Yes, proposed zone: Set 100 FIDAVIT Diugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; of by circulating cement to the top; in all cases surface the underlying formation. istrict office on plug length and placement is necessary gged or production casing is cemented in; ted from below any usable water to surface within 120 #133,891-C, which applies to the KCC District 3 area, as be plugged. In all cases, NOTIFY district office prior of my knowledge and belief. Remember to: - File Certification of Compliance with the Kansas Surface (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to File completion Form ACO-1 within 120 days of spin File acreage attribution plat according to field prorain Notify appropriate district office 48 hours prior to we submit plugging report (CP-4) after plugging is comobile to the completion of the plugging is comobile to the plugging of the p	pipe shall be set y prior to plugging; DAYS of spud date. alternate II cementing to any cementing. ent urface Owner Notification Drill; ud date; tion orders; orkover or re-entry; npleted (within 60 days); g salt water. authorized expiration date) ess below.
Roctom Hole Location: CCC DKT #: Reduces S-OS - The undersigned hereby a It is agreed that the followi 1. Notify the appropria 2. A copy of the appropria 3. The minimum amouthrough all unconso 4. If the well is dry hole 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appropriate to the completed I hereby certify that the standard the standard Total For KCC Use ONLY API # 15 - OS I Conductor pipe required — Minimum surface pipe req Approved by: WA 3- This authorization expires	affirms that the drilling, ng minimum requirem te district office prior to ved notice of intent to the final of surface pipe as solidated materials plus an agreement between the completion, product office will be notificed within 30 days of the solidatematic made herein Signature of Open Cale 285 000 0000 0000 00000 00000 00000 00000 0000	completion and eventual prents will be met: to spudding of well; drill shall be posted on earspecified below shall be se a minimum of 20 feet into the died before well is either plus uction pipe shall be cement in assurface casing order is spud date or the well shall in a re true and to the best of the died before well is either plus uction pipe shall be cement in a surface casing order is spud date or the well shall in a reture and to the best of the died before well is either plus uction pipe shall be cement in a return and to the best of the died before well is either plus uction pipe shall be cement. If the died in word well; the second is either plus uction pipe shall be cement.	DWR Permit #: (Note: Apply for Permit with D Will Cores be taken? If Yes, proposed zone: Set 100 FFIDAVIT Olugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; of by circulating cement to the top; in all cases surface the underlying formation. istrict office on plug length and placement is necessary gged or production casing is cemented in; ted from below any usable water to surface within 120 #133,891-C, which applies to the KCC District 3 area, a be plugged. In all cases, NOTIFY district office prior of my knowledge and belief. Remember to: - File Certification of Compliance with the Kansas Surface (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to File completion Form ACO-1 within 120 days of spin File acreage attribution plat according to field prorained to the plugging report (CP-4) after plugging is completed to the provided or permit has expired (See:	pipe shall be set y prior to plugging; DAYS of spud date. alternate II cementing to any cementing. ent urface Owner Notification Drill; ud date; tion orders; orkover or re-entry; npleted (within 60 days); g salt water. authorized expiration date) ess below.

MAR 0 9 2012

For KCC Use ONLY

API # 15 - OS 1-2 6-285-0000

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: Andy Werth d/b/a Werth Exploration Trust	Location of Well: County: Ellis		
Lease: Walz RMI	3,236 feet from		
Well Number: 1			
Field: Big Thunder west			
Number of Acres attributable to well: OTR/OTR/OTR/OTR of acreage: NW - SE - SW - NW	ls Section: 🔀 Regular or 🔲 Irregular		
QTR/QTR/QTR of acreage: NW - SE - SW - NW			
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW		
Show location of the well. Show footage to the nearest lease roads, tank batteries, pipelines and electrical lines, as re	PLAT I lease or unit boundary line. Show the predicted locations of equired by the Kansas Surface Owner Notice Act (House Bill 2032). separate plat if desired. LEGEND O Well Location Tank Battery Location		
	Pipeline Location Electric Line Location Lease Road Location		
Link ou X	EXAMPLE		
	1980' FSL		

In plotting the proposed location of the well, you must show:

MAR 9 9 2012

RECEIVED

1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, CC WICHITA 4 sections, etc.

- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

NOTE: In all cases locate the spot of the proposed drilling locaton.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

OPERATOR: License # 30259	Well Location:		
OPERATOR: License # SOZUS Name: Andy Werth d/b/a Werth Exploration Trust	NW SE SW NW Sec. 13 Twp. 11 S. R. 20 Eas West		
Address 1: 1308 Schwaller Avenue	County: Ellis		
Address 2:	Lease Name: Walz RMI Well #: 1		
City: Hays State: KS Zip: 67601 +			
Contact Person: Andy Werth	the lease below:		
Phone: (785) 625-3531 Fax: ()	<u> </u>		
Email Address: N/A	<u> </u>		
Surface Owner Information:			
Name: Walt Falling Frust	When filing a Form T-1 involving multiple surface owners, attach an additional sheet listing all of the information to the left for each surface owner. Surface		
Name: Walz Family Trust Address 1: % Don Staab, Attorney Address 2: 1301 Oak St.	 owner information can be found in the records of the register of deeds for the county, and in the real estate property tax records of the county treasurer. 		
City: Tlays State: NO Zip: 07001 +			
If this form is being submitted with a Form C-1 (Intent) or CB-1 (the KCC with a plat showing the predicted locations of lease road are preliminary non-binding estimates. The locations may be enter	Cathodic Protection Borehole Intent), you must supply the surface owners and s, tank batteries, pipelines, and electrical lines. The locations shown on the plat		
If this form is being submitted with a Form C-1 (Intent) or CB-1 (the KCC with a plat showing the predicted locations of lease road are preliminary non-binding estimates. The locations may be enterested one of the following: Certify that, pursuant to the Kansas Surface Owner Not owner(s) of the land upon which the subject well is or with CP-1 that I am filing in connection with this form; 2) if the form; and 3) my operator name, address, phone number, I have not provided this information to the surface owner (KCC will be required to send this information to the surface.	Cathodic Protection Borehole Intent), you must supply the surface owners and s, tank batteries, pipelines, and electrical lines. The locations shown on the plat ered on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. Stice Act (House Bill 2032), I have provided the following to the surface II be located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form form being filed is a Form C-1 or Form CB-1, the plat(s) required by this		
If this form is being submitted with a Form C-1 (Intent) or CB-1 (the KCC with a plat showing the predicted locations of lease road are preliminary non-binding estimates. The locations may be enterested one of the following: Certify that, pursuant to the Kansas Surface Owner Not owner(s) of the land upon which the subject well is or with CP-1 that I am filing in connection with this form; 2) if the form; and 3) my operator name, address, phone number,	Cathodic Protection Borehole Intent), you must supply the surface owners and s, tank batteries, pipelines, and electrical lines. The locations shown on the plat ered on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. Stice Act (House Bill 2032), I have provided the following to the surface li be located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form form being filed is a Form C-1 or Form CB-1, the plat(s) required by this fax, and email address. S). I acknowledge that, because I have not provided this information, the ace owner(s). To mitigate the additional cost of the KCC performing this notling fee, payable to the KCC, which is enclosed with this form.		
If this form is being submitted with a Form C-1 (Intent) or CB-1 (the KCC with a plat showing the predicted locations of lease road are preliminary non-binding estimates. The locations may be enterested one of the following: Certify that, pursuant to the Kansas Surface Owner Not owner(s) of the land upon which the subject well is or with CP-1 that I am filing in connection with this form; 2) if the form; and 3) my operator name, address, phone number,	Cathodic Protection Borehole Intent), you must supply the surface owners and s, tank batteries, pipelines, and electrical lines. The locations shown on the plat ered on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. Stice Act (House Bill 2032), I have provided the following to the surface li be located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form form being filed is a Form C-1 or Form CB-1, the plat(s) required by this fax, and email address. S). I acknowledge that, because I have not provided this information, the ace owner(s). To mitigate the additional cost of the KCC performing this notling fee, payable to the KCC, which is enclosed with this form. Indiing fee with this form. If the fee is not received with this form, the KSONA-1 and CP-1 will be returned.		

MAR 0 9 2012

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Andy Werth d/b/a V	Verth Exploration	License Number: 30259			
Operator Address: 1308 Schwaller	Avenue	Hays KS 67601			
Contact Person: Andy Werth		Phone Number: (785) 624-3531			
Lease Name & Well No.: Walz RMI 1			Pit Location (QQQQ):		
Type of Pit: Emergency Pit Burn Pit Settling Pit X Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) Is the pit located in a Sensitive Ground Water A Is the bottom below ground level? X Yes No Pit dimensions (all but working pits):	Artificial Liner? Yes X N Length (fee	(bbls) No No et) 80 epest point:	NW SE SW NW Sec. 13 Twp. 11 R. 20 East West 3,236 Feet from North / South Line of Section 4,510 Feet from East / West Line of Section Ellis County Chloride concentration: mg/l (For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used? Native Mud Width (feet) N/A: Steel Pits 6 (feet) No Pit Indures for periodic maintenance and determining including any special monitoring.		
Distance to nearest water well within one-mile of pit: 2037 feet Depth of water well 63 feet		Depth to shallo Source of infor			
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all store into the pit? I hereby certify that the above stater	spilled fluids to	Drilling, Workover and Haul-Off Pits ONLY: Type of material utilized in drilling/workover: Water & Drilling Mud Number of working pits to be utilized: Allow contents to dry & back-fill. Drill pits must be closed within 365 days of spud date. RECEIVED rect to the best of my knowledge and belief. MAR 19 9 2012			
March 7, 2012 Roger Signature of Applicant or Agent KCC WICHI					
Date Received: 3-5-12 Permit Nun		OFFICE USE O	It Date: 3-15-12 Lease Inspection: Yes No		

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Ward Loyd, Commissioner Thomas E. Wright, Commissioner

March 15, 2012

Andy Werth dba Werth Exploration Trust 1308 Schwaller Ave Hays, KS 67601

RE: Drilling Pit Application Walz RMI Lease Well No. 1 NW/4 Sec. 13-11S-20W Ellis County, Kansas

Dear Sir or Madam:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again after drilling operations have ceased. **Keep pits away from any draw/drainage.**

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (785) 625-0550 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill.

If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kally Neignes Kathy Haynes

Department of Environmental Protection and Remediation

cc: File