Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 8210	API No. 15 - 031-23148-00-00					
Name: Edward E Birk	Spot Description:					
Address 1: 302 South 16th St	SE_NE_NW_SE_Sec. 36 Twp. 22 S. R. 16 7 East West					
Address 2:	2,145 Feet from North / ✓ South Line of Section					
City: Burlington State: Ks Zip: 66839 +	1,485 Feet from ✓ East / West Line of Section					
Contact Person: Edward E Birk						
	Footages Calculated from Nearest Outside Section Corner:					
Phone: (620) 364-1311	□ NE □ NW ☑ SE □ SW					
CONTRACTOR: License # 8210	County: Coffey					
Name: Edward E Birk	Lease Name: Elmer Lehmann Well #: 19					
Wellsite Geologist: None	Field Name: Neosho Falls-LeRoy					
Purchaser: Coffeyville Resources	Producing Formation: Squirrel - Dry					
Designate Type of Completion:	Elevation: Ground: 1024 est. Kelly Bushing:					
✓ New Well Re-Entry Workover	Total Depth: 987 Plug Back Total Depth: surface					
Oil Twsw Tswd Tslow	Amount of Surface Pipe Set and Cemented at: 42 Feet					
☐ Gas ☑ D&A ☐ ENHR ☐ SIGW	Multiple Stage Cementing Collar Used? ☐ Yes ✓ No					
OG GSW Temp. Abd.	If yes, show depth set:Feet					
CM (Coal Bed Methane)	If Alternate II completion, cement circulated from: see plugging report					
Cathodic Other (Core, Expl., etc.):	feet depth to: surface w/ 90 sx cmt.					
If Workover/Re-entry: Old Well Info as follows:	reet deput to					
Operators and the second of the control of the second period of the second period of the second period of the second of the seco						
Well Name:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)					
Original Comp. Date: Original Total Depth:						
Deepening Re-perf. Conv. to ENHR Conv. to SWD	Chloride content: ppm Fluid volume: bbls					
Conv. to GSW	Dewatering method used: RECFIVED					
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:					
Commingled Permit #:	Operator Name: FEB 0 8 2012					
Dual Completion Permit #:						
SWD Permit #:	Lease Name: License #: KCC WICHT					
ENHR Permit #:						
GSW Permit #:	County: Permit #:					
01/27/2012 01/30/2012 01/30/2012						
Spud-Date or Date Reached TD Completion Date or Recompletion Date	-					
INSTRUCTIONS: An original and two copies of this form shall be filed with Kansas 67202, within 120 days of the spud date, recompletion, workover or copies of side two of this form will be held confidential for a period of 12 months if requiality in excess of 12 months). One copy of all wireline logs and geologist we BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 for	onversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information uested in writing and submitted with the form (see rule 82-3-107 for confidential report shall be attached with this form. ALL CEMENTING TICKETS MUST					
AFFIDAVIT	KCC Office Use ONLY					
I am the affiant and I hereby certify that all requirements of the statutes, rules and r lations promulgated to regulate the oil and gas industry have been fully complied	i i i attan af O antidantialita. Danairrad					
and the statements herein are complete and correct to the best of my knowledge	je. Date:					
\mathcal{M}	Confidential Release Date:					
Signature: VIII/A CISULO	☐ Wireline Log Received ☐ Geologist Report Received					
	IIIC Distribution					
Title: Agent Date: 02/07/2012	ALT Approved by: Dig Date: 2 9 12					

Side Two

Operator Name: Ed	ward E Birk			Lease I	Name: _	Elmer Lehm	ann	Well #:19)	
Sec. 36 Twp.22					: Coffe					
INSTRUCTIONS: SI time tool open and cl recovery, and flow rai line Logs surveyed.	osed, flowing and shi tes if gas to surface to	ut-in pressur est, along wi	es, whether s th final chart(shut-in pres	sure rea	ched static leve	l, hydrostatic pre	ssures, böttom	hole temp	perature, fluid
Drill Stem Tests Taken (Attach Additional Sheets) Samples Sent to Geological Survey Cores Taken Electric Log Run Electric Log Submitted Electronically (If no, Submit Copy)		s 🗸 No			og Formati	on (Top), Depth a	and Datum	✓ Sample		
		Yes	Yes V No			Name Squirrel Sand		Тор 963		Datum
		Yes No			- Squared Surface					
List All E. Logs Run:		المراجع والمارية	Service recommendation	. v .		_			~* .	. د د سدیوس
				RECORD		ew Used				
Purpose of String	Purpose of String Size Hole Size Casing		conductor, surface, int Weight		Setting	Type of	Type of # Sacks Type ar		and Percent	
Surface Casing	Drilled 9 7/8"	Set (In O.D.)		Lbs. / Ft.		Depth 42'	Cement Portland	Used 16	Additives Calcium	
Curtage casing	0 170			'''		1	1 Ortana	10	Guidiuii	
			·····		tonon uttorostum					
		1	ADDITIONAL	CEMENTIN	NG / SQI	JEEZE RECORI)		-1	
Purpose: Perforate	Depth Top Bottom	Type of Cement			Used	sed Type and Percent Additives				
Protect Casing Plug Back TD Plug Off Zone	***************************************									
[
Shots Per Foot PERFORATION RECORD - Br Specify Footage of Each In						Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth				
	Plugged Dry Hoie	e - See plug	gging report		······································					
									REC	EIVED
									FEB	0 8 2012
								16	′ቦቦ \/	VICHITA
TUBING RECORD:	Size:	Set At:		Packer A	t:	Liner Run:	Yes N		CC V	VICHIIA
Date of First, Resumed	Production, SWD or EN	IHR.	Producing Met	hod:	a [Gas Lift	Other (Explain)			
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wat		Bbis.	Gas-Oil Ratio		Gravity
DISPOSITI	ON OF GAS:			METHOD OF	COMPL	TION:		PRODUCTI	ON INTER	
DISPOSITION OF GAS: METHOD Vented Sold Used on Lease Open Hole Perf.					Dually	Comp. Co	mmingled	FNODOCII	ON INTER	. VAL.
Land Land	bmit ACO-18.)		ner (Specify)		(Submit	ACO-5) (Sui	omit ACO-4)			

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588

SOLD TO:

TOTAL ROUND TRIP

TOTAL AT JOB

UNLOADING TIME



CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to stowards roadways, buildings, trees, shrubbery, etc., which are at customers' risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks, longer. This concrete contains corpect water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

NOTICE TO OWNER

Fallure of this contractor to pay those persons supplying material or services to complete this contract can result in the filling of a mechanic's lien on the property which is the subject of this contract.

BIIDS TO THE TAXABLE PROPERTY OF THE PARTY OF BBOOL B & B COOPERATIVE VENTURES d a B COOP. VENTURES/BINK DIC 900 S. FOURTH ST. . . OF IM I W GOOWRAUN OF MI TO 57H RD W 174 MI S SD BURLINGTON KS WELL ELMER LEHMANN: #19 668 ROY: KS-66957 PLANT/TRANSACTION # FORMULA' * LOAD SIZE YARDS ORDERED DRIVER/TRUCK X CAL * AIR 11:08:59a 9.00 yd 12.00 vd 30 0.00 0.00 LOAD # YARDS DEL. BATCH# DATE WATER TRIM SLUMP TICKET NUMBER 33.00 yd 'o Date 9.00 and 01-30-12 19627 0.0 4.00 in 31005 Excessive Water is Detrimental to Concrete Performance PROPERTY DAMAGE RELEASE WARNING (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)
Dear Customer-The driver of this truck in presenting this RELEASE to
you for your signature is of the opinion that the size and weight of his
truck may possibly-cause deritage to the premises end/or adjacent
property if It places the matafial in this load where you desire it. It is
our wish to help you in every-way that we can, but in order to do this
the driver is requesting that you's given the RELEASE relieving, him and
this supplier from any responsibility from any damage that may occur
to the premises and/or adjacent property buildings, sideways,
curbs, sic., by the delivery of this material, and that you
also agree to help him remove mud from the wheels of his which so
that'the will not litter the public street. Further, as additional consideration, the undersigned agreed-haphdeamly and hoth harmless the driver
of this truck and this supplier for any and all damage to the premises
and/or adjacent property which may be claimed by anyone to have
arish out of delivery of this order. (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE) H₂0 Added By Request/Authorized By IRRITATING TO THE SKIN AND EYES or orland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS, Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water, If Irritation Persists, Get Medical Attention, KEEP CHILDREN AWAY. WEIGHMASTER-CONCRETE IS a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS. All accounts not paid within 30 days of delivery will bear interest at the rate Not Responsible for Reactive Aggregate or Color Quality. No Claim Allo Material is Delivered. A \$25 Service Charge and Loss of the Cash Discount Excess Delay Time Charged @ \$50/HR. QUANTITY CODE DESCRIPTION UNIT PRICE > EXTENDED PRICE 9.00 WELL WELL (10 SACKS PER UNIT) 9.00 2.50 TRUCKING TRUCKING CHARGE 2.50 9.00 MIXEHAUL MIXING & HAULING 9.00 RETURNED TO PLANT LEFT JOB FINISH UNLOADING DELAY EXPLANATION/CYLINDER TEST TAKEN TIME ALLOWED 6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION JOB NOT READY SLOW POUR OR PUMP TRUCK AHEAD ON JOB CONTRACTOR BROKE DOWN 9. OTHER LEFT PLANT ARRIVED JO START UNLOADING TIME DUE ADDED WATER

> RECEIVED FEB 0 8 2012 KCC WICHITA

ADDITIONAL CHARGE 1

ADDITIONAL CHARGE 2 GRAND TOTAL

DELAY TIME