

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

1073310

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 32710	API No. 15 - 15-001-30257-00-00				
Name: Laymon Oil II, LLC	Spot Description:				
Address 1: 1998 SQUIRREL RD	SW_NW_NE_SW_Sec11Twp24SR17 Fast West				
Address 2:					
City: NEOSHO FALLS State: KS Zip: 66758 + 7124	3690 Feet from 🗹 East / 🗌 West Line of Section				
Contact Person: Michael Laymon	Footages Calculated from Nearest Outside Section Corner:				
Phone: (620) 963-2495	□ne □nw Øse □sw				
CONTRACTOR: License # 32710	County: Allen				
Name: Laymon Oil II, LLC	Lease Name: Rice Well #: 2-11				
Wellsite Geologist: None	Field Name:				
Purchaser:	Producing Formation: Mississippi				
Designate Type of Completion:	Elevation: Ground: 988 Kelly Bushing: 992				
✓ New Well Re-Entry Workover	Total Depth: 1220 Plug Back Total Depth:				
✓ oil wsw swd slow	Amount of Surface Pipe Set and Cemented at: 20 Feet				
Gas D&A ENHR SIGW	Multiple Stage Cementing Collar Used?				
☐ OG ☐ GSW ☐ Temp. Abd.	If yes, show depth set:Feet				
CM (Coal Bed Methane)	If Alternate II completion, cernent circulated from:				
Cathodic Other (Core, Expl., etc.):	feet depth to: 20 w/w/sx cmt.				
If Workover/Re-entry: Old Well Info as follows:					
Operator:	Drilling Fluid Management Plan				
Well Name:	(Data must be collected from the Reserve Pit)				
Original Comp. Date: Original Total Depth:	Chloride content: 0 ppm Fluid volume: 80 bbls				
☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD ☐ Conv. to GSW	Dewatering method used: Evaporated				
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:				
Commingled Permit #:	Operator Name:				
Dual Completion Permit #:	Lease Name: License #:				
SWD Permit #:					
ENHR Permit #:	Quarter Sec TwpS. R East West				
GSW Permit #:	County: Permit #:				
01/06/2012 01/10/2012 01/11/2012					
Spud Date or Pate Reached TD Completion Date or Recompletion Date Completion Date					

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Letter of Confidentiality Received
Date:
Confidential Release Date:
☑ Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I I II Approved by: Deanna Gerrison Date: 02/07/2012

Side Two



Operator Name: Layn	non Oil II, LLC		Lease Name: Rice			Well #: _2-1	1	
Sec. 11 Twp.24	s. R. <u>17</u>		County: Alle					
time tool open and clos	ed, flowing and shu if gas to surface te	nd base of formations pen nt-in pressures, whether s est, along with final chart(s well site report.	hut-in pressure rea	ached static level,	hydrostatic press	ures, bottom h	ole temperatu	ıre, fluid
Drill Stem Tests Taken (Attach Additional Sh	eets)	Yes No		_og Formatio	n (Top), Depth and	d Datum	☐ Samp	ole
Samples Sent to Geological Survey		☐ Yes 🗸 No	Nar Attac	_	,	Top Attached	Datur Attach	
Cores Taken Electric Log Run Electric Log Submitted Electronically (If no, Submit Copy)		Yes No Yes No Yes No						
List All E. Logs Run:								
Gamma Ray Neutron	· · · · · · · · · · · · · · · · · · ·							
		CASING Report all strings set-c	RECORD	_	on, etc.			
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and F Additiv	
Surface	10.2500	8.6250	24	20	portland	10		
Production	6.1250	4.500	10	1215	common	160	1	
				<u> </u>	<u> </u>			
Bunner	Davit	<u> </u>	CEMENTING / SC	UEEZE RECORD		•		
Purpose: —— Perforate	Depth Top Bottom	Type of Cement	# Sacks Used		Type and P	Type and Percent Additives		
Protect Casing Plug Back TD Plug Off Zone	-				- 	·		
	-		<u> </u>					
Shots Per Foot		ON RECORD - Bridge Plug Footage of Each Interval Per			cture, Shot, Cement mount and Kind of Ma			Depth
								
			· · · · · ·					
TUBING RECORD:	Size:	Set At:	Packer At:	Liner Run:	Yes No		<u> </u>	
Date of First, Resumed P	roduction, SWD or EN	NHR. Producing Meth	hod:	Gas Lift (Other (Explain)			
Estimated Production Per 24 Hours	Oil	Bbls. Gas	Mcf Wa	ater B	bls. G	Gas-Oil Ratio	G	ravity
DISPOSITION	NOE CAS:		JETUOD OF COLUM	ETION:		DOOR		
DISPOSITION Vented Sold	N OF GAS:	Open Hole		ly Comp. 🔲 Cor	nmingled	PRODUCTIO	ON INTERVAL:	
(If vented, Subn	_	Other (Specify)	(Submi	(Sub	mit ACO-4)			

Form	ACO1 - Well Completion	
Operator	Laymon Oil II, LLC	
Well Name	Rice 2-11	
Doc ID	1073310	

Tops

Soil	0	9	
Shale	9	133	
Lime & Shale	133	280	
Lime	280	430	
Shale	430	600	
Lime	600	630	
Lime & Shale	630	740	
Lime	740	830	
Big Shale	830	833	
5' Lime	833	837	
Shale	837	1150	
Mississippi Lime	1150	1220	

CUSTOMER NO. JOS NO.	PURCHASE ORDER NO.	REFERENCE	TERMS	CLERK	11/30/41
Baynon	Oul	S H J			• •
7		Ţ			

SHIPPED	CROERED	UM	\$KU	DESCRIPTION	· .	UNITS	PRICE/PER	EXTENDION
	100			Sacks Portland Con	nent	100	945	30% JA200
							-tay	80-
				•				102580
Lucki	ng 5	-11	-10 DR	2 .				
Rice	2-11		- 10 DAG	res	İ			
								·
			¥	ı				

X

RECEIVED BY

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588



The state of the state of with the paper wheat the contract of

CONDITIONS
Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, saller assumes no responsibility for damages in any marrier to sidewalks, roadways, driveways, buskings, trees shrubbory, etc., which are at customer isk. The maximum alicited time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks inger. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at outstomer's request.
NOTICE TO GWNER.
Failure of this contractor to pay those persons supplying material or services to complete the contract can result in the filing of a mechanic's lian on the property which is the subject of this contract.

GRAND TOTAL

			8		10 (10 d) (10 d) (10 d) (10 d)				
		• • · · · · · · · · · · · · · · · · · ·			11				
TIME	≱PO RMULA	LOAD SIZE	YARDS ORDERED		DRIVER/TRUCK		PLANT/TRANSACTION #		
DATE		LOAD#	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER		
- ,						·			
Centaids Portland Cemer	WARNING- TING TO THE SKIN A IN Wear Rubber Boots and Gloves A Cornect Win Fires and Professional Co	PROLONGED CONTACT MAY	PROPERTY DAMA (TO BE SIGNED IF DELMERY TO Dear Oustomer-The orwer of this inv you for your signature is of the opin truck may possibly cause damage	BE MADE INSIDE CURB LINE) cli influencing this RELEASE to on that the size and weight of his to the premises analism adjacent		is Detrimental to Cond ded By Request/Autho	rete Performance rized By		
CAUSE BURNS, Ayord Contact With Eyes and Prolonged-Contact With Skin, in Case of Contact With Skin or Eyes, Flush Thoroughly With Water, it Imtation Persists, Get Medical Attention, REEP CHURCHN AWAY.			property if it places the material in to our wish to help you in every way if the driver is requesting that you sig	this food where you desire it. It is not we can but it order to do this	WEIGHMASTER				
LEAVING the PLANT ANY	E COMMODITY and BECOMES the PROF CHANGES OR CANCELLATION of CRX FREFORE LOADING STARTS	PERTY OF the PURCHASER UPON SHALL INSTRUCTIONS MUST be	this converted requested that you say this supplier from any responsibility to the premises and/or adjacent drudways curies etc., by the defini also agree to help him semove mud	tom any demage that may occur properly, buildings, sidewells, any of this makenet, and that you					
TELEPHONED to the OFFICE BEFORE LOADING STARTS. The undersynetry provises to pay all books including reasonable attorneys' fees, incurred in collecting any suns lower. All accounts not paid within 30 days of defectly will be right not at his rate of 24% per armum. Not Responsible for Produce Aggregate on Color Questy. No Coam Aroused Unless Medic at Time Material is Defected.			that he will not liber the public steer from the undersigned agrees to indee of this truck and this supplier for an anxion adjacent property which may as sin out of delivery of this order SIGNED	t. Further as additional considera- monly and hold hambless the driver y and all damage to the premises.	NOTICE MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIES WILL NOT BE RESPONSIBLE FOR MY DAMAGE CAUSED NOTICE AND SUPPLIES WILL NOT BE RESPONSIBLE FOR MY DAMAGE CAUSED NOTICE AND SUPPLIES				
A \$25 Service Charge and Excess Delay Time Charged 6	Love of the Cash Disocure will be colle 3 \$50 MR	med on all Returned Checks	X		X				
QUANTITY	CODE	DESCRIPTION				UNIT PRICE	EXTENDED PRICE		
		1							
		*	1 pm						
		200	4.				, .		
ETURNED TO PLANT	LEFT JOB*	FINISH UNLOADING	DELAY EXPLANATION/CY	LINDER TEST TAKEN	TIME ALLOWED]			
		4	JOB NOT READY 2. SLOW POUR OR PUMP	6 TRUCK BROKE DOWN 7 ACCIDENT 8 CITATION					
LEFT PLANT	ARRIVED JOB	START UNLOADING	3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN 5. ADDED WATER	8 CITATION 9 DITHER	TIME DUE	1			
<i>;</i> ,		1	7,300			ARREMONIA AVESAS	. '		
		4	八八			ADDITIONAL CHARGE			
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADINGTIME			DELAY TIME	ADDITIONAL CHARGE	2		

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588



1.

COLD NO TO MET TO THE

WELL SHIP OF THE STATE

CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, noadways, driveways, buildings, trees, shrubbary, etc., which are at customer risk. The miscround adotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mis included. We do not assume responsibility for strength sets when water is added at customer's request.

NOTICE TO OWNER.

Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the properly which is the subject of this contract.

TIME	FORMULA	LOAD SIZE	YARDS ORDERED		DRIVER/TRUCK		PLANT/TRANSACTION #
]		·		
DATE		LOAD #	YARDS-DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
,(\$1-e-1						Mr. Jak	
WARNING HRITATING TO THE SKIN AND EYES Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURINS. Avoid Contact Wirn Eyes and Protonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water, it Imitation Persists, Get Medical Attention. KEEP CHILDREN AWAY. CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be RELEPHONED 9the OPPICE BEHORE LOADING STARTS. The Lindes grind promises to pay all costs. It along responsible attempts from a nouncil or coloring any sums owed. All accounts not pad a file 100 days of definery will been interest at the rate of 24%, per armum, but Responsible for Response Adjunction of Door Duality. No Casta Allowed Unions Made at Time Wilney is Defined.			(TO BE SIGNED IF DELIVERY TO Gene Customer-The driver of this but you for your signature is of the opportunity may possibly cause change properly if it places the material in the own wish to help you in every way the driver is requested into you do not not be supplied to help you in every way the drivers, customers and not appear of the ways, customers, the following all your control of the state of the state and the supplied for an and/or adjacent properly which may asked cold delivery of this order SIGNED.	BE MADE INSIDE CURB LINE) this presenting this RELEASE to on that the size and weight of his to the premises endor adjacent the lead where you desire it is at we car, but to order to do the to the control of the control of the RELEASE midering him and from the control of the control of you of this matter, and that you lean the wheele of his vehicle to it further as addrons considera- mnly and hid harmess the other and all controls on the controls want all controls want all controls want all controls want all controls want seems the controls want all controls want all controls want seems want seems w	H ₂ O Add GAL X WEIGHMASTER	ed By Request/Auth	NOTICE PERFORMANCE HORIZED BY WE READ THE HEALTH WARNING FOR ANY DAMAGE CAUSED
Excess Deay Time Charge 1/2	Loss of the Crist Discount will be colle : \$50HR	CES & CI PERSON V GOA	X		X	AMPT DRIVES	EXTENDED PRICE
QUANTITY	CODE	DESCRIPTION				UNIT PRICE	EATENDED PRICE

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLIN	DER TEST TAKEN	TIME ALLOWED	
			1 JOB NOT PEADY 2 SLOW POUR OR PUMP 3 TRUCK AHEAD ON JOB	8 TRUCK BROKE DOWN 7 ACCIDENT 8 CITATION		
LEFT PLANT ARRIVED JOB STA	START UNLOADING	4 CONTRACTOR BPOKE DOWN 5 ADDED WATER	9 OTHER	TIME DUE		
		}				ADDITIONAL CHARGE
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME			DELAY TIME	ADDITIONAL CHARGE
						GRAND TOTAL