STATE OF KANSAS STATE CORPORATION COMMISSION CONSERVATION DIVISION P. O. BOX 17027 WICHITA, KANSAS 67217

WELL PLUGGING RECORD

	FORM	CP-4
•		

		<u>Saline</u>	County.	. Sec <u>. 2 1</u> T	wp_I5 Rge	YY (E)_	(W)
NORTH	Location as "I	NE/CNW\$\$W\$"	or footage from	n linesC_S	SE_SW		
							
							Kansas
	Character of V	Well (completed	as Oil, Cas or	Dry Hole)	7	- 67 7	19 65
1 .) Date well con	ilbicico				<u>- 15</u> - T	
	Application to	r plugging filed_				- 	19.76
		r plugging appro				<u>-9</u>	_19 <u>-76</u> 19-76
	Tidgging Commenced					_19_76_ _19_76_	
<u> </u>	Plugging completed 7-T4 19-7 Reason for abandonment of well or producing formation						18- 1 71-
	Meason for any	indonnical of we	n or bronderms	Iom auou			
	If a producing	g well is abandor	and date of last	duction			10
	1	on obtained from		_			
Locate well correctly on above Section Plat	menced?	yes		HOH DIVISION O	it its nëcere com	பட பாடிகள்	WES COM-
Name of Conservation Agent who super	wised physician of the	his well	Gi.	lbert To	man		
Producing formation.	Alter hindema at m	Denth to top				Wall 338	30
Show depth and thickness of all water, o	oil and gas formatic	net			total théhor e-	74 CH	
·	_)B5.					
OIL, CAS OR WATER RECORDS	;					CASING RE	CORD
FORMATION	CONTENT	FROM	TO	51Z£	PUT IN	PU(LED	OUT
		-	1	4号"	1	-5 9 C	
	· · · · · ·	 	1	· · ·			
	· · · · · · · · · · · · · · · · · · ·	+	 				
· · · · · · · · · · · · · · · · · · ·			+			-	**
			 			 	
		· ·	+ +			 	
-		 	+			 -	7
Describe in detail the manner in v	which the wall was	plugged indicat	den subsection a	and field man	laced and the m	ethod or me	thods used
to occupy the double and monthly the	MITTER (110 MCB MB)	brogged, marcar	nng where mie r	nng nma was h			
in introducing it into the hole. If ceme	ent or other plugs w	rere used, state t	he character of	same and depti	h placed, from_		feet to
in introducing it into the hole. If ceme fect for each plug set.	ent or other plugs w	vere used, state t	he character of	same and depti	h placed, from_	····	feet to
in introducing it into the hole. If ceme	ent or other plugs w	vere used, state t Plugged	he character of loff bot	same and depti	h placed, from hole wit	th sand	feet to
in introducing it into the hole. If ceme	ent or other plugs w	Plugged from 33	he character of l off bot 80 to	same and depth ttom of 3350 . D	h placed, from hole wit Dumped 4	th sand	feet to l. Sand # cement.
in introducing it into the hole. If ceme	ent or other plugs w	Plugged from 33 Mudded	he character of l off bot 80 to hole to	ttom of 3350° D	h placed, from hole with numped 4 ide IO c	th sand	feet to i. Sand # cement.
in introducing it into the hole. If ceme	ent or other plugs w	Plugged from 33 Mudded bridge.	he character of l off bot 80 to hole to Dumped	ttom of 3350'. D 305' Ma 3½ yrds	hole with Dumped 4 de IO color Read	th sand sx of of rock	Sand #
in introducing it into the hole. If ceme	ent or other plugs w	Plugged from 33 Mudded	he character of l off bot 80 to hole to Dumped	ttom of 3350'. D 305' Ma 3½ yrds	h placed, from hole with numped 4 ide IO c	th sand sx of of rock	Sand #
in introducing it into the hole. If ceme	ent or other plugs w	Plugged from 33 Mudded bridge.	he character of l off bot 80 to hole to Dumped	ttom of 3350'. D 305' Ma 3½ yrds	hole with Dumped 4 de IO color Read	th sand sx of of rock	Sand #
in introducing it into the hole. If ceme	ent or other plugs w	Plugged from 33 Mudded bridge.	he character of l off bot 80 to hole to Dumped	ttom of 3350'. D 305' Ma 3½ yrds	hole with Dumped 4 de IO color Read	th sand sx of of rock	Sand #
in introducing it into the hole. If ceme	ent or other plugs w	Plugged from 33 Mudded bridge.	he character of l off bot 80 to hole to Dumped	ttom of 3350'. D 305' Ma 3½ yrds	hole with Dumped 4 de IO color Read	th sand sx of of rock	Sand #
in introducing it into the hole. If ceme	ent or other plugs w	Plugged from 33 Mudded bridge.	he character of l off bot 80 to hole to Dumped	ttom of 3350'. D 305' Ma 3½ yrds	hole with Dumped 4 de IO color Read	th sand sx of of rock	Sand #
in introducing it into the hole. If cemefect for each plug set.	ent or other plugs w	Plugged from 33 Mudded bridge, filling	he character of l off bot 880 to hole to Dumped to the	same and depth ttom of 3350°. D 305° Ma 3½ yrds bottom	hole with hole IO' of Read of the of	th sand sx of of rock	Sand #
In Introducing it into the hole. If cemefect for each plug set.	(If addition	Plugged from 33 Mudded bridge, filling	he character of l off bot 880 to hole to Dumped to the	same and depth ttom of 3350 . D 305 . Ma 3½ yrds bottom of this sheet) ing Inc.	hole with the placed from the hole with the	th sand sx of of rock ly-Mix celler.	Sand #
in introducing it into the hole. If ceme fect for each plug set.	ent or other plugs w	Plugged from 33 Mudded bridge, filling	he character of l off bot 880 to hole to Dumped to the	same and depth ttom of 3350 . D 305 . Ma 3½ yrds bottom of this sheet) ing Inc.	hole with the placed from the hole with the	th sand sx of of rock	Sand #
In Introducing it into the hole. If cemefect for each plug set.	(If addition	Plugged from 33 Mudded bridge, filling	he character of l off bot 880 to hole to Dumped to the	same and depth ttom of 3350 . D 305 . Ma 3½ yrds bottom of this sheet) ing Inc.	hole with the placed from the hole with the	th sand sx of of rock ly-Mix celler.	Sand #
In Introducing it into the hole. If cemefect for each plug set.	(If addition Art L	Plugged from 33 Mudded bridge, filling al despription is note amb Casi King St.	he character of l off bot 880 to hole to Dumped to the	same and depth ttom of 3350 . D 305 . Ma 3½ yrds bottom of this sheet) ing Inc.	hole with hole of the contract of the contract hole with	th sand sx of of rock ly-Mix celler.	Sand #
Name of Plugging Contractor	Of addition Art L	Plugged from 33 Mudded bridge, filling aldespription is not amb Casi King St.	he character of l off bot 880 to hole to Dumped to the case, we BACK ng Pulli Hutchir Reno	same and depth ttom of 3350 . D 305 . Ma 3½ yrds bottom of this sheet) ing Inc, ason, Ka	hole with hole of Read of the contract of the contract hole with h	th sand sx of of rock iy-Mix celler.	Sand # cement cement
Name of Plugging Contractor Address STATE OF Kansas Art La	(If addition Art L 2809	Plugged from 33 Mudded bridge, filling aldescription is not amb Casi King St.	cassur, we BACK ng Pulli Reno (employee of or	same and depth ttom of 3350'. D 305' Ma 3½ yrds bottom of this sheet) ing Inc, ison, Ka	h placed, from hole with bumped 4 de IO' c of Reac of the c nas 6	sx of sand sy of rock sy of the above	Sand # cement cement
Name of Plugging Contractor Address STATE OF Kansas Art La well, being first duly sworn on oath, sa	Of addition Art L 2809	Plugged from 33 Mudded bridge, filling al despription is note amb Casi King St.	cassay, we BACK in Pulling Pulling Hutchir	same and depth ttom of 3350 . D 305 . Ma 3½ yrds bottom of this sheet) ing Inc, ason, Ka where) or (own this, and matter	h placed, from hole with bumped 4 de IO' c of Reac of the c nas 6	sx of sand sy of rock sy of the above	Sand # cement cement
Name of Plugging Contractor Address STATE OF Kansas Art La	Of addition Art L 2809	Plugged from 33 Mudded bridge. filling al despription is note amb Casi King St.	cassay, we BACK in Pulling Pulling Hutchir	same and depth ttom of 3350 . D 305 . Ma 3½ yrds bottom of this sheet) ing Inc, ason, Ka where) or (own this, and matter	h placed, from hole with bumped 4 de IO' c of Reac of the c nas 6	sx of sand sy of rock sy of the above	Sand # cement cement
Name of Plugging Contractor Address STATE OF Kansas Art La well, being first duly sworn on oath, sa	Of addition Art L 2809	Plugged from 33 Mudded bridge, filling al despription is note amb Casi King St.	cassay, we BACK in Pulling Pulling Hutchir	same and depth ttom of 3350 . D 305 . Ma 3½ yrds bottom of this sheet) ing Inc, ason, Ka where) or (own this, and matter	h placed, from hole with bumped 4 de IO' c of Reac of the c nas 6	sx of sand sy of rock sy of the above	Sand # cement cement
Name of Plugging Contractor Address STATE OF Kansas Art La well, being first duly sworn on oath, so	Of addition Art L 2809	Plugged from 33 Mudded bridge. filling al despription is note amb Casi King St.	cassay, we BACK in Pulling Pulling Hutchir	same and depth ttom of 3350'. D 305' Ma 3½ yrds bottom of this sheet) ing Inc, ison, Ka where) or (own ints, and matter	hole with hole of the conference of the conference of the conference hole with hole wi	sx of rock by-Mix celler.	cement cement cement
Name of Plugging Contractor Address STATE OF Kansas Art La well, being first duly sworn on oath, so above-described well as filed and that	Of addition Art L 2809 That I have a the same are true a	Plugged from 33 Mudded bridge, filling aldesprintion is not amb Casi King St. COUNTY OF mowledge of the and correct. So (Signature)	case, statement help me God. 2809 Ki	same and depth tom of 3350 . D 305 . Ma 3½ yrds bottom of this sheet) ing Inc, inson, Ka wher) or (own ints, and matter mg St.	h placed, from hole with bumped 4 de IO' c of Reac of the c nas 6	sx of rock by-Mix celler.	Sand # cement cement
Name of Plugging Contractor Address STATE OF Kansas Art La well, being first duly sworn on oath, so	Of addition Art L 2809 That I have a the same are true a	Plugged from 33 Mudded bridge. filling al despription is note amb Casi King St.	essay, we BACK ng Pullin Hutchin Reno (employee of or facts, statemer help me God. 2809 Ki	same and depth ttom of 3350'. D 305' Ma 3½ yrds bottom of this sheet) ing Inc, ison, Ka where) or (own ints, and matter	hole with hole of the formation of Read of the contains herein contains herein contains thutching	sx of rock by-Mix celler.	cement cement cement
Name of Plugging Contractor Address STATE OF Kansas Art La well, being first duly sworn on oath, so above-described well as filed and that	Of addition Art L 2809 That I have a the same are true a	Plugged from 33 Mudded bridge. filling aldesprintion is not amb Casi King St. COUNTY OF COUNTY O	essay, we BACK ng Pullin Hutchin Reno (employee of or facts, statemer help me God. 2809 Ki	same and depth tom of 3350 . D 305 . Ma 3½ yrds bottom of this sheet) ing Inc, inson, Ka wher) or (own ints, and matter mg St.	hole with hole of the formation of Read of the contains herein contains herein contains thutching	sx of rock by-Mix celler.	cement cement cement
Name of Plugging Contractor Address STATE OF Kansas Art La well, being first duly sworn on oath, so above-described well as filed and that	Of addition Art L 2809 That I have a the same are true a	Plugged from 33 Mudded bridge. filling aldesprintion is not amb Casi King St. COUNTY OF COUNTY O	essay, we BACK ng Pullin Hutchin Reno (employee of or facts, statemer help me God. 2809 Ki	same and depth tom of 3350 . D 305 . Ma 3½ yrds bottom of this sheet) ing Inc, inson, Ka wher) or (own ints, and matter mg St.	hole with hole of the formation of Read of the contains herein contains herein contains thutching	of the above and and the	cement cement cement

7-19-76

Carre

ROTARY DRILLING LOG

15-169-30015-00-00

CASING: Set 305' 85/8 surface casing Set 3379' 42" oil string

OWNER: Walter J. Re.son CONT: Ja-Le contracting lie. LEACE: ctanley B-1

JE 3% Saline County dec. 21-15-3 Location: JE 3%

100 Sand, Shale & Shells Sand, Shale & Shells Sand, Shale & Shells Sand, Shale & Shells Sand, Shale & Shale Sand Sand		
	100 - 205 280 - 280 280 - 38 288 - 340 340 - 675 675 - 840 1175 - 1540 1540 - 1730 1730 - 1910 1910 - 1990 1990 - 2071 2071 - 2283 2283 - 2390 2390 - 2510 2510 - 2670 2670 - 2770 2770 - 2863 2863 - 2951 2951 - 3000 3000 - 3031 3031 - 3112 3112 - 3163 31306 - 3325 3373	sand, shale & shells lime & shale blue shale lime & shale lime w/shale stks cardy lime & shale sandy lime & shale sandy lime & shale sime & shale shale & lime shale & lime shale & lime shale lime w/shale stks lime lime & shale lime lime, shale & chert lime lime & shale

WILLE LOG BURGAU-KANSAS GEOLOPHOAL POOPLIT 500 East Murduck.

15-169-30015-00-00

Correct Control In William St. William 1991

The following the state of the

Articles of the second

200

- · · .

 $\phi = (1 + \epsilon_1) + i \phi$ (2.1.4) Algoritation of considering throughout the con-

Time to be to the following to the state of

and the second second