For KCC Use: 3-31-2012 Effective Date: District # SGA? Yes X No

Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1 March 2010 Form must be Typed Form must be Signed

NOTICE OF INTENT TO DRILL

Expected Spud Date:	April 1, 2012		Spot Description:	
	month day	year year	W/2 - SE - NW - SE Sec. 27 Twp. 14 S. R.	17 □ F 🖂 w
DEDITOR II	30762		(0/0/0/0)	S Line of Section
PERATOR: License# ame:_ Oil Company of Ar	merica, Inc.		1,780 feet from X E /	
Idress 1: 1200 Main St,			Is SECTION: Regular Irregular?	
Idress 2:				nida)
ty: Hays	State: KS Z	ip: 67601 +	(Note: Locate well on the Section Plat on reverse County: Ellis	side)
ontact Person: Darrell H	erl		Lease Name: Herl A We	11 #. 7 SWD
one: 785-625-3800			Field Name: Herl	511 #.
ONTRACTOR: License#_	33493			Yes XNo
me: American Eagle Drilling,	LLC		Target Formation(s): Granite Wash	
Mall Dallad Fam	Mall Class	Time Carriements	Nearest Lease or unit boundary line (in footage): 330'	
Well Drilled For:	Well Class:	Type Equipment:	Ground Surface Elevation: 1952'	feet MSL
Enh Re	-	Mud Rotary	Water well within one-quarter mile:	Yes XNo
Storag		Air Rotary	Public water supply well within one mile:	Yes X No
Seismic ;# of		Cable	Depth to bottom of fresh water: 185	
Other:# or	Lines Cone		Depth to bottom of usable water: -550 480	
			Surface Pipe by Alternate: XI II	
If OWWO: old well i	nformation as follows:		Length of Surface Pipe Planned to be set: 1150'	
Operator:			Length of Conductor Pipe (if any): N/A	
			Projected Total Depth: 4000'	
		al Total Depth:	Formation at Total Depth: Granite Wash	
			Water Source for Drilling Operations:	
rectional, Deviated or Hor	izontal wellbore?	Yes X No	Well Farm Pond Other:	
A CONTRACTOR AND DESCRIPTION OF STATE OF A PARTICULAR CONTRACTOR OF A CONTRACT				
Yes, true vertical depth:			DWR Permit #:	
Yes, true vertical depth: ottom Hole Location:				-
Yes, true vertical depth: ottom Hole Location:			DWR Permit #:	Yes No
Yes, true vertical depth: ottom Hole Location:			DWR Permit #:	-
Yes, true vertical depth: Bottom Hole Location: CCC DKT #: The undersigned hereby a	affirms that the drilling, (Al completion and eventual p	DWR Permit #:	-
Yes, true vertical depth: tottom Hole Location: CCC DKT #: The undersigned hereby at is agreed that the following	affirms that the drilling, o	Al completion and eventual p ents will be met:	DWR Permit #:	-
FYes, true vertical depth: Bottom Hole Location: CCC DKT #: The undersigned hereby a t is agreed that the following the suppropria of	affirms that the drilling, or ing minimum requiremented the district office <i>prior</i> to	Al completion and eventual p ents will be met: o spudding of well;	DWR Permit #:(Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: FFIDAVIT plugging of this well will comply with K.S.A. 55 et. seq.	-
Yes, true vertical depth: ottom Hole Location: CC DKT #: The undersigned hereby a is agreed that the following a sign of the appropriance of the ap	affirms that the drilling, or ing minimum requirements described to the district office prior to dived notice of intent to dived notice of intent to dive	Al completion and eventual pents will be met: o spudding of well; drill shall be posted on ea	DWR Permit #:	Yes No
Yes, true vertical depth: tottom Hole Location: CCC DKT #: The undersigned hereby at a sagreed that the following the sagreed that the following the sagreed that the appropriance of the sagreed that the sagreed that the following the sagreed that the following the sagreed that the sagreed tha	affirms that the drilling, or ing minimum requiremente district office prior to eved notice of intent to do unt of surface pipe as spolidated materials plus a	completion and eventual pents will be met: o spudding of well; drill shall be posted on eapecified below shall be so	DWR Permit #: (Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: FFIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; et by circulating cement to the top; in all cases surface pipe shall the underlying formation.	Yes No
Yes, true vertical depth:	affirms that the drilling, or ing minimum requiremente district office prior to eved notice of intent to do unt of surface pipe as spolidated materials plus are, an agreement betwe	completion and eventual pents will be met: o spudding of well; drill shall be posted on ea pecified below shall be so a minimum of 20 feet into	DWR Permit #:	Yes No
Yes, true vertical depth: ottom Hole Location: CC DKT #: he undersigned hereby a is agreed that the followi 1. Notify the appropria 2. A copy of the appro 3. The minimum amou through all unconso 4. If the well is dry hole 5. The appropriate dis	affirms that the drilling, a fing minimum requirement to district office prior to expend to surface pipe as split of the prior of the	completion and eventual pents will be met: o spudding of well; drill shall be posted on ea pecified below shall be so a minimum of 20 feet into een the operator and the ded before well is either plu	DWR Permit #:	Yes No
Yes, true vertical depth:	affirms that the drilling, of the district office prior to the district office prior to the district of the district of the district of the district office will be notifice to the district office will be notified to COMPLETION, produ	completion and eventual pents will be met: o spudding of well; drill shall be posted on ea pecified below shall be so a minimum of 20 feet into een the operator and the d ed before well is either plu action pipe shall be cemen	DWR Permit #: (Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: FFIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; et by circulating cement to the top; in all cases surface pipe shall the underlying formation. listrict office on plug length and placement is necessary prior to pagged or production casing is cemented in; sted from below any usable water to surface within 120 DAYS of s	☐Yes ☑No
Yes, true vertical depth:	affirms that the drilling, of the district office <i>prior</i> to the district of the district of the district of the district of the district office will be notifice to the district office will be notified to the district office will be notified to the district office will be notified to the district office will be district office will be notified to the district office will be notified to the district office will be notified to the district of office will be notified to the district of the district office will be notified to the district of the district o	completion and eventual pents will be met: o spudding of well; drill shall be posted on ea pecified below shall be so a minimum of 20 feet into seen the operator and the ded before well is either plu liction pipe shall be cemen is as surface casing order	DWR Permit #: (Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: FFIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; et by circulating cement to the top; in all cases surface pipe shall the underlying formation. district office on plug length and placement is necessary prior to pugged or production casing is cemented in; attended from below any usable water to surface within 120 DAYS of s #133,891-C, which applies to the KCC District 3 area, alternate II	be set blugging; pud date. cementing
Yes, true vertical depth: ottom Hole Location: CC DKT #: The undersigned hereby a is agreed that the following all unconsoons are through all unconsoons. If the well is dry hole is the appropriate dis in a ALTERNATE II Or pursuant to Appropriate to Appropriate to English and the Alternation of the appropriate of th	affirms that the drilling, a ing minimum requirement ate district office prior to oved notice of intent to do ant of surface pipe as sp olidated materials plus a e, an agreement betwe strict office will be notified I COMPLETION, produ endix "B" - Eastern Kan within 30 days of the sp	completion and eventual pents will be met: o spudding of well; drill shall be posted on ea pecified below shall be so a minimum of 20 feet into een the operator and the de ded before well is either plu action pipe shall be cemen usas surface casing order pud date or the well shall	DWR Permit #: (Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: FFIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; et by circulating cement to the top; in all cases surface pipe shall the underlying formation. district office on plug length and placement is necessary prior to pugged or production casing is cemented in; all cases within 120 DAYS of s #133,891-C, which applies to the KCC District 3 area, alternate II be plugged. In all cases, NOTIFY district office prior to any cere	be set blugging; pud date. cementing
Yes, true vertical depth:	affirms that the drilling, of the district office prior to the district office prior to the district office prior to surface pipe as a surface pipe as e, an agreement between the district office will be notified to COMPLETION, produendix "B" - Eastern Kan within 30 days of the spatements made herein.	completion and eventual pents will be met: o spudding of well; drill shall be posted on ea pecified below shall be so a minimum of 20 feet into een the operator and the de ded before well is either plu action pipe shall be cemen asas surface casing order pud date or the well shall are true and to the best o	DWR Permit #: (Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: FFIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; et by circulating cement to the top; in all cases surface pipe shall the underlying formation. district office on plug length and placement is necessary prior to plugged or production casing is cemented in; all cases within 120 DAYS of s #133,891-C, which applies to the KCC District 3 area, alternate II be plugged. In all cases, NOTIFY district office prior to any cert of my knowledge and belief.	be set blugging; pud date. cementing
Yes, true vertical depth:	affirms that the drilling, of the district office prior to the district office prior to the district office prior to surface pipe as a surface pipe as e, an agreement between the district office will be notified to COMPLETION, produendix "B" - Eastern Kan within 30 days of the spatements made herein.	completion and eventual pents will be met: o spudding of well; drill shall be posted on ea pecified below shall be so a minimum of 20 feet into een the operator and the de ded before well is either plu action pipe shall be cemen asas surface casing order pud date or the well shall are true and to the best o	DWR Permit #: (Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: FFIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; et by circulating cement to the top; in all cases surface pipe shall the underlying formation. listrict office on plug length and placement is necessary prior to pugged or production casing is cemented in; atted from below any usable water to surface within 120 DAYS of s #133,891-C, which applies to the KCC District 3 area, alternate II be plugged. In all cases, NOTIFY district office prior to any cer of my knowledge and belief. Title: Agent	be set blugging; pud date. cementing
Yes, true vertical depth:	affirms that the drilling, or ing minimum requirements district office <i>prior</i> to eved notice of intent to do not of surface pipe as splidated materials plus are, an agreement betweet rict office will be notified to COMPLETION, producendix "B" - Eastern Kanwithin 30 days of the splatements made herein and agreements made herein and surface	completion and eventual pents will be met: o spudding of well; drill shall be posted on ea pecified below shall be sea minimum of 20 feet into een the operator and the ded before well is either plutetion pipe shall be cementas surface casing order pud date or the well shall are true and to the best of rator or Agent:	DWR Permit #: (Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: FFIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; et by circulating cement to the top; in all cases surface pipe shall the underlying formation. district office on plug length and placement is necessary prior to pugged or production casing is cemented in; atted from below any usable water to surface within 120 DAYS of s #133,891-C, which applies to the KCC District 3 area, alternate II be plugged. In all cases, NOTIFY district office prior to any cert of my knowledge and belief. Remember to:	be set blugging; pud date. cementing menting.
Yes, true vertical depth:	affirms that the drilling, or ing minimum requirements district office <i>prior</i> to eved notice of intent to do not of surface pipe as splidated materials plus are, an agreement betweet rict office will be notified to COMPLETION, producendix "B" - Eastern Kanwithin 30 days of the splatements made herein and agreements made herein and surface	completion and eventual pents will be met: o spudding of well; drill shall be posted on ea pecified below shall be sea minimum of 20 feet into een the operator and the ded before well is either plutetion pipe shall be cementas surface casing order pud date or the well shall are true and to the best of rator or Agent:	DWR Permit #: (Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: FFIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; et by circulating cement to the top; in all cases surface pipe shall the underlying formation. listrict office on plug length and placement is necessary prior to pugged or production casing is cemented in; atted from below any usable water to surface within 120 DAYS of s #133,891-C, which applies to the KCC District 3 area, alternate II be plugged. In all cases, NOTIFY district office prior to any cerus from the plugged of the plugged of the plugged. In all cases, NOTIFY district office prior to any cerus from the plugged of the plugged of the plugged. In all cases, NOTIFY district office prior to any cerus from the plugged of the plugged of the plugged. In all cases, NOTIFY district office prior to any cerus from the plugged of the plugged	be set blugging; pud date. cementing menting.
Yes, true vertical depth:	affirms that the drilling, a ling minimum requirements de district office <i>prior</i> to lived notice of intent to do an to formate pipe as splidated materials plus a legan agreement between the completion of the split of the spli	completion and eventual pents will be met: o spudding of well; drill shall be posted on ear pecified below shall be so a minimum of 20 feet into een the operator and the ded before well is either plusiction pipe shall be cement as surface casing order pud date or the well shall are true and to the best of rator or Agent:	DWR Permit #: (Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: FFIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; et by circulating cement to the top; in all cases surface pipe shall the underlying formation. district office on plug length and placement is necessary prior to pugged or production casing is cemented in; atted from below any usable water to surface within 120 DAYS of s #133,891-C, which applies to the KCC District 3 area, alternate II be plugged. In all cases, NOTIFY district office prior to any cert of my knowledge and belief. Remember to:	be set blugging; pud date. cementing menting.
Yes, true vertical depth: ottom Hole Location: CC DKT #: he undersigned hereby a is agreed that the followid agreed that the followid and the second and th	affirms that the drilling, a fing minimum requirements described and the district office <i>prior</i> to eved notice of intent to surface pipe as substituted materials plus are, an agreement between the district office will be notified to COMPLETION, produce and in "B" - Eastern Kan within 30 days of the substitute of Oper Signature of Oper Complete Complet	completion and eventual pents will be met: o spudding of well; drill shall be posted on ea pecified below shall be so a minimum of 20 feet into een the operator and the de ded before well is either plu action pipe shall be cemen asas surface casing order pud date or the well shall are true and to the best o rator or Agent:	DWR Permit #: (Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: FFIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; et by circulating cement to the top; in all cases surface pipe shall the underlying formation. listrict office on plug length and placement is necessary prior to plugged or production casing is cemented in; atted from below any usable water to surface within 120 DAYS of s #133,891-C, which applies to the KCC District 3 area, alternate II be plugged. In all cases, NOTIFY district office prior to any cert of my knowledge and belief. Remember to: File Certification of Compliance with the Kansas Surface Owner Act (KSONA-1) with Intent to Drill;	be set clugging; pud date. cementing menting.
Yes, true vertical depth: ottom Hole Location: CC DKT #: The undersigned hereby at its agreed that the following agreed that the following and the second through all unconsorus and the second and the	affirms that the drilling, a fing minimum requirements destrict office <i>prior</i> to eved notice of intent to a substitution of surface pipe as equal to form of surface pipe of surface pip	completion and eventual pents will be met: o spudding of well; drill shall be posted on ear pecified below shall be so a minimum of 20 feet into een the operator and the ded before well is either plusiction pipe shall be cement as surface casing order pud date or the well shall are true and to the best of rator or Agent:	DWR Permit #: (Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: FFIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; et by circulating cement to the top; in all cases surface pipe shall the underlying formation. district office on plug length and placement is necessary prior to pugged or production casing is cemented in; and the from below any usable water to surface within 120 DAYS of s #133,891-C, which applies to the KCC District 3 area, alternate II be plugged. In all cases, NOTIFY district office prior to any cert of my knowledge and belief. Remember to: - File Certification of Compliance with the Kansas Surface Owned Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;	be set blugging; pud date. cementing menting.
Yes, true vertical depth: ottom Hole Location: CC DKT #: he undersigned hereby a is agreed that the following the appropriate of the appropriate	affirms that the drilling, a ling minimum requirement district office <i>prior</i> to lived notice of intent to do unt of surface pipe as splidated materials plus are, an agreement betwee trict office will be notified I COMPLETION, producendix "B" - Eastern Kan within 30 days of the splatements made herein at Signature of Oper Signature of Oper Completic Signature Signatur	completion and eventual pents will be met: o spudding of well; drill shall be posted on ea pecified below shall be so a minimum of 20 feet into een the operator and the de ded before well is either plu action pipe shall be cemen asas surface casing order pud date or the well shall are true and to the best o rator or Agent:	DWR Permit #: (Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: FFIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; et by circulating cement to the top; in all cases surface pipe shall the underlying formation. district office on plug length and placement is necessary prior to plugged or production casing is cemented in; anted from below any usable water to surface within 120 DAYS of s #133,891-C, which applies to the KCC District 3 area, alternate II be plugged. In all cases, NOTIFY district office prior to any cert of my knowledge and belief. Remember to: - File Certification of Compliance with the Kansas Surface Owner Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or resident and the state of the stat	be set blugging; pud date. cementing menting.
Yes, true vertical depth: cottom Hole Location: CCC DKT #: The undersigned hereby at its agreed that the following the appropriate of the well is dry hole for pursuant to Appropriate dis Completed hereby certify that the standard the well is dry hole for pursuant to Appropriate dis Completed hereby certify that the standard the well is dry hole for pursuant to Appropriate disconsistent of the well is dry hole for pursuant to Appropriate disconsistent of the well is dry hole for the well is dry hole for pursuant to Appropriate disconsistent of the well is dry hole for pursuant to Appropriate disconsistent of the well is dry hole for pursuant to Appropriate disconsistent of the well appropriate disconsistent	affirms that the drilling, a ling minimum requirements de district office <i>prior</i> to ved notice of intent to dunt of surface pipe as spolidated materials plus a le, an agreement between the compact of the surface of	completion and eventual pents will be met: o spudding of well; drill shall be posted on ea pecified below shall be so a minimum of 20 feet into end the operator and the ded before well is either pluiction pipe shall be cemen isas surface casing order pud date or the well shall are true and to the best of rator or Agent: feet feet feet per ALT.	DWR Permit #: (Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: FFIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; et by circulating cement to the top; in all cases surface pipe shall the underlying formation. district office on plug length and placement is necessary prior to plugged or production casing is cemented in; and the shall cases, which applies to the KCC District 3 area, alternate III be plugged. In all cases, NOTIFY district office prior to any cert of my knowledge and belief. Remember to: - File Certification of Compliance with the Kansas Surface Owner Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or resulting to the surface of the surface	be set blugging; pud date. cementing menting. er Notification
Yes, true vertical depth: cottom Hole Location: CCC DKT #: The undersigned hereby at its agreed that the following and the series agreed that the following at the series agreed that the series agreed a	affirms that the drilling, a ling minimum requirements de district office <i>prior</i> to ved notice of intent to dunt of surface pipe as spolidated materials plus a le, an agreement between the compact of the surface of	completion and eventual pents will be met: o spudding of well; drill shall be posted on ea pecified below shall be so a minimum of 20 feet into end the operator and the ded before well is either pluiction pipe shall be cemen isas surface casing order pud date or the well shall are true and to the best of rator or Agent: feet feet feet per ALT.	DWR Permit #: (Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: FFIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; et by circulating cement to the top; in all cases surface pipe shall the underlying formation. district office on plug length and placement is necessary prior to plugged or production casing is cemented in; anted from below any usable water to surface within 120 DAYS of s #133,891-C, which applies to the KCC District 3 area, alternate II be plugged. In all cases, NOTIFY district office prior to any cert of my knowledge and belief. Remember to: - File Certification of Compliance with the Kansas Surface Owned Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or resubmit plugging report (CP-4) after plugging is completed (with application written approval before disposing or injecting salt water	be set blugging; pud date. cementing menting. e-entry; hin 60 days);
Yes, true vertical depth: cottom Hole Location: CCC DKT #: The undersigned hereby at its agreed that the following the appropriate of the well is dry hole for pursuant to Appropriate dis Completed hereby certify that the standard the well is dry hole for pursuant to Appropriate dis Completed hereby certify that the standard the well is dry hole for pursuant to Appropriate disconsistent of the well is dry hole for pursuant to Appropriate disconsistent of the well is dry hole for the well is dry hole for pursuant to Appropriate disconsistent of the well is dry hole for pursuant to Appropriate disconsistent of the well is dry hole for pursuant to Appropriate disconsistent of the well appropriate disconsistent	affirms that the drilling, a ling minimum requirements de district office <i>prior</i> to ved notice of intent to dunt of surface pipe as spolidated materials plus a le, an agreement between the compact of the surface of	completion and eventual pents will be met: o spudding of well; drill shall be posted on ea pecified below shall be so a minimum of 20 feet into end the operator and the ded before well is either pluiction pipe shall be cemen isas surface casing order pud date or the well shall are true and to the best of rator or Agent: feet feet feet per ALT.	DWR Permit #: (Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: FFIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; et by circulating cement to the top; in all cases surface pipe shall the underlying formation. district office on plug length and placement is necessary prior to plugged or production casing is cemented in; and the shall cases, which applies to the KCC District 3 area, alternate III be plugged. In all cases, NOTIFY district office prior to any cert of my knowledge and belief. Remember to: - File Certification of Compliance with the Kansas Surface Owner Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or resulting to the surface of the surface	be set blugging; pud date. cementing menting. e-entry; hin 60 days);

130 S. Market - Room 2078, Wichita, Kansas 67202


MAR 2 2 2012

For KCC Use ONLY API#15-051-26293-0000

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: Oil Company of America, Inc.	Location of Well: County: Ellis
Lease: Herl A	1,650 feet from N / N S Line of Section
Well Number: 7 SWD	1,780 feet from X E / W Line of Section
Field: Herl	Sec.27 Twp. 14 S. R.17 E X W
Number of Acres attributable to well: 10 QTR/QTR/QTR/QTR of acreage: W/2 - SE - NW - SE	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW
PLA Show location of the well. Show footage to the nearest leas	
lease roads, tank batteries, pipelines and electrical lines, as requir You may attach a sepa	red by the Kansas Surface Owner Notice Act (House Bill 2032).



1980' FSL

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

RECEIVED

MAR 2 2 2012


KCC WICHITA

M	

Ellie (COUNTY) 15-051-26293-0000 BWD Had A

(OPERATOR)	 _

28 14 174 1CSOFE OF SEC (LOCATION)



RECEIVED MAR 2 2 2012 KCC WICHITA

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form KSONA-1 July 2010 Form Must Be Typed Form must be Signed All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Ca	athodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)		
OPERATOR: License # 30762 Name: Oil Company of America, Inc. Address 1: 1200 Main St, Ste 101	Well Location: W/2 SE NW SE Sec. 27 Twp. 14 S. R. 17 Eas West		
Address 1: 1200 Main St, Ste 101	County: Ellis Lease Name: Herl A Well #: 7 SWD		
Address 2:	Lease Name: Herl A Well #: 7 SWD		
City: Hays State: KS Zip: 67601	If filling a Form T-1 for multiple wells on a lease, enter the legal description of		
Contact Person: Darrell Herl Phone: (785) 625-3800 Fax: ()	the lease below:		
Phone: (785) 625-3800 Fax: ()			
Email Address:			
Surface Owner Information: Name: LaVerna Herl	When filing a Form T-1 involving multiple surface owners, attach an additional sheet listing all of the information to the left for each surface owner. Surface		
Address 1: 1485 Toulon Ave. Address 2:	owner information can be found in the records of the register of deeds for the		
Address 2:	county, and in the real estate property tax records of the county treasurer.		
City: Hays State: KS Zip: 67601 +			
If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cathod the KCC with a plat showing the predicted locations of lease roads, tank are preliminary non-binding estimates. The locations may be entered on Select one of the following:	batteries, pipelines, and electrical lines. The locations shown on the plat		
I certify that, pursuant to the Kansas Surface Owner Notice Acomner(s) of the land upon which the subject well is or will be loced CP-1 that I am filing in connection with this form; 2) if the form b form; and 3) my operator name, address, phone number, fax, and	caled: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form eing filed is a Form C-1 or Form CB-1, the plat(s) required by this		
I have not provided this information to the surface owner(s). I acknowledge that I am being charged a \$30.00 handling to the surface owner(s).	eknowledge that, because I have not provided this information, the ner(s). To miligate the additional cost of the KCC performing this fee, payable to the KCC, which is enclosed with this form.		
If choosing the second option, submit payment of the \$30.00 handling to form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.		
I hereby certify that the statements made herein are true and correct to			
Date: March 20, 2012 Signature of Operator or Agent:	e S. Moses Tille: Agent		

RECEIVED
MAR 2 2 2012
KCC WICHITA

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Oil Company of America, Inc.			License Number: 30762		
Operator Address: 1200 Main St, Ste 101			Hays KS 67601		
Contact Person: Darrell Herl			Phone Number: 785-625-3800		
Lease Name & Well No.: Herl A	7 :	SWD	Pit Location (QQQQ):		
Type of Pit:	Pit is:		<u>W/2</u> _ <u>SE</u> _NW _ <u>SE</u>		
Emergency Pit Burn Pit	X Proposed Existing		Sec. 27 Twp. 14 R. 17 East X West		
Settling Pit X Drilling Pit	If Existing, date constructed:		1,650 Feet from North / South Line of Section		
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity: 3,000 (bbls)		1,780 Feet from X East / West Line of Section Ellis		
Is the pit located in a Sensitive Ground Water A	rea? Yes X	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level? XYes No	And the transfer of the transf		How is the pit lined if a plastic liner is not used? Native Clay Soil		
Pit dimensions (all but working pits):	00 Length (fee	et)100	Width (feet)N/A: Steel Pits		
Depth fro	om ground level to dee	epest point:	6 (feet) No Pit		
If the pit is lined give a brief description of the li material, thickness and installation procedure.	ner		dures for periodic maintenance and determining any special monitoring.		
		200 10			
Distance to nearest water well within one-mile of	of pit:	Depth to shallor Source of inforr	west fresh water15feet.		
1382 feet Depth of water well 40 feet		measured	well owner electric log X KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:			
Producing Formation:		Type of material utilized in drilling/workover: Drilling mud			
Number of producing wells on lease:		Number of work	king pils to be utilized: 2		
Barrels of fluid produced daily:		Abandonment p	Allow contents to air dry and back-fill.		
Does the slope from the tank battery allow all slow into the pit? Yes No	pilled fluids to	Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
March 20, 2012 / rgv			Mildslo		
Date Signature of Applicant or Agent					
KCC OFFICE USE ONLY Liner Steel Pit KRAC RFAS					
Date Received: 3-22-12 Permit Number:Perm			Date: 3-26-12 Lease Inspection: Yes No		

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

RECEIVED

MAR 2 2 2012

KCC WICHITA

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Ward Loyd, Commissioner Thomas E. Wright, Commissioner

March 26, 2012

Oil Company of America, Inc. 1200 Main St Ste 101 Hays, KS 67601

RE: Drilling Pit Application Herl A Lease Well No. 7 SWD SE/4 Sec. 27-14S-17W Ellis County, Kansas

Dear Sir or Madam:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and free fluids must be removed. The fluids are to be removed from the reserve pit after drilling operations have ceased. Keep pits away from draw/drainage.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (785) 625-0550 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Haynes

Environmental Protection and Remediation Department

cc: district

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Ward Loyd, Commissioner Thomas E. Wright, Commissioner

NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in **K.A.R. 82-3-400 et seq** of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.