For KCC Use:

Effective Date:

District #

SGA? Yes No

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CB-1
March 2010
Form must be Typed
Form must be Signed
All blanks must be Filled

## CATHODIC PROTECTION BOREHOLE INTENT

Must be approved by the KCC sixty (60) days prior to commencing well.

Form KSONA-1, Certification of Compliance with the Kansas Surface Owner Notification Act, MUST be submitted with this form.

	2-10-2012	Spot Description: MP 07.80
Expected Spud Date:	month day year	NE _ NE _ NW _ SW Sec. 25 Twp. 11 S. R. 3 VE W
OPERATOR: License#	34475	4.000
	eystone Pipeline, LP	
Address 1: 717 Texas	ST, Ste 24100	Is SECTION: ✓ Regular ☐ Irregular?
Address 2:		(Check directions from nearest outside corner boundries)
• 10 1	State: TX Zip: 77002 +	County: Dickinson
	d Weber	Facility Name: MP 67.80
Phone: 281-900-816	38	Borehole Number: 1
CONTRACTOR: License#	6427	Ground Surface Elevation: 1260 MSL
Name: Rosencrantz-E		Cathodic Borehole Total Depth: 300 350 feet
Type Drilling Equipm		Depth to Bedrock: feet
Type Diming Equipm	✓ Air Rotary ✓ ☐ Other	Water Information
Construction Features	<u> </u>	Aquifer Penetration: None Single Multiple
Length of Cathodic Surfa	ace (Non-Metallic) Casing	Depth to bottom of fresh water: _/00
Planned to be set:	200 250 feet	Depth to bottom of usable water: 230
Length of Conductor pipe		Water well within one-quarter mile: Yes No
Surface casing borehole		Public water supply well within one mile: Yes No
Cathodic surface casing	10	Water Source for Drilling Operations:
Cathodic surface casing	centralizers set at depths of: 10; 50;	☐ Well ☐ Farm Pond ☐ Stream ✔ Other
90 . 150 . 190		Water Well Location:
Cathodic surface casing	will terminate at:	DWR Permit #
	Surface Vault 🗹 Below Surface Vault	Standard Dimension Ratio (SDR) is =26 or Less
	ill be used: Yes No Depth feet	(Cathodic surface csg. O.D. in inches / MWT in inches = SDR)
	s are: 200 ; 210 ; 220 ; 230 ; 240 ;	Annular space between borehole and casing will be grouted with:
Anode installation depth	s are:,,,,,	☐ Concrete  Neat Cement ☐ Bentonite Cement ☐ Bentonite Clay
250 ; 260 ; 270	; <u>280</u> ; <u>290</u> ; <u>300</u> ; <u>310</u> ; <u>320</u> ; <u>330</u> ; 14	Anode vent pipe will be set at: 3 feet above surface
		Anode conductor (backfill) material TYPE: SC-3 Coke Breeze
		Depth of BASE of Backfill installation material: 300 350 RECEIVED
	AFFIDAVIT	Depth of TOP of Backfill installation material: 3
The undersigned hereby af of this well will comply with	ffirms that the drilling, completion and eventual plugging	Borehole will be Pre-Plugged? ☐ Yes ✓ No APR 0 2 201
• •	ng minimum requirements will be met:	KCC WICHIT
<ol> <li>Notify the appropriate Di and placement is necess</li> </ol>	istrict office prior to spudding and again before plugging the sary prior to plugging. In all cases, notify District Office prior	well. An agreement between the operator and the District Office on plugs r to any grouting.
	ct Office 48 hours prior to workover or re-entry.	
	notice of intent to drill shall be posted on each drilling rig.	
4. The minimum amount of	f cathodic surface casing as specified below shall be set by s	grouting to the top when the cathodic surface casing is set.
5. File all required forms: a	a. File Drill Pit Application (form CDP-1) with Intent to Drill (t	form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act
(form KSONA-1) with Ca	athodic Protection Borehole Intent (CB-1) c. File Completion	n Form (ACO-1) within 30 days from spud date.
<ol> <li>Submit plugging repo</li> </ol>	ort (CP-4) within 30 days after final plugging is completed.	1
I hereby certify that the sta	tements made herein are true and to the pest of my kno	owledge and belief.
	$\mathcal{I}$	Title: PROJECT COORDINATOR
Date: 2-01-2012	Signature of Operator or Agent:	Title: F100 GCT COOPED 77077651C
	·	)
For KCC Use ONLY	20136-00-00	
API#15 - 091		If this permit has expired or will not be drilled, check a box below, sign, date and return
Conductor pipe required	Nonefeet	to the address below.
Minimum Cathodic Surfa	2 (73)	
	ace dasing required.	Permit Expired Well Not Drilled
Approved by: Rue	11 —	
This authorization expir		
(This authorization void if	drilling not started within 12 months of approval date.)	
		Date Signature of Operator or Agent
Spud date:	Agent:	

For KCC Use ONLY

API # 15 - 041-20136-0000

#### IN ALL CASES, PLEASE FULLY COMPLETE THIS SIDE OF THE FORM.

In all cases, please fully complete this side of the form. Include items 1 through 3 at the bottom of this page.

Operator: Transcanada Keystone Pipeline, LP	Location of Well: County:
Facility Name: MP 67.80	2,469 feet from N / S Line of Section
Borehole Number: 1	feet from E / W Line of Section
	Sec. $\frac{25}{}$ Twp. $\frac{11}{}$ S. R. $\frac{3}{}$ $\checkmark$ E $\bigcirc$ W
	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**

Show location of the Cathodic Borehole. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).


You may attach a separate plat if desired.

	<b>,</b>					 
	••••		· · · · · · · · · · · · · · · · · · ·	••••		 
1203	' Fu					
		752,69,57				
		, 469				 
		<b>'</b> '		-	: : : : : :	

#### NOTE: In all cases locate the spot of the proposed drilling locaton.

#### LEGEND

0	Well Location
	Tank Battery Location
	Pipeline Location
	Electric Line Location
	Lease Road Location



APR 0 2 2012

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.;
- 2. The distance of the proposed drilling location from the section's south / north and east / west; line.
- 3. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

KCC WICHITA

#### Kansas Corporation Commission Oil & Gas Conservation Division

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)		
OPERATOR: License # 34475  Name: Transcanada Keystone Pipeline, LP  Address 1: 717 Texas ST, Ste 24100	Well Location:  NE_NE_NW_SW Sec. 25 Twp. 11 S. R. 3 X East West		
Address 1. 717 Texas ST, Ste 24100			
Address 2:	County: Dickinson  Lease Name: MP 67.80 Well #: 1		
City: Houston State: TX Zip: 77002 + Contact Person: Rod Weber	If filing a Form T-1 for multiple well KOCaJONSERVATION  The lease below:  PAID		
Dhana ( 281 ) 900-8168 Fav. ( )			
Phone: ( 281 ) 900-8168 Fax: ( )  Email Address: rod_weber@transcanada.com	APR 0 4 2012		
Email Address:	AMT. \$_30.00		
Name: Douglas & Annette Caldwell Address 1: 1578 7800 Avenue  Address 2:			
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and a batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.		
Select one of the following:			
owner(s) of the land upon which the subject well is or will be le	act (House Bill 2032), I have provided the following to the surface ocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this nd email address.		
I have not provided this information to the surface owner(s). I a KCC will be required to send this information to the surface ow task, I acknowledge that I am being charged a \$30.00 handling	cknowledge that, because I have not provided this information, the wner(s). To mitigate the additional cost of the KCC performing this fee, payable to the KCC, which is enclosed with this form.		
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1 1 will be returned.		
I hereby certify that the statements made herein are true and correct to	the best of my knowledge and belief.		
Date: 3/29/2012 Signature of Operator or Agent: Wass	the J. Bucy Title: Corrosion Special RECEIVED		
	∂ RECEIVED		

KCC WICHITA

APR u 2 2012

#### Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

#### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Transcanada Keystor	License Number: 34475					
Operator Address: 717 Texas ST, Ste 24100			Houston	TX	77002	
Contact Person: Rod Weber			Phone Number: 281-900-8168			
Lease Name & Well No.: MP 67.80			Pit Location (QQQQ):			
Type of Pit:	Pit is:		NE NE NW SW			
Emergency Pit Burn Pit	X Proposed Existing		Sec. 25 Twp. 11 R. 3 East West			
Settling Pit X Drilling Pit	If Existing, date constructed:		2,469 Feet from North / X South Line of Section			
Workover Pit Haul-Off Pit			1,203 Feet from East / [			
(If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	Dickinson		County	
Is the pit located in a Sensitive Ground Water A	ırea? Yes 🔀	······································	Chloride concentration:		mg/l	
is the pit located in a Sensitive Ground Water A	ilea: les V		(For Emergency Pits and S	Settling Pits only)	1119/1	
Is the bottom below ground level?  Yes X No	Artificial Liner?  Yes X I	No	How is the pit lined if a plastic liner is n	ot used?		
			100 July (51)	Z N/A - 04 - 15		
Pit dimensions (all but working pits):			_	N/A: Steel F	rits	
If the pit is lined give a brief description of the li	om ground level to decented to	<del></del>	dures for periodic maintenance and dete	<del></del>		
material, thickness and installation procedure.			cluding any special monitoring.	Ū		
		Empty Daily	y			
Distance to nearest water well within one-mile o	Depth to shallowest fresh water feet. Source of information:					
feet Depth of water well	measured	well owner electric lo	og KD	WR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Worko	ver and Haul-Off Pits ONLY:			
Producing Formation:	Type of materia	Type of material utilized in drilling/workover:				
Number of producing wells on lease:	Number of working pits to be utilized: 1  Abandonment procedure: Backfill					
Barrels of fluid produced daily:	Abandonment p	procedure: Dack	1111			
Does the slope from the tank battery allow all specifical flow into the pit? Yes No	Drill pits must be closed within 365 days of spud date. RECEIVED					
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.  APR U 2 2012						
2.01.2012 KCC WICHITA						
Date Signature of Applicant or Agent						
	KCC .	OEEICE HEE C				
	KCC OFFICE USE ONLY  Liner A Steel Pit RFAC RFAS				RFAS	
Date Received: 4-2-/2 Permit Numb	per:	Permi	t Date: 4-5-18 Lease Inspec	tion: Yes	≺ No	

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Ward Loyd, Commissioner Thomas E. Wright, Commissioner

April 5, 2012

Transcanada Keystone Pipeline, LP 717 Texas St. Ste 24100 Houston, TX 77002

RE:

**Drilling Pit Application** 

MP 67.80

SW/4 Sec. 25-11S-03E Dickinson County, Kansas

According to the drilling pit application referenced above, no earthen pits will be used at this location. Steel pits will be used. Please inform the Commission in writing as to which disposal well you utilized to dispose of the contents in the steel pits and the amount of fluid that was disposed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, within 30 days of fluid removal.

Should a haul-off pit be necessary please file form CDP-1 (May 2010), Application for Surface Pit, This location will have to be inspected prior to approval of the haul-off pit application.

Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the District Office at (316) 630-4000.

### Kansas Corporation Commission Oil & Gas Conservation Division

## HAUL-OFF PIT APPLICATION FILING REQUIREMENTS

82-3-607.	DISP	OSAL OF DIKE AND PIT CONTENTS.
(a)	Each	operator shall perform one of the following when disposing of dike or pit contents:
(1)	Remo road	ove the liquid contents to a disposal well or other oil and gas operation approved by the commission or to I maintenance or construction locations approved by the department;
(2)	requ	se of reserve pit waste down the annular space of a well completed according to the alternate lirements of K.A.R. 82-3-106, if the waste to be disposed of was generated during the drilling and pletion of the well; or
(3)	dispo inclu	se of the remaining solid contents in any manner required by the commission. The requirements may ide any of the following:
	(A)	Burial in place, in accordance with the grading and restoration requirements in K.A.R. 82-3-602 (f):
	(B)	removal and placement of the contents in an on-site disposal area approved by the commission;
	(C)	removal and placement of the contents in an off-site disposal area on acreage owned by the same landowner or to another producing lease or unit operated by the same operator, if prior written permission from the landowner has been obtained; or
	(D)	removal of the contents to a permitted off-site disposal area approved by the department,
(b)	Each	violation of this regulation shall be punishable by the following:
(1) (2) (3)	a \$2,5	000 penalty for the first violation; 600 penalty for the second violation; and 000 penalty and an operator license review for the third violation.
Complete a	nd ret	urn with Haul-Off Pit Application, Form CDP1(2004)
Haul-off pit v	vill be	located in an on-site disposal area:   Yes  No
∐Yes □N	lo l	ed in an off-site disposal area on acreage owned by the same landowner: f yes, written permission from the land owner must be obtained. Attach written off pit application.
Haul-off pit is same operate	s locat or: □`	ed in an off-site disposal area on another <b>producing</b> lease or unit operated by the Yes \(\subseteq\) No If yes, written permission from the land owner must be obtained. Attach

permission and a copy of the lease assignment that covers the acreage where the haul-off pit is to be

located, to the haul-off pit application.

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Ward Loyd, Commissioner Thomas E. Wright, Commissioner

April 5, 2012

Douglas & Annette Caldwell 1578 2800 Avenue Abilene, KS 67410

RE: Kansas Surface Owners Notice Act

The 2009 Legislature passed House Bill 2032, known as the Kansas Surface Owners Notice Act. This Act requires the KCC to provide copies of drilling intents, operator transfers, and well plugging applications to the surface owner, if they are not provided by the lease operator. The operator has advised us they have not provided you with a copy of the attached form. Therefore, this letter and the attached form shall serve as notice of the operator's action. You do not need to respond to the KCC. Please contact the operator listed on the form if you have any questions.

Sincerely,

Rick Hestermann Production Department

cc: Transcanada Keystone Pipeline LP