For KCC Use: Effective Date: District # SGA? Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form KSONA-1, Certification of Compliance with the Kansas Surface Owner Notification Act, MUST be submitted with this form

Expected Spud Date: July 5, 2012	Spot Description:	
month day year	SE SW SW NW Sec. 21 Twp. 10 S. R. 31	71
OPERATOR: Linearett 31000		
OFERATOR. License#	lect noin	ction
Name: Prater Oil & Gas Operations, Inc	reet from LE / X W Line of Sec	ction
Address 1: 1303 N. Main	Is SECTION: Regular Irregular?	
Address 2:	(Note: Locate well on the Section Plat on reverse side)	
City: Pratt State: KS Zip: 67124 +	County: Thomas	
Contact Person: Dale Chrisler Phone: 785-672-2667	Lease Name: Ottley Well #: 1-21	
Phone: (163-012-2001	Field Name: Unnamed	***************************************
CONTRACTOR: License#34233		1
Name: Maverick Drilling, LLC	Is this a Prorated / Spaced Field?	No
	Target Formation(s): LKC Mississippian	
Well Drilled For: Well Class: Type Equipment: —	Nearest Lease or unit boundary line (in footage): 418	
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation: 2971 feet M	
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:	No
Disposal XWildcat Cable	Public water supply well within one mile:	No
Seismic ;# of Holes Other	Depth to bottom of fresh water: 200 180	
Other:	Depth to bottom of usable water: 1980 / 700	
	Surface Pipe by Alternate:	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 250	
Operator:	Length of Conductor Pipe (if any): None	
Well Name:	Projected Total Depth: 4800	
Original Completion Date: Original Total Depth:	Formation at Total Depth: Mississippian	
J.	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Water Source of Driming Operations. Well Farm Pond Other:	
If Yes, true vertical depth:		
Bottom Hole Location:	DWR Permit #:(Note: Apply for Permit with DWR	
KCC DKT #:		سب
	Will Cores be taken?	No
	If Yes, proposed zone:	
AFFI	DAVIT	FD
The undersigned hereby affirms that the drilling, completion and eventual plug-	ging of this well will comply with K.S.A. 55 et. seg	_
It is agreed that the following minimum requirements will be met:	APR 12	2012
Notify the appropriate district office <i>prior</i> to spudding of well;		AU (E
2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of	1 /00 1100	
- Free posted of the control of the	Arilling rig:	
3. The minimum amount of surface pipe as specified below shall be set by	drilling rig; **CC WICH **Circulating cement to the top: in all cases surface pine chall be at all cases.	HIT,
3. The minimum amount of surface pipe as specified below shall be set by	y circulating certient to the top; in all cases surface pipe shall be set	HIT/
 The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the idea. If the well is dry hole, an agreement between the operator and the distriction. 	underlying formation. ct office on plug length and placement is necessary prior to plugging.	HIT,
 3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the it. 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugger. 	underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in:	HIT,
 The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either pluggered. If an ALTERNATE II COMPLETION, production pipe shall be cemented. 	underlying formation. ct office on plug length and placement is necessary <i>prior to plugging;</i> d or production casing is cemented in; from below any usable water to surface within 120 DAYS of sould date	HIT,
 The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either pluggered. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13: 	underlying formation. ct office on plug length and placement is necessary <i>prior to plugging;</i> d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3.891-C, which applies to the KCC District 3 area, alternate II cementing	HITA
 The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the oral of the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugger. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13: must be completed within 30 days of the spud date or the well shall be p 	underlying formation. ct office on plug length and placement is necessary <i>prior to plugging;</i> d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.	HIT,
 The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either pluggered. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13: 	underlying formation. ct office on plug length and placement is necessary <i>prior to plugging;</i> d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.	HIT,
 The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the office will be used in the user of the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugger. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13: must be completed within 30 days of the spud date or the well shall be placed. 	underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.	HIT
 The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the oral of the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugger. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13: must be completed within 30 days of the spud date or the well shall be p 	underlying formation. ct office on plug length and placement is necessary <i>prior to plugging;</i> d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.	HIT)
3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugger. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13: must be completed within 30 days of the spud date or the well shall be perfectly that the statements made herein are true and to the best of my Date: April 11,2012 Signature of Operator or Agent:	concluding certein to the top; in all cases surface pipe shall be set underlying formation. It office on plug length and placement is necessary prior to plugging; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. It knowledge and belief. Title: Agent	HIT)
3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the office will be well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugger 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be perfectly that the statements made herein are true and to the best of my Date: April 11,2012 Signature of Operator or Agent: For KCC Use ONLY	concluding certein to the top; in all cases surface pipe shall be set underlying formation. It office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. It knowledge and belief. Title: Agent Remember to:	
3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugger. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13: must be completed within 30 days of the spud date or the well shall be perfectly that the statements made herein are true and to the best of my Date: April 11,2012 Signature of Operator or Agent:	which the top, in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. It knowledge and belief. Agent Remember to: File Certification of Compliance with the Kansas Surface Owner Notification	HIT.
 The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the office will be well is dry hole, an agreement between the operator and the district office will be notified before well is either plugger of the appropriate district office will be notified before well is either plugger of the surface of the shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by the statements made herein are true and to the best of my the surface of the surface of the statements. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 193 - 20849-00-00	winderlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. It knowledge and belief. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;	
3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the office will inconsolidated materials plus a minimum of 20 feet into the office will be notified before well is either plugger of the appropriate district office will be notified before well is either plugger of the appropriate district office will be notified before well is either plugger of the appropriate district office will be notified before well is either plugger of the appropriate district office will be notified before well is either plugger of pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be propriate. In the propriate of the spud date or the well shall be propriate. Signature of Operator or Agent: For KCC Use ONLY API # 15	winderlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. It knowledge and belief. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill;	21
3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the office will inconsolidated materials plus a minimum of 20 feet into the office will be notified before well is either plugger of the appropriate district office will be notified before well is either plugger of the appropriate district office will be notified before well is either plugger of the appropriate district office will be notified before well is either plugger of the appropriate district office will be notified before well is either plugger of pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be propriate. I hereby certify that the statements made herein are true and to the best of my Date: April 11,2012 Signature of Operator or Agent: For KCC Use ONLY API # 15	winderlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. It knowledge and belief. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;	
3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the office will inconsolidated materials plus a minimum of 20 feet into the office will be notified before well is either plugger of the appropriate district office will be notified before well is either plugger of the appropriate district office will be notified before well is either plugger of the appropriate district office will be notified before well is either plugger of the appropriate district office will be notified before well is either plugger of pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be propriate. In the propriate of the spud date or the well shall be propriate. Signature of Operator or Agent: For KCC Use ONLY API # 15	winderlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. It knowledge and belief. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill;	21
3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the office will be unconsolidated materials plus a minimum of 20 feet into the office will be notified before well is either plugger of the appropriate district office will be notified before well is either plugger of the appropriate district office will be notified before well is either plugger of the appropriate district office will be notified before well is either plugger of the appropriate district office will be notified before well is either plugger of pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be propriate to the well shall be propriate. I hereby certify that the statements made herein are true and to the best of my propriate. Signature of Operator or Agent: For KCC Use ONLY API # 15	underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing. I knowledge and belief. Title: Agent Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);	21 10
3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the office will inconsolidated materials plus a minimum of 20 feet into the office will be notified before well is either plugger of the appropriate district office will be notified before well is either plugger of the appropriate district office will be notified before well is either plugger of the appropriate district office will be notified before well is either plugger of the appropriate district office will be notified before well is either plugger of pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be propriate. I hereby certify that the statements made herein are true and to the best of my Date: April 11,2012 Signature of Operator or Agent: For KCC Use ONLY API # 15	underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing. **Remember to:* File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.	21
3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the office will be unconsolidated materials plus a minimum of 20 feet into the office will be notified before well is either plugger of the appropriate district office will be notified before well is either plugger of the appropriate district office will be notified before well is either plugger of the appropriate district office will be notified before well is either plugger of the appropriate district office will be notified before well is either plugger of pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be proprieted and to the best of my the propriete of the propriete and to the best of my the propriete of the propriete and to the best of my the propriete and to the best of my the propriete and the propriet	underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing. I knowledge and belief. Title: Agent Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If well will not be drilled or permit has expired (See: authorized expiration date)	21 10
3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the office will be unconsolidated materials plus a minimum of 20 feet into the office will be notified before well is either plugger of the appropriate district office will be notified before well is either plugger of the appropriate district office will be notified before well is either plugger of the appropriate district office will be notified before well is either plugger of the appropriate district office will be notified before well is either plugger of pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be proprieted and to the best of my the propriete of the propriete and to the best of my the propriete of the propriete and to the best of my the propriete and to the best of my the propriete and the propriet	underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing. **Remember to:* File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.	21 10 31
3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the of the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugger 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13: must be completed within 30 days of the spud date or the well shall be part of the help to make the product of the statements made herein are true and to the best of make the product of the specific product of the specific product of the specific product of the statements of the product of the specific prod	underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. It knowledge and belief. Title: Agent Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below.	21 10 31
3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office will inconsolidated materials plus a minimum of 20 feet into the office will be notified before well is either plugger of the appropriate district office will be notified before well is either plugger of the appropriate district office will be notified before well is either plugger of the appropriate district office will be notified before well is either plugger of the appropriate district office will be notified before well is either plugger of pursuant to Appendix "B" - Eastern Kansas surface casing order #13: must be completed within 30 days of the spud date or the well shall be plugger of the spud date or the well shall be plugger of the spud date or the well shall be plugger of the spud date or the well shall be plugger of the spud date or the well shall be plugger of the spud date or the well shall be plugger and the shall be plugger or the spud date or the well shall be plugger or the sha	underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing. I knowledge and belief. Title: Agent Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If well will not be drilled or permit has expired (See: authorized expiration date)	21 10 31
3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the of the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugger 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13: must be completed within 30 days of the spud date or the well shall be part of the help to make the product of the statements made herein are true and to the best of make the product of the specific product of the specific product of the specific product of the statements of the product of the specific prod	winderlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. It knowledge and belief. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If well will not be drilled or Permit Expired Date: Well will not be drilled or Permit Expired Well will not be drilled or Permit Expired Date: Well will not be drilled or Permit Expired Date:	21 10

For KCC Use ONLY
API # 15 - 193-20849-0000

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: Prater Oil & Gas Operations, Inc Lease: Ottley Well Number: 1-21	Location of Well: County: Thomas 2,448	on
Field: Number of Acres attributable to well:	Sec. 21 Twp. 10 S. R. 31 E X W	
QTR/QTR/QTR of acreage: SE - SW - SW - NW	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW	

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.

			:	
				LEGEND
	:	:	······	O Well Location
		:		Tank Battery Location
1 2 ·····		:	: :	Pipeline Location Electric Line Location
3448				Lease Road Location
	:	: :	·	RECEIVED
418.	2	1		EXAMPLE : APR 1 2 2012
	^			KCC WICHITA
	: :	· · · · · · · · · · · · · · · · · · ·	·	
				0=7 1980'FSL
				∷ ∷ ∷ ∷ ∷ : SEWARD CO. 3390' FEL

In plotting the proposed location of the well, you must show:

NOTE: In all cases locate the spot of the proposed drilling locaton.

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Well Location:
SE SW SW NW Sec. 21 Twp. 10 S. R. 31 Eas West
County: Thomas
Lease Name: Ottley Well #: 1-21
If filing a Form T-1 for multiple wells on a lease, enter the legal description of
the lease below:
When filing a Form T-1 involving multiple surface owners, attach an additional
sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
county, and in the real estate property tax records of the county treasurer.
the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.
et (House Bill 2032), I have provided the following to the surface cated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form eing filed is a Form C-1 or Form CB-1, the plat(s) required by this d email address.
knowledge that, because I have not provided this information, the ner(s). To mitigate the additional cost of the KCC performing this
ee, payable to the KCC, which is enclosed with this form.
iee, payable to the KCC, which is enclosed with this form. iee with this form. If the fee is not received with this form, the KSONA-1
iee, payable to the KCC, which is enclosed with this form. iee with this form. If the fee is not received with this form, the KSONA-1 will be returned.
the best of my knowledge and belief.

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Prater Oil & Gas Operations, Inc		License Number: 31000	
Operator Address: 1303 N. Main			Pratt KS 6712
Contact Person: Dale Chrisler			Phone Number: 785-672-2667
Lease Name & Well No.: Ottley	1-2	<u>2</u> 1	Pit Location (QQQQ):
Type of Pit:	Pit is:		SE _ SW _ SW _ NW
Emergency Pit Burn Pit	X Proposed	Existing	Sec. 21 Twp. 10 R. 31 East X West
Settling Pit X Drilling Pit	If Existing, date co	nstructed:	2,448 Feet from X North / South Line of Section
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity: 4,000	(bbls)	418 Feet from East / West Line of Section Thomas County
Is the pit located in a Sensitive Ground Water A	vrea? ☐ Yes 🔀	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)
Is the bottom below ground level? X Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used? Bentonite and native clays from drilling operations
Pit dimensions (all but working pits):	Length (fee	et) 100	Width (feet) N/A: Steel Pits
Depth fro	om ground level to dee	epest point:	(feet) No Pit
Distance to nearest water well within one-mile	of pit:	Depth to shallo	west fresh water
475 feet Depth of water well	/ 30 feet	measured	well owner electric log KDWR
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:
Number of producing wells on lease: Number of wo		Type of materia	al utilized in drilling/workover:Fresh water gel mud
		i .	king pits to be utilized:
		Abandonment	procedure: Allow pits to dry naturally and backfill as conditions allow.
flow into the pit? Yes No	pilled fluids to	Drill pits must b	pe closed within 365 days of spud date.
I hereby certify that the above statem	nents are true and cor	rect to the best of	my knowledge and belief.
		0	APR 1 2 2012
4/11/2012 Date		Sig	Grature of Applicant or Agent KCC WICHIT
	KCC	OFFICE USE O	
			Liner Steel Pit RFAC RFAS

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Ward Loyd, Commissioner Thomas E. Wright, Commissioner

NOTICE

Nearest Lease or Unit Boundary Line

K.A.R. 82-3-108 provides that all oil and gas well locations must comply with setback requirements, unless an exception has been granted by the Commission. Depending upon whether the subject well is an oil well or gas well, and also depending upon the county in which the well is located, the setback may be 330 feet or 165 feet from the nearest lease or unit boundary.

This Intent to Drill ("C-1") form indicates that the distance between the well and the nearest lease or unit boundary will comply with the setback requirement. Accordingly, the C-1 has been approved. However, the C-1 also stated that the well location is very near a boundary line of a Section or a Quarter-Section. This notice is being sent as a courtesy reminder, in case an error was made on the C-1.

As the operator of the proposed well, you must independently verify that the proposed well location complies with the applicable regulatory setback. If at any time it should appear that a well does not comply with the regulatory setback, the well may be subject to being shut-in pending Commission approval of an application for a well location exception. In addition, if such an application is not granted by the Commission, you may be required to plug the well.

If the proposed well location will comply with the regulatory setback, this notice may be disregarded. Please contact the KCC Production Department with any questions or concerns.