KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Test	:					(See Instruc	ctions on Rev	erse Side)				
Ор	en Flo	w			Total Data					la 45		•
✓ De	liverab	ilty			Test Date 02/13/2		/14/2012		API N 15	io. 15 i-185- 22,7	39 - ()()(\mathcal{N}
Company F.G. Ho		mpar	 ny, L.L.C				Lease IRMA-S	SMITH			,	Well Number 2-10
County			Locati		Section		TWP		RNG (E/\	V)	,	Acres Attributed
Stafford	3		SW N	E SW ,	10		24S		15W			
Field					Reservoir	•			•	ering Connec	tion	***
Macksv				·	Viola	. T-4-1 D4				Energy		
12/11/1		•			Plug Baci	< Total Depti	n		Packer Se	et at 		
Casing Si 4-1/2"	ze		Weigh 10.5#		Internal D	iameter	Set at 4180		Perfora 4018	ations 3' - 4057'	То	
Tubing Si	ze		Weigh	it ·	Internal D	iameter	Set a	t	Perfora	ations	То	<u> </u>
2-3/8"			4.7#				399	6'				
Type Com Single (•	•	cribe)		Type Flui	d Production	ו	•	Pump Uni	t or Traveling Unit	Plunger? Yes /	No
	<u> </u>		us / Tubing)) .	% Carbor	Dioxide			% Nitroge		Gas Gra	avity - G
Tubing												g
Vertical D	epth(H	1)				Press	ure Taps				(Meter R	un) (Prover) Size
						Flan	nge			:	2"	
Pressure	Buildu	p: Sh	nut in02/	13/2012 ₁₉	at _8:	00	(AM) (PM)	_{Taken} 0	2/13/20 ⁻	12 19	at 8:00	(AM) (PM)
Well on Li	ine:	Sta	arted 02/	14/2012 ₁₉	at _8:	00	(AM) (PM)	Taken 02	2/14/201	219	at 8:00	(AM) (PM)
				·		OBSERVE	D SURFACE	DATA			Duration of Shut-	in 24 Hours
Static /	Orifi	ce	Circle one:	Pressure	Flowing	Well Head	Casi	•		ıbing	Ď	
Dynamic	Siz	e	Meter or Prover Pressu	Differential .	Temperature		Wellhead i		i	d Pressure (P ₁) or (P ₂)	Duration (Hours)	Liquid Produced (Barrels)
Property	inch	es .	psig	Inches H₂0	t .	t	psig	psia	psig	psia		
Shut-In							125				24	
Flow												
						FLOW ST	REAM ATTR	BUTES				
Plate		. с	ircle one:	Press	Grav	/itv	Flowing	Devi	ation	Metered Flow	GOR	Flowing
Coeffiec			leter or er Pressure	Extension	Fac	tor	Temperature Factor	Fa	ctor	R	(Cubic Fe	et/ Fluid Gravity
(F₅) (F Mcfd	r'	,,,,,,,,	psia	š P _m x H _w	F,	,	F _{f1}	F	pv	(Mcfd)	Barrel)	G _m
						1.				,	,	
					(OPEN FL		(ERABILITY)					2 = 0.207
(P _c) ² =		<u> </u>	(P _w) ² =		P _d =	<u> </u>	% (P	_c - 14.4) +	14.4 =	:	(P _a)	² =
(P _c)² - (F	D)2	(P.))² - (P _w)²	1. P _c ² - P _s ²	LOG of			ssure Curve e = "n"	. !	r al		Open Flow
or (P _c) ² - (F		(' c)	· • •	2. P _c ² -P _d ²	formula 1. or 2.			or	n x L	og	Antilog	Deliverability Equals R x Antilog
(P _c) ² - (F	P _d) ²		!	divided by: P _c ² - P _w ²	and divide by:	P _c ² -P _w ²		signed ard Slope		LJ		Mcfd
				, c w								
				· · · · · · · · · · · · · · · · · · ·	-							
Open Flow	l			Mcfd @ 14.65	5 psia		Deliverabili	ty			//cfd @ 14.65 psia	l
				· · · · · · · · · · · · · · · · · · ·					1 41 1			
												ledge of the facts
stated ther	ein, an	nd that	said report	is true and corre	ct. Execute	ed this the _		day of				, 19
												(
			Witness (if any)						For C	Company	RECEIVED
mater co.			For Com	mission			-		······	Chec	ked by	FFR 2 2 201

		the state of Kansas that I am authorize	zed to request
		operator F.G. Holl Company, L.L.C.	
		ined on this application form are true	•
·		oduction records and records of equip	ment installa-
	oletion or upon use of the gas we		
		w testing for the RMA-SMITH 2-10	
gas well on the grounds	s that said well:		•
(Chack and)			
(Check one)	ealbad mathana aradusar		
	coalbed methane producer		
- المستحدية المستحدية	cled on plunger lift due to water	into an ail recominin undergaine ED	
		into an oil reservoir undergoing ER	
	vacuum at the present time; KC	• • • • • • • • • • • • • • • • • • • •	
✓ is inc	capable of producing at a daily ra	te in excess of 250 mc/D	
			4 1
Date: 02/15/2012			•
			er er græde. F
	Signature:	toveness	M
	Title: Pe	troleum Geologist	•
		· · · · · · · · · · · · · · · · · · ·	

Instructions:

All active gas wells must have at least an original G-2 form on file with the conservation division. If a gas well meets the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to obtain a testing exemption.

At some point during the succeeding calendar year, wellhead shut-in pressure shall be measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under "observed surface data." Shut-in pressure shall thereafter be reported yearly in the same manner.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than thirty (30) days after the taking of the pressure reading. The form must be signed and dated on the front side as though it was a verified report of test results.

FEB 2 2 2012

KCC WICHITA