KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Test	t:				(See Instruc	tions on Rev	erse Side	"			
o	en Flo	w			Test Date	a:			API	No. 15		
De	liverab	ilty			12/19/2					33-20927	- 0000)
Company H&B Pet		m Co	orporation				Lease Pyle "B"					Well Number 1
County Location Comanche 1980 fsl & 660 fel				Section 14		TWP 31S		RNG (E/W) 18W		Acres Attributed		
Field Wilmore				Reservolr Mississippi				Gas Gathering Connection Oneok Field Service				
Completion Date 05/16/97				Plug Back Total Depth 5048				Packer Set at NA				
Casing Size 5 1/2			Weight 15.50		Internal Diameter		Set at 5108		Perforations 4966		To 5042	
Tubing Size 2 3/8			Weigh 4.7		Internal Diameter		Set at 5090		Perforations		То	
Type Con Single o	-	n (De	escribe)	-	Type Flui	d Productio	n	··········	Pump Un Yes	it or Traveling	Plunger? Yes	/ No
Producing Thru (Annulus / Tubing)				% Carbon Dioxide				% Nitrogen		Gas Gravity - G		
Annulus				.157				1.115		0.72		
Vertical D	Pepth(H	1)				Pres	sure Taps				(Meter	Run) (Prover) Si
Pressure	Buildu	p: :	Shut in De	c 19 ₂	0 11 at		(AM) (PM)	Taken De	ec 22	20	11 at	(AM) (PM
Well on Line:			Started 20) at		(AM) (PM) Taken			20	at	(AM) (PM
						OBSERVE	D SURFACE	DATA			Ouration of Shut	-in Ho
Static / Orifice Dynamic Size Property (inches)		е	Circle one: Meter Prover Pressi psig (Pm)	Pressure Differential in Inches H ₂ 0	Temperature Tempera		re Wellhead Pressure (P _w) or (P ₁) or (P _c)		Tubing Wellhead Pressure (P_w) or (P_t) or (P_c)		Duration (Hours)	Liquid Produce (Barrels)
Shut-In			poig (i iii)	manes H ₂ 0			psig 21	psia	pump	psia	24	
Flow												
	·····					FLOW STE	REAM ATTRI	BUTES				
Ptate Coefficient (F _b) (F _p) Mofd		Circle one: Meter or Prover Pressure psia		Press Extension	Factor		Flowing Temperature Factor F ₁₁		iation ctor	Metered Flor R (Mcfd)	w GOR (Cubic Fo Barrel	Genuib
					(OPEN FL	OW) (DELIV	'ERABILITY)	CALCUL	ATIONS		(P.)² = 0.207
(P _c)² =		=:	(P _*) ² =		P _d =		% (P	_c - 14.4) +	14.4 =	: _	(P _a)2 =
$(P_{e})^{2} \cdot (P_{a})^{2}$ or $(P_{e})^{2} \cdot (P_{d})^{2}$		(P _c) ² - (P _w) ²		1. P _c ² - P _s ² 2. P _c ² - P _d ² divided by: P _c ² - P _d ²	P ² -P ² LOG of formula P ² -P ² 1. or 2.		Backpress Slope Per Press Standar		'n" n x LOG		Antilog	Open Flow Deliverability Equals R x Antil (Mcfd)
		·										
Open Flor				Mcfd @ 14.	65 psia		Deliverabl	lity			Mcfd @ 14.65 ps	ia
The	undersi	igned	authority, o	n behalf of the	Company, s	states that h	ne is duly au	thorized to	o make th	e above repo	ort and that he ha	as knowledge of
the facts s	tated th	herei	n, and that s	ald report is true	and correc	t. Executed	this the	23rd	#gy of	January		, 20 12
<u> </u>			Witness (if any)		F	RECEIVI	<i>C9</i> D	Kh.	For (Sanuto Company	
			For Comn	nission		J	AN 26 2	2012	• •	Che	cked by	

KCC WICHITA

	er penalty of perjury under the laws of the state of Kansas that I am authorized to request er Rule K.A.R. 82-3-304 on behalf of the operator H&B Petroleum Corporation
and that the foreg correct to the best of equipment insta	oing pressure information and statements contained on this application form are true and of my knowledge and belief based upon available production summaries and lease records flation and/or upon type of completion or upon use being made of the gas well herein named. st a one-year exemption from open flow testing for the Pyle "B" No. 1
	ounds that said well:
-	is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No is not capable of producing at a daily rate in excess of 250 mcf/D to supply to the best of my ability any and all supporting documents deemed by Commission to corroborate this claim for exemption from testing.
	Signature: President

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

RECEIVED

JAN 2 6 2012

KCC WICHITA