KCC WICHITA

KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Open Flow	
✓ Deliverability Test Date: API No. 15 01/28/2012 - 01/29/2012 15-047-21, 418-0000	
Company Lease Well Nu	nber
F.G. Holl Company, L.L.C. SHARTZ 9-12	
County Location Section TWP RNG (E/W) Acres At	tributed
Edwards SE SE SW 12 24S 17W	
Field Reservoir Gas Gathering Connection	
Enlow-Massey Fort Riley & Florence Semgas Gathering L.L.C. Completion Date Plug Back Total Depth Packer Set at	
Completion Date Plug Back Total Depth Packer Set at 04/28/2000 2840' None	
Casing Size Weight Internal Diameter Set at Perforations To	·····
4-1/2" 10.5# 2871' 2319-2326 2369-72, 23	82-84
Tubing Size Weight Internal Diameter Set at Perforations To	
2-3/8"	1.
Type Completion (Describe) Type Fluid Production Pump Unit or Traveling Plunger? Yes / No	
Commingled Pumping unit Producing Thru (Annulus / Tubing) % Carbon Dioxide % Nitrogen Gas Gravity - G	
· · · · · · · · · · · · · · · · · · ·	•
Tubing Vertical Depth(H) Pressure Taps (Meter Run) (Pressure Taps)	ver) Size
Flange 2"	1017 0120
Pressure Buildup: Shut in 01/28/2012 19 at 8:00 (AM) (PM) Taken 01/28/2012 19 at 8:00 (
Well on Line: Started 01/29/2012 19 at 8:00 (AM) (PM) Taken 01/29/2012 19 at 8:00 (AM) (PM)
OBSERVED SURFACE DATA Duration of Shut-in 24	Hours
Static / Orifice Circle one: Pressure Flowing Well Head Casing Tubing Static / Orifice Meter or Differential Flowing Well Head Wellhead Pressure Wellhead Pressure Duration Liquid	Produced
Dynamic Size Prover Pressure in (h) Imperature Temperature $(P_w) \propto (P_t) \approx ($	arrels)
psig Inches H ₂ 0 psig psia psig psia	
Shut-in 118 30 24	
Flow	
FLOW STREAM ATTRIBUTES	
Circle and	Etauda a
Coefficient Materior Extension Factor Temperature Factor P	Flowing Fluid
(F _b)(F _p) Prover Pressure SP x H F Factor F (Mcfd) Barrel)	Gravity
Mcfd psia F _{rt}	G _m
(OPEN FLOW) (DELIVERABILITY) CALCULATIONS $(P_s)^2 = 0.2$	17
$(P_c)^2 = $: $(P_w)^2 = $: $P_d = $. $(P_c - 14.4) + 14.4 = $: $(P_d)^2 = $.	,
Choose formula 1 or 2:	en Flow
$(P_e)^2 - (P_e)^2$ $(P_e)^2 - (P_m)^2$ 1. $P_e^2 - P_e^2$ LOG of formula Slope = 'n' n x LOG Deli	verability
(P _p) ² -(P _q) ² 2. P _q a divise P _{2-P2} Assigned Equals	R x Antilog Mcfd
divided by: P2-P2 by: [5 'W] Standard Slope	MCIO
One Floring Met CA105 and Della cabilla	·····
Open Flow Mcfd @ 14.65 psia Deliverability Mcfd @ 14.65 psia	
The undersigned authority, on behalf of the Company, states that he is duly authorized to make the above report and that he has knowledge of	the facts
stated therein, and that said report is true and correct. Executed this the day of	 .
Witness (if any) For Company DEOP	
RECEI	VED

exemp and th the be tion ar	declare under penalty or perjury under the laws of the state of Kansas that I am authorized to request of status under Rule K.A.R. 82-3-304 on behalf of the operator F.G. Holl Company, L.L.C. at the foregoing information and statements contained on this application form are true and correct to st of my knowledge and belief based upon gas production records and records of equipment installated/or of type completion or upon use of the gas well herein named.
	ereby request a permanent exemption from open flow testing for the SCHARTZ 9-12 ell on the grounds that said well:
	is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No. is incapable of producing at a daily rate in excess of 250 mcf/D
Date: _.	01/30/2012
	Signature:

Instructions:

All active gas wells must have at least an original G-2 form on file with the conservation division. If a gas well meets the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to obtain a testing exemption.

At some point during the succeeding calendar year, wellhead shut-in pressure shall be measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under "observed surface data." Shut-in pressure shall thereafter be reported yearly in the same manner.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than thirty (30) days after the taking of the pressure reading. The form must be signed and dated on the front side as though it was a verified report of test results.

JAN 3 1 2012

KCC WICHITA