Form G-2 (Rev. 7/03)

KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

| Type Test: | ; | | | | (5 | See Inst | tructio | ons on Rev | erse Side |) | | | | | |
|--|-----------------------------|---|-----------------------------------|---|-----------------------------|--|--|--|--|--|---------------------------------|--|------------------------------|--|--|
| | en Flow iverabilty | | | | Test Date | : | | | | | No. 15 29-21096 - | ©90] | | | |
| Company PIONEE | | OMPANY, I | NC. | | | | | Lease HARRIS | ON | | | 1-9 | Vell Nu | ımber | |
| County Location MORTON SE NW | | | Section 9 | | | TWP 32S | | RNG (E/W) 40W | | , | Acres Attributed | | | | |
| Field UNNAMED | | | Reservoir ATOKA | | | | Gas Gathering Connectio BP AMERICA PROD. | | | | | | | | |
| Completion Date 07.22.00 | | | Plug Back | Total (| | Packer Set at NONE | | et at | | | | | | | |
| Casing Size Weight 4.500 10.500 | | | Internal Diameter 4.000 | | | Set at 5009 | | Perforations 4950 | | то 4956 | то 4956 | | | | |
| | ibing Size Weight | | | - | Internal Diameter 1.995 | | | Set at 5009 | | Perforations | | То | То | | |
| Type Completion (Describe) SINGLE GAS | | | | Type Fluid Production WATER | | | | | | ng Plunger? Yes / No · | | | | | |
| | Thru (A | nnulus / Tubi | ng) | | | arbon E | Dioxid | le | , | % Nitroge | | Gas Gra | avity - | G ₀ | |
| Vertical D | | · | | | | F | ress | ure Taps | | | | (Meter F | Run) (P | rover) Size | |
| 5700 Pressure | Ruildun | Shut in (o | DEC | 20 | 1 a | 0:0 | 0 6 | (AM) (PM) | Taken 7 | DEC | 20 | 11 at 10:0 | 10 / | (AM)(PM) | |
| Well on L | • | | | | | | • | | | | | at | 7 | | |
| | | | | | | OBSE | RVE | SURFACE | DATA | . | | Duration of Shut- | in | Hours | |
| Static / Dynamic Property | Orifice Size (inches) | Prover Pres. | Differer in | itial . | Flowing Temperature t | Well Head Temperature t | | Casing Wellhead Pressure (P _w) or (P ₁) or (P _c) | | Tubing Wellhead Pressure (P_w) or (P_c) or (P_c) | | Duration (Hours) | Liquid Produced (Barrels) | | |
| Shut-In | _ | poig (viii | , mands | 1,20 | | | | 51 | psia | psig | psia | | | | |
| Flow | | | | | | | | | | | | | | | |
| | | | | | <u> </u> | FLOW | STRI | EAM ATTRI | BUTES | · | | | | | |
| Plate Coefficcient (F _b) (F _g) Mcfd | | Circle one: Meter or Prover Pressure psia | Pres Extens | ion | Grav Fact | or TE | | Flowing emperature Factor | Deviation Factor F _{pv} | | Metered Flow R (Mcfd) | GOR (Cubic Fe Barrel) | et/ | Flowing Fluid Gravity G _m | |
| | | | | | | | | | | | | | | | |
| (P _c)² = | | : (P.)² | = <u></u> | : | (OPEN FL | | ELIVE % | ERABILITY) 6 (P | CALCUL - 14.4) + | | : | (P _a) (P _d) | ² = 0.2 | 207 | |
| (P _c) ² - (I or (P _c) ² - (I | • | (P _c) ² - (P _w) ² | 2. P _e ² -1 | 1. P _e ² - P _e ² 2. P _e ² - P _e ² | | LOG of formula 1. or 2. and divide by: | | Backpressu Slope | | | og [| Antilog | O | Open Flow Deliverability Equals R x Antilog (Mcfd) | |
| | | | orrobo by. I'c | ** | -7. | | | | | | | | | | |
| Open Flo | w | · | Mcfd @ | 14.6 | S5 psia | | | Deliverab | ility | | | Mcfd @ 14.65 psi | a | | |
| | | ned authority, | | | - | itates th | nat he | | 7 | to make th | | rt and that he ha | | vledge of | |
| he facts s | tated the | rein, and that | said report i | s true | and correc | t. Exec | uted | this the | 29_ | day of | DECEN | 48-67L | ı | 20 | |
| | | Witness | (if any) | | | | _ | ••• | 170 | SUS | R OU | Company | m | RECEIV | |
| | | | mission | | 4.44 | | | _ | | | | ked by | | TARE DE | |
| | | 15.50 | | | | | | | | | | ···-= = = ; | | JAN 04 | |

KCC WICHITA

| exempt status un | ler penalty of perjury under the laws of the state of Kansas that I am authorized to request der Rule K.A.R. 82-3-304 on behalf of the operator PIONEER OIL COMPANY, INC. |
|---|--|
| correct to the bes of equipment ins I hereby requ | going pressure information and statements contained on this application form are true and it of my knowledge and belief based upon available production summaries and lease records allation and/or upon type of completion or upon use being made of the gas well herein named. The est a one-year exemption from open flow testing for the HARRISON 1-9 rounds that said well: |
| • | is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No is not capable of producing at a daily rate in excess of 250 mcf/D the to supply to the best of my ability any and all supporting documents deemed by Commission by to corroborate this claim for exemption from testing. |
| Date: _ C | Signature: |

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

JAN 04 2012

KCC WICHITA