## KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

| Type Tes   | st:        |                    |   |   |  | (See Instruc  | tions on Re  | verse Side                                   | 9)             |   |  |  |
|--|------------|--------------------|---|---|--|---|--|--|----------------|---|--|--|
| □ ∘  | pen F      | low                |   |   |  |   |  |  |                |   |  |  |
| <b>√</b> D   | elivera    | bilty              |   |   | Test Dat<br>01/07/2                                |   |  |  |                | PI No. 15<br>-175-21388   | -0001                                  |  |
| Compan<br>MERIT  |            | RGY                | COMPANY   |   |  |   | Lease<br>MALIN                                     |  |                |   |  | Well Number<br>A-3                                 |
| County   | RD         |                    | Locat<br>330' FS                                | ion<br>L & 330' FEL   | Section<br>34                                      | · · · · · · · · · · · · · · · · · · ·                     | TWP<br>33S   | <del></del>                                  | RNG (E         | E/W)  |  | Acres Attributed                                   |
| Field<br>ADAMS   | ON         |                    |   |   | Reservoi   | r<br>MORROV   | ······································             |  |                | athering Conf   | nection                                | V.0  |
| Completi<br>05/19/1                                    |            | ate                | · · · · · · · · · · · · · · · · · · ·           | <b></b>   |  | k Total Dep   |  |  | Packer         | Set at  | <del> </del>                           | <u></u>  |
| Casing S   |            |                    | Weigh   |   | Internal   | Diameter  | Set a  |  |                | orations  | То                                     |  |
| 5.5<br>Tubing S  | Size       |                    | 15.5#<br>Weigh                                  |   | 4.95<br>Internal I                                 | Diameter  | 6664<br>Set a                                      |  | 631<br>Perfe   | orations  | 6318<br>To                             | <u> </u>   |
| 2.375  |            |                    | 4.7   |   | 1.995  |   | 4424   | 4'   | NA             |   | NA                                     |  |
| Type Cor<br>SINGLI                                     | E GA       | S                  |   |   | Type Flui  | id Production<br>R  | n  |  | Pump U<br>PUMP | Init or Traveling<br>PING UNIT                                      | g Plunger? Yes                         | s / No   |
| Producin<br>TUBING                                     | -          | u (An              | nulus / Tubin                                   | 3)  | % (  | Carbon Dioxi  | de   |  | % Nitro        | gen   | Gas G                                  | Gravity - G  |
| Vertical I   | Depth(     | H)                 | - · · -   |   |  | Pres  | sure Taps  |  |                |   | (Meter                                 | Run) (Prover) Size                                 |
| 4393'  |            |                    |   |   |  | FLA   |  |  |                |   | 4                                      |  |
| Pressure   | Build      |                    |   |   |  |   |  |  |                |   | 11 at 9:30 /                           |  |
| Well on L  | .ine:      |                    | Started   | 2   | 0 at   |   | (AM) (PM)  | Taken  |                | 20  | at                                     | (AM) (PM)  |
|  |            |                    |   | <del></del>   | ·  | OBSERVE   | D SURFACE  | DATA   |                | -   | Duration of Shu                        | t-in Hours   |
| Static /<br>Dynamic<br>Property                        | •          | lice<br>ze<br>nes) | Circle one: Mater Prover Pressu                 |   | Flowing<br>Temperature<br>t                        | Well Head<br>Temperature<br>t                             | Casi<br>Wellhead F<br>(P_) or (P,                  | ressure                                      | Weilho         | Tubing<br>ead Pressure<br>or (P <sub>r</sub> ) or (P <sub>e</sub> ) | Duration<br>(Hours)                    | Liquid Produced<br>(Barrels)                       |
| Shut-In  | .50        |                    | psig (Pm)                                       | Inches H <sub>2</sub> 0   |  |   | psig   | psia<br>25                                   | psig           | psia<br>O   | 24                                     |  |
| Flow   |            |                    |   |   |  |   |  |  |                |   | <u> </u>                               | <del> </del>                                       |
|  |            |                    |   |   |  | FLOW STR  | EAM ATTRI  | BUTES  |                | <del></del>   | <u> </u>                               |  |
| Plate<br>Coeffieci<br>(F <sub>b</sub> ) (F<br>Mcfd     | ient<br>,) |                    | Circle one:<br>Meter or<br>ver Pressure<br>psia | Press<br>Extension<br>Pmxh  | Grav<br>Fact<br>F <sub>e</sub>                     | or T  | Flowing<br>emperature<br>Factor<br>F <sub>II</sub> | Devi<br>Fac<br>F                             | tor            | Metered Flov<br>R<br>(Mcfd)   | GOR<br>(Cubic F<br>Barrel              | eet/ Fluid   |
| <u> </u>   |            |                    |   | <del></del>   |  |   |  | <u> </u>                                     |                |   | <u> </u>                               |  |
| (P <sub>c</sub> ) <sup>2</sup> =                       |            | _:                 | (P_*)2 =_                                       | :   | OPEN FLC   |   | ERABILITY)<br>6 (P <sub>e</sub>                    | - 14.4) +                                    |                | :   | (P <sub>a</sub> )<br>(P <sub>d</sub> ) | ) <sup>2</sup> = 0.207<br>) <sup>2</sup> =         |
| (P <sub>e</sub> )²- (P<br>or<br>(P <sub>e</sub> )²- (P | _          | (P                 | 。)²- (P <sub>w</sub> )²                         | 1. P <sub>c</sub> <sup>2</sup> - P <sub>a</sub> <sup>2</sup> 2. P <sub>c</sub> <sup>2</sup> - P <sub>c</sub> <sup>2</sup> Wided by: P <sub>c</sub> <sup>2</sup> - P <sub>c</sub> <sup>2</sup> | LOG of<br>formula<br>1. or 2.<br>and divide<br>by: | P <sub>c</sub> <sup>2</sup> . P <sub>e</sub> <sup>2</sup> | Slope  | sure Curve<br>= "n"<br>or<br>gned<br>d Slope | nxl            | roc   | Antilog                                | Open Flow Deliverability Equals R x Antilog (Mcfd) |
|  |            |                    |   |   |  |   |  |  |                |   |  |  |
|  |            |                    |   |   | . [  |   |  |  | <u> </u>       |   |  |  |
| Open Flow  | <u> </u>   |                    |   | Mcfd @ 14.6   | 55 psia  | _   | Deliverabili                                       | ty   |                |   | Mcfd @ 14.65 ps                        | <u> </u>   |
|  |            |                    |   | behalf of the o   |  |   |  |  |                | e above repor<br>ECEMBER  | rt and that he ha                      | _  |
| io iauta ale   | (I         | .010111            | , and mai sal                                   | a report is tide  |  |   |  | m C  |                | 1 (   |  | RECEIVED   |
|  |            |                    | Witness (if a                                   | ny)   |  | RECEIV  |  | ,,,,,  | my             | For Co  | отралу                                 |  |
|  |            |                    | For Commiss                                     | sion  | -···   | IAN 25  | 2012 —   |  |                | Check   | ked by                                 | DEC 1 6 2011                                       |

KCC WICHITA

KCC WICHITA

|  | er penalty of perjury under the laws of the state of Kansas that I am authorized to request der Rule K.A.R. 82-3-304 on behalf of the operator MERIT ENERGY COMPANY  |
|--|--|
| and that the fore<br>correct to the bes<br>of equipment inst | going pressure information and statements contained on this application form are true and tof my knowledge and belief based upon available production summaries and lease records allation and/or upon type of completion or upon use being made of the gas well herein named.   |
|  | est a one-year exemption from open flow testing for the MALIN A-3 rounds that said well:   |
| =  | is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No. is not capable of producing at a daily rate in excess of 250 mcf/D e to supply to the best of my ability any and all supporting documents deemed by Commission to corroborate this claim for exemption from testing. |
|  | Signature:   |

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under OBSERVED SURFACE DATA. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption IS denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.