# For KCC Use: 5-6-2012 Effective Date: District # 3 SGA? Yes XNo

#### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
March 2010
Form must be Typed
Form must be Signed
All blanks must be Filled

### NOTICE OF INTENT TO DRILL

Expected Spud Date:		1 2012 lay year	Spot Description:	
		ay your	SE - NW - SE - SE Sec. 32 Twp. 20 S. R. 21	E W
OPERATOR: License#	9267		feet from N / X S Line	of Section
Name:	JRC Oil Company, Inc.		feet from KE / W Line	of Section
Address 1:			Is SECTION: X Regular Irregular?	
Address 2:	24110 NE Vermont Road		(Note: Locate well on the Section Plat on reverse side)	
City: Garnett		Zip: <u>66032</u> + <u>0426</u>	County: Anderson	
Contact Person: Mike Co Phone: 785-448			Lease Name: Bandy Well #: BM-2	2
rione.			Field Name: Bush City Shoestring	
CONTRACTOR: License	# 32079		Is this a Prorated / Spaced Field?	XNo
Name: John E. Leis	Loie Oil Services		Target Formation(s): Cherokee	
Well Drilled For:	Well Class:	Type Equipment:	Nearest Lease or unit boundary line (in footage): 495	
Xoil / DEnh	Rec XInfield	Mud Rotary —	Ground Surface Elevation: 990	feet MSL
Gas Stora		Air Rotary	Water well within one-quarter mile:	No
Disp	· 🛏	Cable	Public water supply well within one mile:	X No ¹
	of Holes Other	L	Depth to bottom of fresh water:50'	
Other:			Depth to bottom of usable water:125'	
——————————————————————————————————————			Surface Pipe by Alternate:	
if OWWO: old wel	Il information as follows:		Length of Surface Pipe Planned to be set: 20'	
Operator:			Length of Conductor Pipe (if any): 0'	
Well Name:			Projected Total Depth:800'	
Original Completion D	ote:Origin	nal Total Depth:	Formation at Total Depth: Cherokee	
			Water Source for Drilling Operations:	
Directional, Deviated or Ho	orizontal wellbore?	Yes X No	Well Farm Pond Other:	
f Yes, true vertical depth:			DWR Permit #:	
Bottom Hole Location:				
			(Note: Apply for Permit with DWR	
				X No
KCC DKT #:	r affirms that the drilling,	AF , completion and eventual p		No No
The undersigned hereby It is agreed that the follow  1. Notify the appropriate 2. A copy of the appropriate did uncons 4. If the well is dry ho 5. The appropriate did 6. If an ALTERNATE Or pursuant to Appropriate descriptions	r affirms that the drilling, wing minimum requirem rate district office <b>prior</b> to roved notice of intent to punt of surface pipe as solidated materials plus ole, an agreement betwee istrict office will be notified to the complete of the satern Kard within 30 days of the satern Within 30 days of the sa	AF, completion and eventual prents will be met: to spudding of well; drill shall be posted on each specified below shall be se a minimum of 20 feet into the distention pipe shall be cement in sas surface casing order # spud date or the well shall be setting to the spud date or the well shall be setting to the shall be setting to the setting order # spud date or the well shall be setting to the setting to the shall be setting to the setti	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; they circulating cement to the top; in all cases surface pipe shall be set ne underlying formation.  strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing.	ECEIV
The undersigned hereby It is agreed that the follow  1. Notify the appropriate 2. A copy of the appropriate did uncons 4. If the well is dry ho 5. The appropriate did 6. If an ALTERNATE Or pursuant to Appropriate descriptions	r affirms that the drilling, wing minimum requirem rate district office <b>prior</b> to roved notice of intent to punt of surface pipe as solidated materials plus ole, an agreement betwee istrict office will be notified to the complete of the satern Kard within 30 days of the satern Within 30 days of the sa	AF, completion and eventual prents will be met: to spudding of well; drill shall be posted on each specified below shall be se a minimum of 20 feet into the operator and the disted before well is either pluguction pipe shall be cement.	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; they circulating cement to the top; in all cases surface pipe shall be set ne underlying formation.  strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  In the proposed zone:  Yes  Yes  Yes  Yes  Yes  Yes  Yes  Y	ECEIV
The undersigned hereby It is agreed that the follow  1. Notify the appropri 2. A copy of the appr 3. The minimum amounthrough all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Appropriate to the completed hereby certify that the significant control of the completed of t	r affirms that the drilling, wing minimum requirem rate district office <i>prior</i> troved notice of intent to punt of surface pipe as solidated materials plus ole, an agreement betwee istrict office will be notified II COMPLETION, produce pendix "B" - Eastern Kard within 30 days of the setatements made herein	AF, completion and eventual prents will be met: to spudding of well; drill shall be posted on each specified below shall be se a minimum of 20 feet into the een the operator and the disied before well is either pluguction pipe shall be cement insas surface casing order spud date or the well shall be are true and to the best of	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  Jugging of this well will comply with K.S.A. 55 et. seq.  The drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;  Jugged or production casing i	ECEIV
The undersigned hereby t is agreed that the follow 1. Notify the appropri 2. A copy of the appr 3. The minimum amounthrough all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to App	r affirms that the drilling, wing minimum requirem rate district office <b>prior</b> to roved notice of intent to punt of surface pipe as solidated materials plus ole, an agreement betwee istrict office will be notified to the complete of the satern Kard within 30 days of the satern Within 30 days of the sa	AF, completion and eventual prents will be met: to spudding of well; drill shall be posted on each specified below shall be se a minimum of 20 feet into the een the operator and the disied before well is either pluguction pipe shall be cement insas surface casing order spud date or the well shall be are true and to the best of	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  It drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  It is the complete of the production casing is cemented in; It is ged or production casing is cemented in; It is defined below any usable water to surface within 120 DAYS of spud date.  If 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing any knowledge and belief.  Title:  Vice Presidentic	ECEIV
The undersigned hereby It is agreed that the follow  1. Notify the appropriate 2. A copy of the appropriate did in the well is dry hour of the appropriate did in the well is dry hour of the appropriate did in the well is dry hour of the appropriate did in the well is dry hour of the appropriate did in the well is dry hour of the well is dry	r affirms that the drilling, wing minimum requirem rate district office <i>prior</i> troved notice of intent to count of surface pipe as solidated materials plus ole, an agreement betwee istrict office will be notified in COMPLETION, produpendix "B" - Eastern Kall d within 30 days of the solidatements made herein Signature of Ope	AF, completion and eventual prents will be met: to spudding of well; drill shall be posted on each specified below shall be se a minimum of 20 feet into the enthe operator and the disted before well is either pluguction pipe shall be cemented as surface casing order spud date or the well shall be are true and to the best of erator or Agent:	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  If drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  In this continue of the set of the set of the set of the underlying formation.  If the underlying formation of the set of the underlying formation.  If the underlying formation of the underlying formation of the underlying formation.  If the underlying formation of the underlying formation.  If the underlying formation of the underlying formation.  If the underlying formation of the underlying formation of the underlying formation of the underlying formation of the underlying formation.  If the underlying formation of t	ECEIV R 3 0
The undersigned hereby it is agreed that the follow 1. Notify the appropriate A copy of the well is dry how through all uncons 4. If the well is dry how 5. The appropriate A copy of the appropriate A copy of the appropriate A copy of the copy certify that the solution is a copy of the	r affirms that the drilling, wing minimum requirem rate district office <i>prior</i> troved notice of intent to count of surface pipe as solidated materials plus ole, an agreement betwee istrict office will be notified in COMPLETION, produpendix "B" - Eastern Kall d within 30 days of the solidatements made herein Signature of Ope	AF, completion and eventual prents will be met: to spudding of well; drill shall be posted on each specified below shall be se a minimum of 20 feet into the enthe operator and the disted before well is either pluguction pipe shall be cemented as surface casing order spud date or the well shall be are true and to the best of erator or Agent:	If Yes, proposed zone:  FIDAVIT  Jugging of this well will comply with K.S.A. 55 et. seq.  If drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging;  ged or production casing is cemented in;  Jugging of this well will comply with K.S.A. 55 et. seq.  Strict office on plug length and placement is necessary prior to plugging;  ged from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing the plugged and belief.  Title: Vice President CCC  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification.	ECEIV R 3 0
The undersigned hereby it is agreed that the follow 1. Notify the appropriate 3. The minimum amounthrough all uncons 4. If the well is dry how 5. The appropriate di 6. If an ALTERNATE Or pursuant to Appropriate to the complete of the pursuant to the series of the pursuant to Appropriate of the Appropriate of	r affirms that the drilling, wing minimum requirem riate district office <i>prior</i> troved notice of intent to punt of surface pipe as solidated materials plus ole, an agreement betwee istrict office will be notified in COMPLETION, produpendix "B" - Eastern Kard within 30 days of the statements made herein Signature of Ope	AF, completion and eventual prents will be met: to spudding of well; drill shall be posted on each specified below shall be se a minimum of 20 feet into the een the operator and the disied before well is either pluguction pipe shall be cement in sas surface casing order support the properties of the erator or Agent:	If Yes, proposed zone:  FIDAVIT  Jugging of this well will comply with K.S.A. 55 et. seq.  If drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set to be underlying formation.  Strict office on plug length and placement is necessary prior to plugging; If ged or production casing is cemented in; If ged from below any usable water to surface within 120 DAYS of spud date.  If 33,891-C, which applies to the KCC District 3 area, alternate II cementing to the plugged. In all cases, NOTIFY district office prior to any cementing the plugged and belief.  Title:  Vice President  Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;	ECEIV R 3 0
The undersigned hereby it is agreed that the follow 1. Notify the appropriate 3. The minimum amounthrough all uncons 4. If the well is dry how 5. The appropriate di 6. If an ALTERNATE Or pursuant to Appropriate to the completer hereby certify that the second in the complete	r affirms that the drilling, wing minimum requirem riate district office <i>prior</i> troved notice of intent to punt of surface pipe as solidated materials plus ole, an agreement betwee istrict office will be notified in COMPLETION, produpendix "B" - Eastern Kard within 30 days of the statements made herein Signature of Open None	AF, completion and eventual prents will be met: to spudding of well; drill shall be posted on each specified below shall be se a minimum of 20 feet into the een the operator and the disted before well is either pluguction pipe shall be cement in sas surface casing order the spud date or the well shall be are true and to the best of the erator or Agent:	If Yes, proposed zone:  FIDAVIT  Sugging of this well will comply with K.S.A. 55 et. seq.  If drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  In strict office on plug length and placement is necessary prior to plugging; gred or production casing is cemented in; led from below any usable water to surface within 120 DAYS of spud date.  If 33,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing may knowledge and belief.  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;	ECEIV R 3 0 WICI
The undersigned hereby it is agreed that the follow 1. Notify the appropriate 3. The minimum amounthrough all uncons 4. If the well is dry how 5. The appropriate di 6. If an ALTERNATE Or pursuant to Appropriate to April 25, 2012  For KCC Use ONLY  API # 15	r affirms that the drilling, wing minimum requirem riate district office <i>prior</i> to roved notice of intent to punt of surface pipe as solidated materials plus ole, an agreement between istrict office will be notified. Il COMPLETION, produpendix "B" - Eastern Kand within 30 days of the solidated made herein Signature of Open Signature of Open None	AF, completion and eventual prents will be met: to spudding of well; drill shall be posted on each specified below shall be se a minimum of 20 feet into the een the operator and the disied before well is either pluguction pipe shall be cement in sas surface casing order support the properties of the erator or Agent:	If Yes, proposed zone:  If Yes	ECEIV R 3 0
The undersigned hereby it is agreed that the follow 1. Notify the appropriate 2. A copy of the appropriate 3. The minimum amounthrough all uncons 4. If the well is dry hour of 5. The appropriate die 6. If an ALTERNATE Or pursuant to Appropriate be completed thereby certify that the second certify that the second certify the second certify that the second certification cer	v affirms that the drilling, wing minimum requirem riate district office <i>prior</i> to roved notice of intent to punt of surface pipe as a solidated materials plus ole, an agreement betweet istrict office will be notified in the properties of the second of	AF, completion and eventual prents will be met: to spudding of well; drill shall be posted on each specified below shall be se a minimum of 20 feet into the een the operator and the disted before well is either pluguction pipe shall be cement in sas surface casing order the spud date or the well shall be are true and to the best of the erator or Agent:	If Yes, proposed zone:  If If Yes, proposed zone:  If It yes, proposed zone:  If It yes, proposed zone:  It yes, proposed zone.  It yes, proposed zone	ECEIV R 3 0 WICI
The undersigned hereby It is agreed that the follow  1. Notify the appropriate Appropriate discompleted  1. Notify the appropriate discompleted  2. A copy of the appropriate discompleted discompleted  3. The minimum amount through all uncons  4. If the well is dry hours and the appropriate discompleted	v affirms that the drilling, wing minimum requirem riate district office <i>prior</i> to roved notice of intent to punt of surface pipe as a solidated materials plus ole, an agreement betweet istrict office will be notified in the properties of the second of	AF, completion and eventual prents will be met: to spudding of well; drill shall be posted on each specified below shall be see a minimum of 20 feet into the een the operator and the disted before well is either plug uction pipe shall be cement insas surface casing order spud date or the well shall be are true and to the best of erator or Agent:	If Yes, proposed zone:  If Yes	ECEIV R 3 0 WICH 00 32 20 21
The undersigned hereby it is agreed that the follow 1. Notify the appropriate 2. A copy of the appropriate 3. The minimum amount through all uncons 4. If the well is dry house 16. If an ALTERNATE Or pursuant to Approved by certify that the second the completed hereby certify that the second to the complete second to the	r affirms that the drilling, wing minimum requirem riate district office <i>prior</i> froved notice of intent to pount of surface pipe as solidated materials plus ole, an agreement between istrict office will be notified. If COMPLETION, production of the set	AF, completion and eventual prents will be met: to spudding of well; drill shall be posted on each specified below shall be see a minimum of 20 feet into the een the operator and the disted before well is either plug uction pipe shall be cement insas surface casing order spud date or the well shall be are true and to the best of erator or Agent:	If Yes, proposed zone:  If Yes	ECEIV R 3 0 C WICI

For KCC Use ONLY API#15-003-25459-000

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	JRC Oil Com	pany, Inc.	Location of Well: County: Anderson
	andy		825 feet from N / X S Line of Sec
Well Number	BM-22		874 feet from X E / W Line of Sec
Field: Bu	sh City Shoestring		Sec. 32 Twp. 20 S. R. 21 X E W
		2.5	
	cres attributable to well:		ls Section: Regular or Irregular
QTR/QTR/Q	TR/QTR of acreage: SE	<u>NW _ SE _ SE</u>	
			If Section is Irregular, locate well from nearest corner boundary.
			Section comer used: NE NW SE SW
			PLAT
	Show location of the	well. Show footage to the neare	st lease or unit boundary line. Show the predicted locations of
1	ease roads, tank batteries, į	oipelines and electrical lines, as	required by the Kansas Surface Owner Notice Act (House Bill 2032).
			separate plat if desired.
1320'	10 Acres in the	Southeast Quarter	of Section 32-T20S-R21E
1320		-Ø-	
Ì		W-69	LEGEND
			O Well Location
			Tank Battery Location
			Pipeline Location
			: 1 Electric Line Location
	BK-24	3 BM-24	Lease Road Location
			:
			EXAMPLE
		$\alpha$	EXAMPLE
990'	: 04:	<del></del>	
	70	W-172	
	: W-/6 :	:	·
	:		
		· _ · _ · _ O · _	
	BK-22	13 BM-22	₩-75
			, ,
		BL-21 14	
			SEWARD CO. 3390' FEL.
6601		·	
	NOTE: In all cases locate t	the spot of the proposed drilli	g locaton. 660 †

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT 15003-25459-00-00

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Address 1:	SE Sec. 32 Twp. 20 S. R. 21 XEas West  Anderson  Bandy  Well #: BM-22  m T-1 for multiple wells on a lease, enter the legal description of
Address 1:	Anderson  Bandy  Well #: BM-22  m T-1 for multiple wells on a lease, enter the legal description of
Address 2: State: Kansas Zip: 66032 0426	Bandy Well #: BM-22 m T-1 for multiple wells on a lease, enter the legal description of
City: Mike Colvin	m T-1 for multiple wells on a lease, enter the legal description of
Contact Person: Mike Colvin the lease below the lease below Phone: (785_) 448-8112 Fax: (	low:
Surface Owner Information:  Name: JRC Oil Company, Inc.  Address 1: P. O. Box 426	
Surface Owner Information:  Name: JRC Oil Company, Inc.  Address 1: P. O. Box 426	
Name:	
Address 1: P. O. Box 426  Address 2: 24110 NE Vermont Road  City: Garnett  State: Kansas Zip: 66032 + 0426  If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cathodic Protection Bothe KCC with a plat showing the predicted locations of lease roads, tank batteries, pipelir are preliminary non-binding estimates. The locations may be entered on the Form C-1 pl.  Select one of the following:  I certify that, pursuant to the Kansas Surface Owner Notice Act (House Bill 20 owner(s) of the land upon which the subject well is or will be located: 1) a copy CP-1 that I am filing in connection with this form; 2) if the form being filed is a Foform; and 3) my operator name, address, phone number, fax, and email address  I have not provided this information to the surface owner(s). I acknowledge that, KCC will be required to send this information to the surface owner(s). To mitigat task, I acknowledge that I am being charged a \$30.00 handling fee, payable to the surface owner of the surface owner(s). To mitigate the second option, submit payment of the \$30.00 handling fee with this form	
Address 2:	Form T-1 involving multiple surface owners, attach an additional all of the information to the left for each surface owner. Surface
State: Kansas Zip: 66032 + 0426  If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cathodic Protection Bo the KCC with a plat showing the predicted locations of lease roads, tank batteries, pipelir are preliminary non-binding estimates. The locations may be entered on the Form C-1 pl  Select one of the following:  I certify that, pursuant to the Kansas Surface Owner Notice Act (House Bill 20 owner(s) of the land upon which the subject well is or will be located: 1) a copy CP-1 that I am filing in connection with this form; 2) if the form being filed is a Fo form; and 3) my operator name, address, phone number, fax, and email address  I have not provided this information to the surface owner(s). I acknowledge that, KCC will be required to send this information to the surface owner(s). To mitigat task, I acknowledge that I am being charged a \$30.00 handling fee, payable to the surface owner(s).	ation can be found in the records of the register of deeds for the native real estate property tax records of the county treasurer.
the KCC with a plat showing the predicted locations of lease roads, tank batteries, pipelin are preliminary non-binding estimates. The locations may be entered on the Form C-1 plate Select one of the following:  I certify that, pursuant to the Kansas Surface Owner Notice Act (House Bill 20 owner(s) of the land upon which the subject well is or will be located: 1) a copy CP-1 that I am filing in connection with this form; 2) if the form being filed is a Fo form; and 3) my operator name, address, phone number, fax, and email address  I have not provided this information to the surface owner(s). I acknowledge that, KCC will be required to send this information to the surface owner(s). To mitigat task, I acknowledge that I am being charged a \$30.00 handling fee, payable to the surface owner(s).	The real section property tax records or the county treasurer.
owner(s) of the land upon which the subject well is or will be located: 1) a copy CP-1 that I am filing in connection with this form; 2) if the form being filed is a Fo form; and 3) my operator name, address, phone number, fax, and email address  I have not provided this information to the surface owner(s). I acknowledge that, KCC will be required to send this information to the surface owner(s). To mitigat task, I acknowledge that I am being charged a \$30.00 handling fee, payable to the choosing the second option, submit payment of the \$30.00 handling fee with this form	the state of the s
KCC will be required to send this information to the surface owner(s). To mitiga task, I acknowledge that I am being charged a \$30.00 handling fee, payable to the second option, submit payment of the \$30.00 handling fee with this form	olat, Form CB-1 plat, or a separate plat may be submitted.
If choosing the second option, submit payment of the \$30.00 handling fee with this form	032), I have provided the following to the surface y of the Form C-1, Form CB-1, Form T-1, or Form orm C-1 or Form CB-1, the plat(s) required by this
form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1 will be returned.	032), I have provided the following to the surface y of the Form C-1, Form CB-1, Form T-1, or Form orm C-1 or Form CB-1, the plat(s) required by this s.
hereby certify that the statements made herein are true and correct to the best of my kr	032), I have provided the following to the surface y of the Form C-1, Form CB-1, Form T-1, or Form orm C-1 or Form CB-1, the plat(s) required by this s.  It, because I have not provided this information, the ate the additional cost of the KCC performing this the KCC, which is enclosed with this form.  If the fee is not received with this form, the KSONA-1
Date: April 25, 2012 Signature of Operator or Agent: Wilheld, Col	032), I have provided the following to the surface y of the Form C-1, Form CB-1, Form T-1, or Form orm C-1 or Form CB-1, the plat(s) required by this s.  It, because I have not provided this information, the ate the additional cost of the KCC performing this the KCC, which is enclosed with this form.  In. If the fee is not received with this form, the KSONA-1 d.

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 May 2010 Form must be Typed

#### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: JRC Oil Company, Inc. License Number: 9267 Operator Address: P. O. Box 426 24110 NE Vermont Road Garnett Kansas 66032 Contact Person: Mike Colvin Phone Number: 785-448-8112 Lease Name & Well No.: Bandy **BM-22** Pit Location (QQQQ): SE NW SE SE Type of Pit: Pit is: Sec. 32 Twp. 20 R. 21 | X East | West Emergency Pit Burn Pit X Proposed Existing Settling Pit X Drilling Pit If Existing, date constructed: 825 Feet from North / X South Line of Section Workover Pit Haul-Off Pit 874 Feet from X East / West Line of Section (If WP Supply API No. or Year Drilled) Pit capacity: 143 Anderson (bbls) County Is the pit located in a Sensitive Ground Water Area? Yes X No Chloride concentration: (For Emergency Pits and Settling Pits only) is the bottom below ground level? **Artificial Liner?** How is the pit lined if a plastic liner is not used? X Yes No Yes X No Surface Clay 20 10 Pit dimensions (all but working pits): Length (feet) Width (feet) N/A: Steel Pits Depth from ground level to deepest point: \_ (feet) No Pit If the pit is lined give a brief description of the liner Describe procedures for periodic maintenance and determining material, thickness and installation procedure. liner integrity, including any special monitoring. None Distance to nearest water well within one-mile of pit: 50 Depth to shallowest fresh water feet Source of information: None X measured feet Depth of water well \_ well owner electric log KDWR feet **Emergency, Settling and Burn Pits ONLY: Drilling, Workover and Haul-Off Pits ONLY:** Fresh H2O Producing Formation: Type of material utilized in drilling/workover: Number of producing wells on lease: \_\_\_\_ Number of working pits to be utilized: Barrels of fluid produced daily:\_ Backfill with backhoe Abandonment procedure: Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must be closed within 365 days of spud date. RECEIVED I hereby certify that the above statements are true and correct to the best of my knowledge and belief. APR 3 0 2012 April 25, 2012 Date Signature of Applicant or Agent KCC OFFICE USE ONLY Liner Steel Pit RFAC Permit Date: <u>5-/-/2</u> Lease Inspection: Yes 🗖 No Date Received: 4-30-12 Permit Number: