For KCC Use: Effective Date: 579-2012 District # 3 SGA? Mes XNo

Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1
March 2010
Form must be Typed
Form must be Signed
All blanks must be Filled

NOTICE OF INTENT TO DRILL

expected Spud Date: May 16 2012	Spot Description: CEL NE SE NW NW
month day year	NE - SE - NW - NW Sec. 33 Twp. 20 S. R. 21 XE W
9267	(Q/Q/Q/Q) 4,125 feet from N / X S Line of Section
PERATOR: License# JRC Oil Company, Inc.	3,970 Feet from X E / W Line of Section
ddress 1: P. O. Box 426	Is SECTION: Regular Irregular?
ddress 2: 24110 NE Vermont Road	
ty: Garnett State: Kansas Zip: 66032 + 0426	
ontact Person: Mike Colvin	County.
none: 785-448-8112	Purch City Characterists
22070	Field Name.
THE POLICE LINE IN COLUMN TO THE POLICE LINE	Is this a Prorated / Spaced Field?Yes ∑No ✓
ame: John E. Leis	Target Formation(s): Cherokee
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 475
XOil Enh Rec XInfield XMud Rotary	Ground Surface Elevation: 1,005 feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic : # of Holes Other	Depth to bottom of fresh water: 50'
Other:	Depth to bottom of usable water:
	Surface Pipe by Alternate:
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any): None
Well Name:	Projected Total Depth: 800'
Original Completion Date: Original Total Depth:	Formation at Total Depth: Cherokee
Original Completion Bate Original Total Beptil	Water Source for Drilling Operations:
rectional, Deviated or Horizontal wellbore?	Well Farm Pond X Other:
es, true vertical depth:	Chairman Manna
ttom Hole Location:	DWR Permit #:(Note: Apply for Permit with DWR)
OC DKT#:	
	─ Will Cores be taken? Yes No •
	If Yes, proposed zone:
	FFIDAVIT
<u> </u>	plugging of this well will comply with K.S.A. 55 et. seq.
<u>-</u>	plugging of this well will comply with K.S.A. 55 et. seq.
s agreed that the following minimum requirements will be met:	RECE:
is agreed that the following minimum requirements will be met:	RECT.
is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be</i> so	ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be selface.
s agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be</i> so	RECEIVE ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be seMAV.
s agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be</i> so	ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be selface.
 s agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on ea The minimum amount of surface pipe as specified below <i>shall be</i> s through all unconsolidated materials plus a minimum of 20 feet into If the well is dry hole, an agreement between the operator and the c The appropriate district office will be notified before well is either plus 	ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be seMAY 1 1 2 the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in;
 s agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on e. The minimum amount of surface pipe as specified below <i>shall be</i> s through all unconsolidated materials plus a minimum of 20 feet into If the well is dry hole, an agreement between the operator and the c The appropriate district office will be notified before well is either plu If an ALTERNATE II COMPLETION, production pipe shall be cement 	RECEIVE set by circulating cement to the top; in all cases surface pipe shall be seMAY 1 1 2 the underlying formation. district office on plug length and placement is necessary prior to pluaging; ugged or production casing is cemented in;
 s agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on e. The minimum amount of surface pipe as specified below <i>shall be</i> intrough all unconsolidated materials plus a minimum of 20 feet into If the well is dry hole, an agreement between the operator and the city of the appropriate district office will be notified before well is either plus. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order 	RECEIVE set by circulating cement to the top; in all cases surface pipe shall be seMAY 1 1 2 the underlying formation. district office on plug length and placement is necessary prior to plugging; bugged or production casing is cemented in; neted from below any usable water to surface within 120 DAYS of spud date.
 agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on e. The minimum amount of surface pipe as specified below <i>shall be</i> s through all unconsolidated materials plus a minimum of 20 feet into If the well is dry hole, an agreement between the operator and the c The appropriate district office will be notified before well is either plu If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall 	RECEIVE ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be seMAY 1 2 to the underlying formation. district office on plug length and placement is necessary prior to plugging; sugged or production casing is cemented in; mited from below any usable water to surface within 120 DAYS of spud date. ** #133,891-C, which applies to the KCC District 3 area, alternate II cementing to be plugged. ** In all cases, NOTIFY district office prior to any cementing.
 agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on e. The minimum amount of surface pipe as specified below <i>shall be</i> s through all unconsolidated materials plus a minimum of 20 feet into If the well is dry hole, an agreement between the operator and the c. The appropriate district office will be notified before well is either plus. If an ALTERNATE II COMPLETION, production pipe shall be cemerated or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the spud case of the spud to the best of the spud to the statements made herein are true and to the best of the spud state of the spud to the spud to the best of the spud state of the spud to the spud	RECEIVE set by circulating cement to the top; in all cases surface pipe shall be semay 1 1 20 the underlying formation. district office on plug length and placement is necessary prior to plugging; bugged or production casing is cemented in; and placement in the form below any usable water to surface within 120 DAYS of spud date. The #133,891-C, which applies to the KCC District 3 area, alternate II cementing to be plugged. In all cases, NOTIFY district office prior to any cementing.
s agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the constant of the specific constant of the constant of the constant of the constant of the specific constant of the constant of the constant of the specific constant of the constant of the specific constant of the constant of the specific constant of the specific constant of the con	RECEIVE ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be seMAY 1 1 2 to the underlying formation. district office on plug length and placement is necessary prior to plugging; sugged or production casing is cemented in; mited from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
s agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the constant of the specific constant of the constant of the constant of the constant of the specific constant of the constant of the constant of the specific constant of the constant of the specific constant of the constant of the specific constant of the specific constant of the con	RECEIVE set by circulating cement to the top; in all cases surface pipe shall be seMAY 1 1 2 the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; inted from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Title: Vice President
s agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> s through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the c. 5. The appropriate district office will be notified before well is either plue. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemerator or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be ereby certify that the statements made herein are true and to the best of the complete of the spud date or the well shall be completed. Signature of Operator or Agent: Tor KCC Use ONLY	RECEIVE set by circulating cement to the top; in all cases surface pipe shall be semay 1 1 2 the underlying formation. district office on plug length and placement is necessary prior to plugging: ugged or production casing is cemented in; nted from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Title: Vice President
s agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on et. 3. The minimum amount of surface pipe as specified below <i>shall be</i> is through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the construction of the surface casing order of pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be reby certify that the statements made herein are true and to the best of the surface of the surface of Operator or Agent: May 8, 2012	RECEIVE ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be self. If the underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; sugged or production casing is cemented in; and the form below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to be plugged. In all cases, NOTIFY district office prior to any cementing. If the individual in the individual individual in the individual individual in the individual indin
s agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on et. 3. The minimum amount of surface pipe as specified below <i>shall be</i> is through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the constant of the surface properties of the surface of the surface of the surface of the surface casing order must be completed within 30 days of the spud date or the well shall be reby certify that the statements made herein are true and to the best of the surface of the sur	RECEIVE set by circulating cement to the top; in all cases surface pipe shall be seMAY 1 1 2 the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; inted from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Title: Vice President Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> is through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the c. 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall ereby certify that the statements made herein are true and to the best of the complete of the comp	RECEIVE ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be self. It the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; Inted from below any usable water to surface within 120 DAYS of spud date. It is 133,891-C, which applies to the KCC District 3 area, alternate II cementing to be plugged. In all cases, NOTIFY district office prior to any cementing. If the interpretation of my knowledge and belief. Title: Vice President Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> is through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the c. 5. The appropriate district office will be notified before well is either plu. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be ereby certify that the statements made herein are true and to the best of the terms of the conductor pipe required	RECEIVE set by circulating cement to the top; in all cases surface pipe shall be self. It the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; Inted from below any usable water to surface within 120 DAYS of spud date. If #133,891-C, which applies to the KCC District 3 area, alternate II cementing It be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Vice President Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
s agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into. 4. If the well is dry hole, an agreement between the operator and the office of the appropriate district office will be notified before well is either plus. 5. The appropriate district office will be notified before well is either plus. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer. 6. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall ereby certify that the statements made herein are true and to the best of the complete o	RECEIVE set by circulating cement to the top; in all cases surface pipe shall be self. In the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; need from below any usable water to surface within 120 DAYS of spud date. In all cases, NOTIFY district office prior to any cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If the certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
s agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on et. 3. The minimum amount of surface pipe as specified below <i>shall be</i> is through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the construction of the surface of the construction of the construct	RECEIVE ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be self. In the underlying formation. district office on plug length and placement is necessary prior to pluaging; ugged or production casing is cemented in; neted from below any usable water to surface within 120 DAYS of spud date. In #133,891-C, which applies to the KCC District 3 area, alternate II cementing If be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Vice President Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
s agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on et. 3. The minimum amount of surface pipe as specified below <i>shall be</i> is through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the construction of the surface of the operator and the construction of the surface of the surface casing order of pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be ereby certify that the statements made herein are true and to the best of the surface of th	RECEIVE ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be self. It the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; Inted from below any usable water to surface within 120 DAYS of spud date. It is 133,891-C, which applies to the KCC District 3 area, alternate II cementing It be plugged. In all cases, NOTIFY district office prior to any cementing. If it is Vice President Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on etc. 3. The minimum amount of surface pipe as specified below <i>shall be</i> is through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the construction of 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemerated or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be ereby certify that the statements made herein are true and to the best of the specific state. Signature of Operator or Agent: For KCC Use ONLY API # 15 - OO3 - 25492 OOOO Conductor pipe required None feet Minimum surface pipe required 10 feet per ALT. 1 I I I I I I I I I I I I I I I I I I	RECEIVE ach drilling rig; bet by circulating cement to the top; in all cases surface pipe shall be seMAY 1 1 2 the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; Inted from below any usable water to surface within 120 DAYS of spud date. In all cases, NOTIFY district office prior to any cementing. In all cases, NOTIFY district office prior to any cementing. If the Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
2. A copy of the approved notice of intent to drill shall be posted on east through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the construction of 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be rereby certify that the statements made herein are true and to the best of the series. May 8, 2012 Signature of Operator or Agent: For KCC Use ONLY API # 15	RECEIVE set by circulating cement to the top; in all cases surface pipe shall be seMAY 1 1 2 In the underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; Intel from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing It be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below.
s agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on et. 3. The minimum amount of surface pipe as specified below <i>shall be</i> is through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the construction of the surface of the operator and the construction of the surface of the surface casing order of pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be ereby certify that the statements made herein are true and to the best of the surface of th	RECEIVE ach drilling rig; bet by circulating cement to the top; in all cases surface pipe shall be self. It the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; Inted from below any usable water to surface within 120 DAYS of spud date. In #133,891-C, which applies to the KCC District 3 area, alternate II cementing It be plugged. In all cases, NOTIFY district office prior to any cementing. If the Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If well will not be drilled or permit has expired (See: authorized expiration date)

For KCC Use ONLY API#15-003-25492-000

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:		JRC Oil Com	pany, Inc.		Location of W	/ell: County:	Aı	nderson	
Lease:		Cleveland			4,125		_feet from	N/X S Lin	e of Section
Well Number		CZ-44			3,970		_feet from X	E/ WLin	e of Section
Field:	1	Bush City S	Shoestring		Sec. 33	Twp. <u>20</u>	S. R.21	🛛 E [] w
Number of A	cres attri	butable to well:	2.5		Is Section:	Regular or	Irregular		
QTR/QTR/Q	TR/QTR	of acreage: NE	_ SE _ NW	NW	,, соодон.	<u>//</u> g			
				DI.	Section come			arest corner bou	ndary.
	lease roa	ds, tank batteries, į	well. Show footage to pipelines and electric Your he Northwest	o the nearest le al lines, as requ nay attach a se	uired by the Kans parate plat if des	sas Surface Own ired.	er Notice Act (ocations of House Bill 2032).	
4620'		Acres in c	W-45		:		LEGE	END	
		16	-cz-44	16	СВ-44		Tank E	ocation Battery Location he Location In Location Road Location	
4290 ' -			W-34		W-35	3 - EXAN	MPLE		•
	1	14	O CZ-42	12			ο <u>-</u>		1980' FSL

in plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections,
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

36301

5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

OPERATOR: License # 9267	Well Location:
Name: JRC Oil Company, Inc.	NE_SE_NW_NW_Sec. 33 Twp. 20 S. R. 21 Eas West
Address 1: P. O. Box 426	County: Anderson
Address 2: 24110 NE Vermont Road	Lease Name: Cleveland Well #: CZ-44
City: Garnett State: Kansas Zip: 66032 + 0426	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person: Mike Colvin	the lease below:
Phone: (785) 448-8112 Fax: ()	
Email Address:	
Surface Owner Information:	
Name: JRC Oil Company, Inc.	When filing a Form T-1 involving multiple surface owners, attach an additional sheet listing all of the information to the left for each surface owner. Surface
Address 1: P. O. Box 426 Address 3: 24110 NE Vermont Road	owner information can be found in the records of the register of deeds for the
Audress 2	county, and in the real estate property tax records of the county treasurer.
City: Garnett State: Kansas Zip: 66032 + 0426	
owner(s) of the land upon which the subject well is or will be CP-1 that I am filing in connection with this form; 2) if the form	Act (House Bill 2032), I have provided the following to the surface located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form a being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.
	acknowledge that, because I have not provided this information, the
I have not provided this information to the surface owner(s). I KCC will be required to send this information to the surface of task, I acknowledge that I am being charged a \$30.00 handling.	owner(s). To mitigate the additional cost of the KCC performing this ag fee, payable to the KCC, which is enclosed with this form. If the fee is not received with this form, the KSONA-1
I have not provided this information to the surface owner(s). I KCC will be required to send this information to the surface of task, I acknowledge that I am being charged a \$30.00 handling the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CB-1 hereby certify that the statements made herein are true and correct.	owner(s). To mitigate the additional cost of the KCC performing this ag fee, payable to the KCC, which is enclosed with this form. If the fee is not received with this form, the KSONA-1 will be returned. to the best of my knowledge and belief.
I have not provided this information to the surface owner(s). I KCC will be required to send this information to the surface of task, I acknowledge that I am being charged a \$30.00 handling the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CB	owner(s). To mitigate the additional cost of the KCC performing this ag fee, payable to the KCC, which is enclosed with this form. If the fee is not received with this form, the KSONA-1 will be returned. To the best of my knowledge and belief.
I have not provided this information to the surface owner(s). I KCC will be required to send this information to the surface of task, I acknowledge that I am being charged a \$30.00 handling the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CB-1 hereby certify that the statements made herein are true and correct.	owner(s). To mitigate the additional cost of the KCC performing this ag fee, payable to the KCC, which is enclosed with this form. If the fee is not received with this form, the KSONA-1 will be returned. to the best of my knowledge and belief.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: JRC Oil Company, Inc.			License Number: 9267			
Operator Address: P. O. B	ox 426	24110 NE Vermont Road Garnett Kansas 66032				
Contact Person: Mike Colvin			Phone Number: 785-448-8112			
Lease Name & Well No.: Clevela	nd C	Z- 4 4	Pit Location (QQQQ):			
Type of Pit: Emergency Pit Settling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) Is the pit located in a Sensitive Ground Water A	Pit is: X Proposed If Existing, date cor Pit capacity: 143 Area? Yes X	(bbls)	NE _ SE _ NW _ NW Sec. 33 _Twp. 20 _ R. 21 _ X East _ West 4,125 _ Feet from _ North / X South Line of Section 3,970 _ Feet from X East / West Line of Section Anderson County Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)			
is the bottom below ground level? XYes No	Artificial Liner?	lo	How is the pit lined if a plastic liner is not used? Surface clay			
Pit dimensions (all but working pits):	0 Length (fee	epest point:	Width (feet) N/A: Steel Pits 4 (feet) No Pit dures for periodic maintenance and determining			
material, thickness and installation procedure.		None	owest fresh water 50 feet. mation: well owner electric log			
Distance to nearest water well within one-mile		Source of infor	west fresh water 50 feet. mation: well owner electric log			
teet Depth of water well	feet	X measured well owner electric log				
Emergency, Settling and Burn Pits ONLY: Producing Formation:		Type of material utilized in drilling/workover: Fresh H2O				
Number of producing wells on lease:		Number of working pits to be utilized:2 Abandonment procedure: Backfill with backhoe.				
Does the slope from the tank battery allow all s flow into the pit? Yes No	spilled fluids to	Drill pits must be closed within 365 days of spud date.				
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.						
May 8, 2012 Date		Mis	hald Colori ignature of Applicant or Agent			
KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS						
Date Received: _5-11-12 Permit Nur	nber:	Pern	nit Date: 5-11-12 Lease Inspection: Yes No			

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Ward Loyd, Commissioner Thomas E. Wright, Commissioner

May 11, 2012

JRC Oil Company, Inc. PO Box 426 24110 NE Vermont Rd Garnett, KS 66032-0426

RE:

Drilling Pit Application

Cleveland Lease Well No. CZ-44

NW/4 Sec. 33-20S-21E Anderson County, Kansas

Dear Sir or Madam:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit immediately after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 432-2300 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill.

If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Haynes

Environmental Protection and Remediation Department

cc: File