For KCC Use: 5-26-2012 Effective Date: 3 SGA? Ites XNo KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION NOTICE OF INTENT TO DRILL

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

the SECTION No.241 Address 2 Box 241 Address 3 Box 241 Address 3 Box 241 Address 4 Box 241 Address 5 Box 241 Address 5 Box 241 Address 5 Box 241 Address 5 Box 241 Address 6 Box 241 Address 6 Box 241 Address 7 Bo	Form KS	i DNA-1, Certificatio	Must be ap n of Compl	proved by KCC five ance with the Kansas	e (5) days prior to commencing well Surface Owner Notilication Act, MUST be submitted will	h Sús form.
Set No. 25 Set Sec. 3 Tag. 31 S. R. 10 Set Section Set No. 25 Set Sec. 3 Tag. 31 S. R. 10 Set Section Set No. 25 Set Sec. 3 Tag. 31 S. R. 10 Set Section Set No. 25 Set Sec. 3 Tag. 31 S. R. 10 Set Section Set No. 25 Set Sec. 3 Tag. 31 S. R. 10 Set Section Set No. 25 Set Sec. 3 Tag. 31 S. R. 10 Set Section Set No. 25 Set Sec. 3 Tag. 31 S. R. 10 Set Section Set Sections	Samuel Carred Dates	5	25	2012	Snot Description:	
Security 170	expected Spuo Date:	month	day	year	W/2 SW NE SEH Sec. 3 Two. 31	S. R. 10 XE W
Section Device		31119				
SECTION Require Imagestor Imagesto	OPERATOR: Licenself				1,270 feet from X	E / W Line of Section
Country City City Country City C		.				! !!
Contract Parson: Robert Wildle Phone: Ex 60 647 5008 CONTRACTOR: Licensed 22701 Well Digital For: Well Class: Type Equipment Saw Promet. 2 6 Differil Int. Well Digital For: Well Class: Type Equipment Saw Shringe Soberne: Shringe Soberne: Shringe Soberne: Shringe Soberne: Shringe Soberne: Shringe Contract Shringe Soberne: Shri				<u> </u>		
Contact Person. Eachbort Wolde. Contract Person. Contract Person.		State: K	5 7im 6	7353 +	•	n reverse side)
Field Misses:			Z.P	·	County:	
Same: C. & S. Drilling Inc. Set of Holds Special Field	Contact Person: 1400cat v.				Lease Name: During Madia Alasila	Well #
Target Formstoricky Missestips Target Missestips Target Formstoricky Missestips Target Missestips Target Formstoricky Target Missestips Target Formstoricky Target Missestips Target Formstoricky T		20704				
Near Digital For Welf Class Type Equipment Tribet Same Fine Rec Tribet	CONTRACTOR: Licensell	32/01				
Cocurd Surface Florention: 1056 Storage Storage Midded Water Notary Label Water well within one guester mile: Public water supply well within one mile: Depth to bottom of tresh water: 20 Depth to bottom of tresh w	Name: C & G Drilling Inc.					
Count Surface Storage	Well Drilled For:	Well Class:	Тур	e Equipment:		
Social Disposal Other		Don Timent	12	Baud Rotary	Ground Surface Elevation: 1005	feet MSL
Public water supply well within one mile:				=	Water well within one-quarter mile:	Ll ^{Mes} Kl ^{Mo} >
Depth to bottom of testh water: 50 RECEIVED			300		** -	Mes XINo
Despit to bottom of usafile walds:	' لسا ہیں		- L			
Committed or Horizontal wellbore? Many 1 8 2012 Length of Conductor Pipe (if any): Projected Total Depth: 2150 Pro						RECEIVED
Length of Conductor Pipe (if any): MAY 1 0 2012						, TEOLIVED
Operator: Well Name: Original Completion Dele: Original Completion Del	If OWWO: old wel	l information as folk	ows:		Length of Surface Pipe Planned to be set: 40	MAY 1 2 2012
Well Name: Original Completion Date: Original Total Depth: Projected Total Depth: Miniminiships	Oceanter				Length of Conductor Pipe (if any):	MAN I O TAIF
Original Completion Date:Original Total Depth:Formation at Total Depth:						YOO MUNICIPA
Water Source for Drilling Operations: Witer Source for Drilling Operations: DMR Permit #: Witer Apply for Permit with DMR Permit with DMR Permit with DMR Permit #: Witer Apply for Permit with DMR Permit #: Witer Source for Drilling Operations: DMR Permit #: Witer Source for Drilling Operations: DMR Permit #: Witer Source for Drilling Operations: DMR Permit #: Witer Apply for Permit with DMR Permit Permit Permit #: Witer Apply for Permit with DMR Permit Permit Per		hate.	Original Tot	ol Death:	Formation at Total Depth: Mississippi	KCC WICHIIA
If Yes, true vertical depth: DWR Permit #:	Original Compression of					
If Yes, brue vertical depth: DMR Permit #:	Directional, Deviated or H	orizontal wellbore?		Yes X No		
### AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the appropriate district office prior to spudding of well; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix 18" - Eastern Kanass surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. For KCC Use ONLY API #15 - O + 9 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 -						
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133.891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. It hereby certify that the statements made herein are true and to the best of my knowledge and befilef. For KCC Use ONLY API # 15 - 49 - 22 5 69 - 00 - 00 feet per ALT. 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Bottom Hole Location:				(Note: Apply for Permit with DM	REV V
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met. 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be demented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix 'B' - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II dementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: 5-10-13 Signature of Operator or Agent. File Completion of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with intent to Drill; File Completion Form ACO-1 within 120 days of spud date; Notify appropriate district office with the surface of principles of the Koc Delive with the surface of principles of the Koc Delive with file according to field provation orders; Notify appropriate district office with the surface depication date; File Completion form ACO-1 within 120 days of spud date; File Completion form ACO-1 within 120 days of spud date; Notify appropriate district office with the surface depication date; F	KCC DKT #:				- Will Cores be taken?	Yes XNo
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met. 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be demented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix 'B' - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II dementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: 5-10-13 Signature of Operator or Agent. File Completion of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with intent to Drill; File Completion Form ACO-1 within 120 days of spud date; Notify appropriate district office with the surface of principles of the Koc Delive with the surface of principles of the Koc Delive with file according to field provation orders; Notify appropriate district office with the surface depication date; File Completion form ACO-1 within 120 days of spud date; File Completion form ACO-1 within 120 days of spud date; Notify appropriate district office with the surface depication date; F					If Yes, proposed zone:	
For KCC Use ONLY API # 15 - 049 - 22569 - 00 - 00 Conductor pipe required	1. Notify the appropriate of th	riate district office proved notice of into ount of surface pip solidated materials ole, an agreement listrict office will be ill COMPLETION pendix "B" - Easte ad within 30 days of statements made	prior to spuent to drill see as specific plus a minimal between the notified be production rn Kansas: If the spud of the rein are to	dding of well; hall be posted on ear ied below shall be se imum of 20 feet into the operator and the dia fore well is either plus pipe shall be cement surface casing order a date or the well shall the rue and to the best of	In the top; in all cases surface phe underlying formation. Strict office on plug length and placement is necessary in the surface of production casing is cemented in; the from below any usable water to surface within 120 Et 133,891-C, which applies to the KCC District 3 area, at the plugged. In all cases, NOTIFY district office prior to the true within the prior to the true within the plugged. In all cases, NOTIFY district office prior to the true within the the t	prior to plugging; MYS of spud date. ternate II cementing o any cementing.
API # 15 - 49 - 225 69 - 00 - 00 Conductor pipe required		Ź Signature o	of Operator	or Agent	Remember to:	
Conductor pipe required	For KCC Use ONLY	.22569.	00-00			face Owner Notification C
Minimum surface pipe required	1	λlo	10.		- File Drill Pit Application (form CDP-1) with Intent to D	Orill;
Approved by: \(\frac{1}{2} \)	1 '''	• • • • • • • • • • • • • • • • • • • •	<i>7</i>			
- Submit plugging report (CP-4) after plugging is completed (within 60 days); (This authorization void if drilling not started within 12 months of approval date.) Spud date:Agent:					- File acreage attribution plat according to field prorati	on orders;
This authorization expires: (This authorization void if drilling not started within 12 months of approval date.) Spud date: Agent: Well will not be drilled or Permit has expired (See: authorized expiration date) please check the box below and return to the address below.	Approved by: VIII					nustrum et terres.
(This authorization void if drilling not started within 12 months of approval date.) Spud date:Agent:	This authorization expir				- Other written annual habre denocine or information	sali water.
Spud date:Agent:	(This authorization void if	drilling not started w	ithin 12 moni	hs of approval date.)		
					please check the box below and return to the address	s below.
	Spud date:	Agent:			i <u></u>	oto.

130 S. Market - Room 2078, Wichita, Kansas 67202

For KCC Use ONLY
API # 15 - 049-22569-000

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

	r: dba Lone Wolf Oil	···				Location of	Mett Co	unty			
Lease:						1,700		fee	et from 🔲 N	/⊠SLim	e of Section
Well Nu	mber: 6					1,270		fec	et from 🛛 E	/ □ W Lin	e of Section
Field: <u>u</u>				·		Sec. 3	Terp .	31	S. R. 10	_⊠ € [] w
Number	of Acres attributat	ole to well:	-			Is Section:	Reg	uder or	Irregular		
QTR/QT	R/QTR/QTR of ac	reage: _Y	<u>//2</u> _ sw	_ NE _ SI	E/4	is occion.	Mired		nicgular		
		6	W			lf Cootion is		laasta	II f	.4 h	
		•						The second second	If from neares		ngary.
		-				Section corn	er used:	NE	NW SE	sw	
					PL	XT .					
	Show lo	cation of i	the well. Show fi	notana to the n			vlany lina	Show the n	nadiolad lacatic	one of	
				_			-	-			
	iease roads, ta	nk batten	es, pipelines and		-	-		ace Owner N	ODC e ACt (Hou:	se Bill 2032).	
				You may atta	ach a sep	arate plat if des	sired.				
	:	:	- :	:	;	:	1				
		Ξ	: 1	:	Ē	:	1				
	1 :	:		•	:	•	1		LEGEND	1	
							-[_	VA (11		
		:		•	:		1	0	Well Locat		
		•		i	<u> </u>	•			Tank Batte	ry Location	
					: 		. [- Pipeline Lo	ocation	
		=	:	:	:	:				ne Location	
		:		:		•	į				
		Ξ.	:	:	E	:	}		 Lease Roa 	ad Location	
					••••		.				
	:	:	: (:	:	:					
		:		<u> </u>	:		1				7
		<u> </u>			•	•		EXAMPLE	•		1
	-	•	 3	-	•	•	1	:	•	•	ı
		:	•	•	:	:	1		•	•	
	1 :			•		•	1		-	······································	Ì
					13		. [1 :	Ī	Ė	
	1 :	:	: l	Ē	Ų,	i	1270	1	:	•	1
	1 :	•	: 1	•	30	•			•		.[
	:	:	:	:	7	:	FEL	1 :	:	:	İ
]				0==	•	1980' FSL
	1 :	Ē	: 1	•	1	:		1	Ĭ ŧ	Ī	1
		:		Ė	3	•					-1
	-	··· :]				1 2	÷	1
	1 .	:	. 1	-	=	•	1	1	₹	:	I
					3	:		=	<u> </u>	•	j
	1 :	Ξ.		:	31	:	1	SENIARD CO.	3390' FEL		

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form KSONA-1 July 2010 Form must be Signed All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

15-049-22569-0000This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application). Any such form submitted without an accompanying Form KSONA-1 will be returned.

OPERATOR: License # 31119	Well Location:
Name: dba Lone Wolf Oil Co.	W/2 SW_NE_SE/4 Sec. 3 Twp. 31 S. R. 10 X Eas West
Address 1: Box 241	_ County: Elk
Address 2:	Lease Name: Durbin Well #: 6
City: Moline State: Ks Zip: 67353 +	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person: Robert Wolfe	the lease below:
Phone: (620) 647-3626 Fax: ()	RECEIVED
Email Address:	MAY 1 8 2012
	KCC WICHITA
Surface Owner Information: Name: Robert Wolfe	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1: Box 241	sheet listing all of the information to the left for each surface owner. Surface
Address 2:	 owner information can be found in the records of the register of deeds for the county, and in the real estate property tax records of the county treasurer.
City: Moline State: Ks Zip: 67353 +	
If this form is being submitted with a Form C-1 (Intent) or CB-1 (Ca	nthodic Protection Borehole Intent), you must supply the surface owners and
If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cathe KCC with a plat showing the predicted locations of lease roads.)	
If this form is being submitted with a Form C-1 (Intent) or CB-1 (Ca the KCC with a plat showing the predicted locations of lease roads, are preliminary non-binding estimates. The locations may be entere Select one of the following:	athodic Protection Borehole Intent), you must supply the surface owners and tank batteries, pipelines, and electrical lines. The locations shown on the plat of on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. The Act (House Bill 2032), I have provided the following to the surface be located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form rm being filed is a Form C-1 or Form CB-1, the plat(s) required by this
If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cathe KCC with a plat showing the predicted locations of lease roads, are preliminary non-binding estimates. The locations may be entered Select one of the following: I certify that, pursuant to the Kansas Surface Owner Notice owner(s) of the land upon which the subject well is or will be CP-1 that I am filing in connection with this form; 2) if the form; and 3) my operator name, address, phone number, factors information to the surface owner(s). I have not provided this information to the surface owner(s).	athodic Protection Borehole Intent), you must supply the surface owners and tank batteries, pipelines, and electrical lines. The locations shown on the plat of on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. The Act (House Bill 2032), I have provided the following to the surface be located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form rm being filed is a Form C-1 or Form CB-1, the plat(s) required by this
If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cathe KCC with a plat showing the predicted locations of lease roads, are preliminary non-binding estimates. The locations may be entered. Select one of the following: I certify that, pursuant to the Kansas Surface Owner Notice owner(s) of the land upon which the subject well is or will be CP-1 that I am filing in connection with this form; 2) if the form; and 3) my operator name, address, phone number, factorized this information to the surface owner(s). KCC will be required to send this information to the surface task, I acknowledge that I am being charged a \$30.00 hands.	athodic Protection Borehole Intent), you must supply the surface owners and tank batteries, pipelines, and electrical lines. The locations shown on the plat and on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. The Act (House Bill 2032), I have provided the following to the surface be located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form mover being filed is a Form C-1 or Form CB-1, the plat(s) required by this x, and email address. I acknowledge that, because I have not provided this information, the electron of the KCC performing this ling fee, payable to the KCC, which is enclosed with this form.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: diba Lone Wolf Oil Co	1	License Number: 31119					
Operator Address: Box 241			Moline Ks 67353				
Contact Person: Robert Wolfe			Phone Number: 620-647-3626				
Lease Name & Well No.: Durbin	6		Pit Location (QQQQ):				
Type of Pit:	Pis		NW_SW_NE_SEA				
Emergency Pit Burn Pit	X Proposed	والأنتا	Sec. 3 Tesp. 31 R 10 X East West				
Setting Pit X Dailing Pit	If Existing, date on	skacied	1,700 Feet from Marth / X South Line of Section				
Wickover Pit Hand-Off Pit (FWP Supply API No. or Year Drilled)	Pit capacity: 300		1,270 Feet from X East / West Line of Section				
Is the pit located in a Sensitive Ground Water	Acces? [] Yes [X]	(blis)	Chloride concentration: mg/l (For Emergency Fits and Setting Pits only)				
is the bottom below ground level? X Yes No	Addicial Line?	•	How is the pit lined if a plastic liner is not used? clay				
Pit dimensions (all but working pits):	60 Length (fe	e) 6	Width (feet) NA: Steel Pils				
Depth f	ean ground ferel to de	epest point:	5 (licel) Ito Pit				
If the pit is fined give a brief description of the material, thirkness and installation procedure.			celuses for periodic maintenance and deterpliff EIVED including any special manifoling.				
	•		MAY 1 8 2012	1			
		Resident of the Community of the Communi	KCC WICHITA				
Distance to nearest water well within one-mile	र्व क्री	Depth to shall Source of info	Nowest fresh waterfeet.				
NIA feet Depth of water well		measure	d well owner electric log IDNR	1			
Emergency, Settling and Burn Pils CHLY:		Drilling What	hover and Hanl-Off Pilts Offi.Y:	1			
Producing Formalion:		Type of mater	rial utilized in drilling/workover:	-](
Number of producing wells on lease:		1	orking pits to be utilized Evaporation-Fill with soil	- 19			
Barrels of fluid produced daily: Does the slope from the tank battery allow all	دا داندا اطالب	Abandonneni	i procedure: L-vopuscustra in mana cum	- [8			
flow into the pit? \[\text{Yes} \] No	3	Doll pits must	t he classed within 365 days of spud date.				
I hereby certify that the above state	ments are true and co	wect to the best o	of my knowledge and belief.				
<u>5-16-12</u> Date	9	Polut u	Jole Marie M				
KCC OFFICE USE ONLY [Liner Sheet Pit REAC REAS							
Dale Received: 5-18-12 Pennit Nu	aber	Pen	mail Date: 5-31-12 Lease Inspection: The K No				