For KCC Use: 6-9-2012 Effective Date: District # SGA? XYes [

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL approved by KCC five (5) days prior to commen

| Expected Spud Date: June 1 2012 | Snot Description: 9-W2 E4 SE4 | |
|--|--|--|
| month day year | 9 NE SE SE4 Sec 31 Twp 16 S. | p 3 □F☑w |
| 31943 31934 / | (0/0/0/0) 1,380 900 feet from N / | S Line of Section |
| OPERATOR: License# | 495 (400 feet from XE / | 18/ Line of Section |
| Name: CASEBEER,INC. | 100 11011 | |
| Address 1: 909 N High Drive | Is SECTION: Regular Irregular? per oper | 6-4-200 |
| Address 2: | (Note: Locate well on the Section Plat on reve | |
| City: McPherson State: KS Zip: 67460 + | County: Saline | |
| Contact Person: Mark Casebeer | Lease Name: Roger Johnson | Well #: 1 |
| Phone: 620-242-7766 | Field Name: Lindsborg | 7 TON 11 . |
| | | |
| CONTRACTOR: License# 32701 | Is this a Prorated / Spaced Field? | Yes XNo |
| Name: C & G Drilling Company | Target Formation(s): Maquoketa dolomite | / |
| Well Drilled For: Well Class: Type Equipment: | Nearest Lease or unit boundary line (in footage): 496 | |
| Noil Enh Rec Infield Mud Rotary | Ground Surface Elevation: 1355 | feet MSL |
| | Water well within one-quarter mile: | Yes X No |
| | Public water supply well within one mile: | Yes No |
| Disposal Wildcat Cable | Depth to bottom of fresh water: 65' | |
| Seismic ;# of HolesOther | Depth to bottom of usable water: | |
| Other: | Surface Pipe by Alternate: X III | |
| If OWWO: old well information as follows: | Surface ripe by raterialis. | |
| LITOTATAO. UIU WER RIMITIBUUTI AS IUIUWS. | Length of Surface Pipe Planned to be set 420' | |
| Operator: | Length of Conductor Pipe (if any): 120' | |
| Well Name: | Projected Total Depth: 3435' | |
| Original Completion Date: Original Total Depth: | Formation at Total Depth: Viola | |
| | Water Sourge for Drilling Operations: | |
| Directional, Deviated or Horizontal wellbore? Yes No | Well Farm Pond Other: | |
| If Yes, true vertical depth: | DWR Permit #: | |
| Bottom Hole Location: | (Note: Apply for Permit with DWR | |
| KCC DKT # | Will Cores be taken? | Yes XNo |
| Valutar also reculorda | If Yes, proposed zone: | [|
| * Conductor pire required- | ii ies, proposed auto. | RECEIVED |
| AFF | IDAVIT | WECEIVED |
| The undersigned hereby affirms that the drilling, completion and eventual plug | ging of this well will comply with K.S.A. 55 et. seq. | ADD no nor |
| It is agreed that the following minimum requirements will be met: | | APR 0 9 201 |
| - | | |
| Notify the appropriate district office prior to spudding of well; | dellina rie: | KCC MICH |
| a to the control with a state of the second for marked an apple | | KI A WUII LII |
| 2. A copy of the approved notice of intent to drill shall be posted on each | wany ny, | KCC WICHIT |
| 3. The minimum amount of surface pipe as specified below shall be set b | y circulating cement to the top; in all cases surface pipe st | hall be set |
| The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the | y circulating cement to the top; in all cases surface pipe sl underlying formation. | hall be set |
| The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the distri- | y circulating cement to the top; in all cases surface pipe sl underlying formation. ict office on plug length and placement is necessary prior | hall be set |
| The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge | y circulating cement to the top; in all cases surface pipe st underlying formation. ict office on plug length and placement is necessary prior ed or production casing is cemented in; | to plugging; |
| The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1; | y circulating cement to the top; in all cases surface pipe st underlying formation. ict office on plug length and placement is necessary prior ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS 33,891-C, which applies to the KCC District 3 area, alterna | to plugging; of spud date. te II cementing |
| The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge | y circulating cement to the top; in all cases surface pipe st underlying formation. ict office on plug length and placement is necessary prior ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS 33,891-C, which applies to the KCC District 3 area, alterna | to plugging; of spud date. te II cementing |
| The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be | by circulating cement to the top; in all cases surface pipe solunderlying formation. ict office on plug length and placement is necessary priored or production casing is cemented in; I from below any usable water to surface within 120 DAYS 33,891-C, which applies to the KCC District 3 area, alternately plugged. In all cases, NOTIFY district office prior to any | to plugging; of spud date. te II cementing |
| The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1; | by circulating cement to the top; in all cases surface pipe standerlying formation. ict office on plug length and placement is necessary priored or production casing is cemented in; I from below any usable water to surface within 120 DAYS 33,891-C, which applies to the KCC District 3 area, alternately plugged. In all cases, NOTIFY district office prior to any plugged and belief. | to plugging; of spud date. te II cementing cementing. |
| The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be. I hereby certify that the statements made herein are true and to the best of m. | by circulating cement to the top; in all cases surface pipe standerlying formation. ict office on plug length and placement is necessary priored or production casing is cemented in; I from below any usable water to surface within 120 DAYS 33,891-C, which applies to the KCC District 3 area, alternately plugged. In all cases, NOTIFY district office prior to any plugged and belief. | to plugging; of spud date. te II cementing |
| The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be | by circulating cement to the top; in all cases surface pipe standerlying formation. ict office on plug length and placement is necessary priored or production casing is cemented in; If from below any usable water to surface within 120 DAYS 33,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any y knowledge and belief. Title: Secretary | to plugging; of spud date. te II cementing cementing. |
| 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of materials. Signature of Operator or Agent: Signature of Operator or Agent: | by circulating cement to the top; in all cases surface pipe standerlying formation. ict office on plug length and placement is necessary priored or production casing is cemented in; I from below any usable water to surface within 120 DAYS 33,891-C, which applies to the KCC District 3 area, alternately plugged. In all cases, NOTIFY district office prior to any plugged and belief. | to plugging; of spud date. te II cementing cementing. |
| 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order \$13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of minimum. Signature of Operator or Agent: For KCC Use ONLY | y circulating cement to the top; in all cases surface pipe st underlying formation. ict office on plug length and placement is necessary prior ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS 33,891-C, which applies to the KCC District 3 area, alterna plugged. In all cases, NOTIFY district office prior to any y knowledge and belief. Complete Comp | to plugging; of spud date. te II cementing cementing. |
| 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of materials. Signature of Operator or Agent: **Date:** **Signature** **Date:** **Signature** **Signature** **Signature** **Date:** **Signature** **Date:** **Signature** **Date:** **Date:** **Date:** **Date:* **Date:** **Date:* **Date:** **Date:** **Date:* **Date:* **Date:* **Date:* **Date:* **Date:* **Date: | wy circulating cement to the top; in all cases surface pipe standerlying formation. ict office on plug length and placement is necessary priored or production casing is cemented in; If from below any usable water to surface within 120 DAYS 33,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any y knowledge and belief. Secretary Secretary | to plugging; of spud date. te II cementing cementing. |
| 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order \$15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of modern and the statements of Operator or Agent: Signature of Operator or Agent: | y circulating cement to the top; in all cases surface pipe standerlying formation. ict office on plug length and placement is necessary priored or production casing is cemented in; If from below any usable water to surface within 120 DAYS 33,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any y knowledge and belief. Title: Secretary Remember to: File Certification of Compliance with the Kansas Surface Compliance with the Kansas Surface Compliance with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; | to plugging; of spud date. te II cementing cementing. y/Treasurer wher Notification |
| 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of modular in the statements of Operator or Agent: Signature of Operator or Agent: For KCC Use ONLY API # 15 - 109 - 20340 - 00 - 6eet Conductor pipe required - feet | y circulating cement to the top; in all cases surface pipe standerlying formation. ict office on plug length and placement is necessary priored or production casing is cemented in; I from below any usable water to surface within 120 DAYS 33,891-C, which applies to the KCC District 3 area, alternately plugged. In all cases, NOTIFY district office prior to any y knowledge and belief. Title: Secretary Remember to: File Certification of Compliance with the Kansas Surface Content of the KCS DA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date | to plugging; of spud date. te II cementing cementing. y/Treasurer where Notification |
| 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order \$15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of modern and the statements of Operator or Agent: Signature of Operator or Agent: | y circulating cement to the top; in all cases surface pipe standerlying formation. ict office on plug length and placement is necessary priored or production casing is cemented in; I from below any usable water to surface within 120 DAYS 33,891-C, which applies to the KCC District 3 area, alternately plugged. In all cases, NOTIFY district office prior to any y knowledge and belief. Title: Secretary Remember to: File Certification of Compliance with the Kansas Surface Content of the KCS DACI (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date. File acreage attribution plat according to field proration ords. | to plugging; of spud date. te II cementing cementing. y/Treasurer twner Notification |
| 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of modular in the statements of Operator or Agent: Signature of Operator or Agent: For KCC Use ONLY API # 15 - 109 - 20340 - 00 - 6eet Conductor pipe required - feet | y circulating cement to the top; in all cases surface pipe standerlying formation. ict office on plug length and placement is necessary priored or production casing is cemented in; I from below any usable water to surface within 120 DAYS 33,891-C, which applies to the KCC District 3 area, alternately plugged. In all cases, NOTIFY district office prior to any y knowledge and belief. Title: Secretary Remember to: File Certification of Compliance with the Kansas Surface Content of the KCS DA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date | to plugging; of spud date. te II cementing cementing. y/Treasurer where Notification cers; or re-entry; |
| 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the specified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order \$15 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of minimum surface pipe required Signature of Operator or Agent: For KCC Use ONLY API # 15 - 109 - 20340 - 00 - 6eet Minimum surface pipe required feet Approved by: Minimum surface pipe required feet per ALT. | y circulating cement to the top; in all cases surface pipe standerlying formation. ict office on plug length and placement is necessary priored or production casing is cemented in; I from below any usable water to surface within 120 DAYS 33,891-C, which applies to the KCC District 3 area, alternately plugged. In all cases, NOTIFY district office prior to any y knowledge and belief. Title: Secretary Remember to: File Certification of Compliance with the Kansas Surface Content of the KCS DACI (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date. File acreage attribution plat according to field proration ords. | to plugging; of spud date. te II cementing cementing. y/Treasurer twner Notification ; ers; or re-entry; |
| 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the specified before well is either plugger 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order \$15 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of m Date: Signature of Operator or Agent: For KCC Use ONLY API # 15 - 109 - 20340 - 000 - 000 feet Conductor pipe required feet Minimum surface pipe required feet per ALT. This authorization expires: 6-4-2013 | y circulating cement to the top; in all cases surface pipe sl underlying formation. ict office on plug length and placement is necessary priored or production casing is cemented in; I from below any usable water to surface within 120 DAYS 33,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any y knowledge and belief. Title: Secretary Remember to: File Certification of Compliance with the Kansas Surface Completed Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date. File acreage attribution plat according to field proration ord. Notify appropriate district office 48 hours prior to workover. | to plugging; of spud date. te II cementing cementing. y/Treasurer twner Notification ; lers; or re-entry; (within 60 days); |
| 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order \$15 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of m. Date: 3/6/2 Signature of Operator or Agent: Minimum surface pipe required feet Minimum surface pipe required feet per ALT. In the Approved by: 4/2-2012 | y circulating cement to the top; in all cases surface pipe sl underlying formation. ict office on plug length and placement is necessary priored or production casing is cemented in; I from below any usable water to surface within 120 DAYS 33,891-C, which applies to the KCC District 3 area, alternately plugged. In all cases, NOTIFY district office prior to any y knowledge and belief. Title: Secretary Remember to: File Certification of Compliance with the Kansas Surface Content Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date. Notify appropriate district office 48 hours prior to workover. Submit plugging report (CP-4) after plugging is completed. | to plugging; of spud date. te II cementing cementing. y/Treasurer twner Notification cers; or re-entry; (within 60 days); ater. |
| 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1; must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of m Date: Signature of Operator or Agent: For KCC Use ONLY API # 15 - 109 - 20340 - 00 - 6 Conductor pipe required feet Minimum surface pipe required feet per ALT. This authorization expires: 6-4-2012 This authorization void if drilling not started within 12 months of approval date.) | wy circulating cernent to the top; in all cases surface pipe standerlying formation. ict office on plug length and placement is necessary priored or production casing is cernented in; I from below any usable water to surface within 120 DAYS 33,891-C, which applies to the KCC District 3 area, alternately plugged. In all cases, NOTIFY district office prior to any y knowledge and belief. Title: Secretary Remember to: File Certification of Compliance with the Kansas Surface Content of the KCO Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date. File acreage attribution plat according to field proration ord. Notify appropriate district office 48 hours prior to workover. Submit plugging report (CP-4) after plugging is completed. Obtain written approval before disposing or injecting salt we | to plugging; of spud date. te II cementing cementing. y/Treasurer where Notification ; ters; or re-entry; (within 60 days); ater. www. |
| 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1; must be completed within 30 days of the spud date or the well shall be. I hereby certify that the statements made herein are true and to the best of m. Date: Signature of Operator or Agent: For KCC Use ONLY API #15 - 109 - 20340 - 000 - 000 feet. Minimum surface pipe required 200 feet per ALT. This authorization expires: 6-4-2013 | y circulating cement to the top; in all cases surface pipe standerlying formation. ict office on plug length and placement is necessary priored or production casing is cemented in; from below any usable water to surface within 120 DAYS 33,891-C, which applies to the KCC District 3 area, alternately plugged. In all cases, NOTIFY district office prior to any y knowledge and belief. File Certification of Compliance with the Kansas Surface Content of Compliance with the Kansas Surface Content of Compliance with the Kansas Surface Content of Completion Form ACO-1 within 120 days of spud date. File Completion Form ACO-1 within 120 days of spud date. File acreage attribution plat according to field proration ord. Notify appropriate district office 48 hours prior to workover. Submit plugging report (CP-4) after plugging is completed. Obtain written approval before disposing or injecting salt will not be drilled or permit has expired (See: authorized). | to plugging; of spud date. te II cementing cementing. y/Treasurer where Notification (sees; or re-entry; (within 60 days); ater. and expiration date) |

For KCC Use ONLY API # 15 - 16 9-20340-000

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

| Operator: CASEBEER,INC. Lease: Roger Johnson | Location of Well: County: Saline 1,328 900 feet from N / X S Line of Section |
|--|--|
| Well Number: 1 Field: Lindsborg | 495 600 feet from X E / W Line of Section Sec. 31 Twp. 16 S. R. 3 E X W |
| Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage: SE4 | Is Section: Regular or Irregular |
| SW NE SE | If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW |

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.

| | | | | | LEGEND O Well Location Tank Battery Location Pipeline Location |
|------|---|------|------|---|---|
| | | | | | Lease Road Location |
| | | | | | |
| | | | | | 1980'FSL |
| | 1 | | | : | SEWARD CO. 3390' FEL |

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil welle: CEIVED
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

APR 0 9 2012

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

| OPERATOR: License # 31943 3/939 | Well Location: | | | |
|--|--|--|--|--|
| Name: CASEBEER,INC. | SW-NE SE SE4 Sec. 31 Twp. 16 S. R. 3 Eas X West | | | |
| Name: CASEBEER,INC. Address 1: 909 N High Drive | County: Saline | | | |
| Address 2: | Lease Name: Roger Johnson Well #: 1 | | | |
| Address 2: City: McPherson State: KS Zip: 67460 + Contact Person: Mark Casebeer Phone: (620) 242-7766 Fax: (785) 227-2886 Email Address: maap@cox.net | If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below: | | | |
| Contact Person: | - | | | |
| Email Address: maap@cox.net | - - | | | |
| Surface Owner Information: | | | | |
| Name: Carol Lynne Johnson Address 1: 2154 Wesley St | When filing a Form T-1 involving multiple surface owners, attach an additional sheet listing all of the information to the left for each surface owner. Surface | | | |
| Address 1: 2154 Wesley St | owner information can be found in the records of the register of deeds for the | | | |
| Address 2: | county, and in the real estate property tax records of the county treasurer. | | | |
| City: Salina State: KS Zip: 6/401 + | - | | | |
| | | | | |
| are preliminary non-binding estimates. The locations may be entered Select one of the following: | hodic Protection Borehole Intent), you must supply the surface owners and ank batteries, pipelines, and electrical lines. The locations shown on the plat I on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. | | | |
| are preliminary non-binding estimates. The locations may be entered. Select one of the following: I certify that, pursuant to the Kansas Surface Owner Notice owner(s) of the land upon which the subject well is or will be | e Act (House Bill 2032), I have provided the following to the surface elocated: 1) a copy of the Form C-1, Form CB-1, Form CB-1, Form T-1, or Form to being filed is a Form C-1 or Form CB-1, the plat(s) required by this | | | |
| are preliminary non-binding estimates. The locations may be entered Select one of the following: I certify that, pursuant to the Kansas Surface Owner Notice owner(s) of the land upon which the subject well is or will be CP-1 that I am filing in connection with this form; 2) if the form form; and 3) my operator name, address, phone number, fax. I have not provided this information to the surface owner(s). KCC will be required to send this information to the surface. | e Act (House Bill 2032), I have provided the following to the surface e located: 1) a copy of the Form C-1, Form CB-1, Form CB-1, Form T-1, or Form to being filed is a Form C-1 or Form CB-1, the plat(s) required by this | | | |
| are preliminary non-binding estimates. The locations may be entered Select one of the following: I certify that, pursuant to the Kansas Surface Owner Notice owner(s) of the land upon which the subject well is or will be CP-1 that I am filing in connection with this form; 2) if the form form; and 3) my operator name, address, phone number, fax. I have not provided this information to the surface owner(s). KCC will be required to send this information to the surface task, I acknowledge that I am being charged a \$30.00 handling. | ank batteries, pipelines, and electrical lines. The locations shown on the plat if on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. Act (House Bill 2032), I have provided the following to the surface ellocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form m being filed is a Form C-1 or Form CB-1, the plat(s) required by this , and email address. I acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this ing fee, payable to the KCC, which is enclosed with this form. | | | |
| are preliminary non-binding estimates. The locations may be entered Select one of the following: I certify that, pursuant to the Kansas Surface Owner Notice owner(s) of the land upon which the subject well is or will be CP-1 that I am filing in connection with this form; 2) if the form form; and 3) my operator name, address, phone number, fax. I have not provided this information to the surface owner(s). KCC will be required to send this information to the surface task, I acknowledge that I am being charged a \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CB I hereby certify that the statements made herein are true and correct. | e Act (House Bill 2032), I have provided the following to the surface e located: 1) a copy of the Form C-1, Form CB-1, Form CB-1, Form T-1, or Form m being filed is a Form C-1 or Form CB-1, the plat(s) required by this , and email address. I acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this ring fee, payable to the KCC, which is enclosed with this form. In the fee is not received with this form, the KSONA-1 in the returned. | | | |

RECEIVED
APR 0 9 2012

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

| Operator Name: Casebeer,Inc | | License Number: 31943 31934 | | | |
|--|--------------------------------|---|--|--|--|
| Operator Address: 909 North High | Drive | herson 1 KS 67460 | | | |
| Contact Person: Mark Casebeer | | | Phone Number: 620-242-7766 | | |
| Lease Name & Well No.: Roger Johnson #1 | | | Pit Location (QQQQ): | | |
| Type of Pit: | Pit is: | | SW NE SE SE4 | | |
| Emergency Pit Burn Pit | X Proposed Existing | | Sec. 31 Twp. 16 R. 3 East X West 1,32079 Feet from North / X South Line of Section 495 Feet from X East / West Line of Section | | |
| Settling Pit X Drilling Pit | If Existing, date constructed: | | 1,32077 Feet from North / X South Line of Section | | |
| Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) | Pit capacity: | | 495 Feet from X East / West Line of Section | | |
| (II VVI - Supply All Tive. Of Total Difficult | | (bbls) | Saline County | | |
| Is the pit located in a Sensitive Ground Water Area? X Yes No | | | Chloride concentration: mg/l (For Emergency Pits and Settling Pits only) | | |
| Is the bottom below ground level? Artificial Liner? | | | How is the pit lined if a plastic liner is not used? | | |
| X Yes No | Yes X | | Bentonite - | | |
| Pit dimensions (all but working pits):8 | O Length (fee | et)12 | Width (feet) N/A: Steel Pits | | |
| Depth fro | om ground level to dee | · · · · · · · · · · · · · · · · · · · | 4 (feet) No Pit | | |
| If the pit is lined give a brief description of the li material, thickness and installation procedure. | ner | • | dures for periodic maintenance and determining acluding any special monitoring. | | |
| | | | | | |
| | | | | | |
| | | | | | |
| Distance to nearest water well within one-mile | of pit: | Depth to shallo Source of infor | west fresh water 16 feet. | | |
| 2640 feet Depth of water well | 60 feet | measured | well owner electric log X KDWR | | |
| Emergency, Settling and Burn Pits ONLY: | | Drilling, Work | over and Haul-Off Pits ONLY: | | |
| Producing Formation: | | Type of materia | Type of material utilized in drilling/workover: Bentonite gel | | |
| Number of producing wells on lease: | | Number of wor | king pits to be utilized: | | |
| Barrels of fluid produced daily: | | Abandonment | procedure: Let air dry and backfill | | |
| Does the slope from the tank battery allow all s flow into the pit? Yes No | pilled fluids to | Drill pits must be closed within 365 days of spud date. | | | |
| I hereby certify that the above statements are true and coπect to the best of my knowledge and belief. | | | | | |
| | | | | | |
| 4/6/12 | 18 Charles | | | | |
| Date / Signature of Applicant or Agent | | | | | |
| KCC OFFICE USE ONLY SeeN Steel Pit X RFAC RFAS | | | | | |
| Date Received: 4-9-12 Permit Number:Permit | | | it Date: 6-4-12 Lease Inspection: Pres No | | |

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

APR 0 9 2012

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Ward Loyd, Commissioner Thomas E. Wright, Commissioner

June 4, 2012

Casebeer, Inc. 909 N High Drive McPherson, KS 67460

Re:

Drilling Pit Application

Roger Johnson Lease Well No. 1

SE/4 Sec. 31-16S-03W Saline County, Kansas

Dear Sir or Madam:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and **lined with bentonite**. The fluids are to be removed from the reserve pit within 7 days after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (316) 630-4000 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill.

If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Haynes

Environmental Protection and Remediation Department

cc: File