

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

ORIGINAL

Form ACO-1
June 2009

Form Must Be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 34138
Name: Hondo Energy Partners, LLC
Address 1: 5472 S. Ventura Court
Address 2: _____
City: Centennial State: CO Zip: 80015 + 2629
Contact Person: James Rowland
Phone: (303) 859-0615
CONTRACTOR: License # 33784
Name: Trinidad Drilling, LP
Wellsite Geologist: Mr. Tim Hedrick
Purchaser: _____

Designate Type of Completion:

- New Well Re-Entry Workover
- Oil WSW SWD SLOW
- Gas D&A ENHR SIGW
- OG GSW Temp. Abd.
- CM (Coal Bed Methane)
- Cathodic Other (Core, Expl., etc.): _____

If Workover/Re-entry: Old Well Info as follows:

Operator: _____
Well Name: _____

Original Comp. Date: _____ Original Total Depth: _____

- Deepening Re-perf. Conv. to ENHR Conv. to SWD
- Conv. to GSW
- Plug Back: _____ Plug Back Total Depth _____
- Commingled Permit #: _____
- Dual Completion Permit #: _____
- SWD Permit #: _____
- ENHR Permit #: _____
- GSW Permit #: _____

9/23/2011	10/02/2011	10/04/2011
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 075-20856-0000

Spot Description: _____
NE SE NW SE Sec. 6 Twp. 26 S. R. 41 East West
1,770 Feet from North / South Line of Section
1,580 Feet from East / West Line of Section

Footages Calculated from Nearest Outside Section Corner:
 NE NW SE SW

County: Hamilton
Lease Name: Melissa Ann Well #: 1
Field Name: Wildcat
Producing Formation: None
Elevation: Ground: 3449' Kelly Bushing: 3460'
Total Depth: 6191' KB Plug Back Total Depth: _____
Amount of Surface Pipe Set and Cemented at: 1787' KB Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set: _____ Feet
If Alternate II completion, cement circulated from: _____
feet depth to: _____ w/ _____ sx cnt.

Drilling Fluid Management Plan

(Data must be collected from the Reserve Pit)

Chloride content: 3600 ppm Fluid volume: 188 bbls
Dewatering method used: _____
Location of fluid disposal if hauled offsite: _____
Operator Name: _____
Lease Name: _____ License #: _____
Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
County: _____ Permit #: _____

RECEIVED
FEB 27, 2012

KCC WICHITA

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2000, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: James W. Rowland
Title: Managing Partner Date: October 20, 2011

KCC Office Use ONLY

- Letter of Confidentiality Received
Date: _____
- Confidential Release Date: _____
- Wireline Log Received
- Geologist Report Received
- UIC Distribution
- ALT I II III Approved by: Dg Date: 3/6/12

Operator Name: Hondo Energy Partners, LLC Lease Name: Melissa Ann Well #: 1
 Sec. 6 Twp. 26 S. R. 41 East West County: Hamilton

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach complete copy of all Electric Wire-line Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken Yes No
(Attach Additional Sheets)

Samples Sent to Geological Survey Yes No

Cores Taken Yes No

Electric Log Run Yes No

Electric Log Submitted Electronically Yes No
(If no, Submit Copy)

List All E. Logs Run:

<input checked="" type="checkbox"/> Log	Formation (Top), Depth and Datum	<input type="checkbox"/> Sample
Name	Top	Datum
Chase Group	2337' KB	+1123'
Council Grove	2565' KB	+887'
Topeka	3432' KB	+28'
Lansing	3872' KB	-412'
Morrow	5000' KB	-1540'
St. Genevieve	5401' KB	-1901'
Viola	6102' KB	-2642'

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12-1/4" O.D.	8-5/8" O.D.	24	1787' KB	65/35 Pozmix	575	6% Gel, 3% CC, 1/4#/sk. Flocele
					+ Class A	150	3% Gel, 3% CC

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate				
<input type="checkbox"/> Protect Casing				
<input type="checkbox"/> Plug Back TD				
<input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth

TUBING RECORD:		Size:	Set At:	Packer At:	Liner Run: <input type="checkbox"/> Yes <input type="checkbox"/> No
Date of First, Resumed Production, SWD or ENHR.		Producing Method: <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain) _____			
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity

DISPOSITION OF GAS: <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	METHOD OF COMPLETION: <input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <i>(Submit ACO-5)</i> <i>(Submit ACO-4)</i> <input type="checkbox"/> Other (Specify) _____	PRODUCTION INTERVAL: _____ RECEIVED
---	---	--

HONDO ENERGY PARTNERSD, LLC
MELISSA ANN #1 GEOLOGIC TOPS/INTERVALS

14-Oct-11

GR: 3449'
 GR TO KB: 11'
 KB: 3460'

TOP/INTERVAL	PROJECTED DEPTH		ACTUAL DEPTH		DEPTH VARIANCE
	SUBSEA	KB	SUBSEA	KB	
BLAINE SALT BED	" +2174'	1286'			
CEDAR HILLS SANDSTONE	" +1904' to +1797'	1566' to 1663'			
CHASE GROUP	" +1128'	2332'	" +1123'	2337'	" -5'
HERRINGTON LIMESTONE	" +1128' to +1121'	2332' to 2339'	" +1123' to 1118'	2337' to 2342'	" -5'
COUNCIL GROVE GROUP	" +895'	2565'	" +887'	2573'	" -8'
RED SHALE BED	" +133'	3327'	" +102'	3358'	" -31'
TOPEKA	" +62'	3398'	" +28'	3432'	" -34'
TOPEKA C LIMESTONE	" +22'	3438'	" -12'	3472'	" -34'
HEEBNER SHALE	" -270'	3730'	" -307'	3767'	" -37'
LANSING	" -355'	3815'	" -412'	3872'	" -57'
MARMATON	" -889'	4349'	" -908'	4368'	" -19'
CHEROKEE	" -1063'	4523'	" -1072'	4532'	" -9'
ATOKA	" -1321'	4781'	" -1328'	4788'	" -7'
MORROW	" -1515'	4975'	" -1540'	5000'	" -25'
MORROW A SANDSTONE	" -1549' to -1571'	5009' to 5031'	NOT PRESENT		
MORROW B SANDSTONE	" -1606' to -1633'	5066' to 5093'	NOT PRESENT		
MORROW C SANDSTONE	" -1755' to -1777'	5215' to 5237'	" -1784'	5244'	" -29'
L. MORROW SANDSTONE	" -1820' to -1875'	5280' to 5331'	" -1839' to -1901'	5299' to 5361'	" -19'
ST. GENEVIEVE LIMESTONE	" -1873'	5333'	" -1901'	5361'	" -28'
ST. LOUIS LIMESTONE	" -1918'	5378'	" -1941'	5401'	" -23'
VIOLA LIMESTONE	" -2611'	6071'	" -2642'	6102'	" -31'
SIMPSON LIMESTONE	" -2781'	6241'			
ARBUCKLE	" -2823'	6283'			
TD	" -3020'	6480'	" -2731'	6191'	

RECEIVED
 FEB 27 2012
 KCC WICHITA



24 S. Lincoln Street
 P.O. Box 31
 Russell, KS 67665-2906

Voice: (817) 546-7282
 Fax: (817) 246-3361

INVOICE

Invoice Number: 128633
 Invoice Date: Sep 24, 2011
 Page: 1

Bill To:
Hondo Energy 5472 S Ventura Dt. Centennial, CO 80015

Customer ID	Well Name # or Customer P.O.	Payment Terms	
Hondo	Melissa Ann #1	Net 30 Days	
Job Location	Camp Location	Service Date	Due Date
KS1-01	Liberal	Sep 24, 2011	10/24/11

Quantity	Item	Description	Unit Price	Amount
150.00	MAT	Class A Common	16.25	2,437.50
4.00	MAT	Gel	21.25	85.00
21.00	MAT	Chloride	58.20	1,222.20
575.00	MAT	Lightweight	15.00	8,625.00
750.00	SER	Handling	2.25	1,687.50
120.00	SER	Mileage 750 sx @ .11 per sk per mi	82.50	9,900.00
1.00	SER	Surface	1,925.00	1,925.00
240.00	SER	Pump Truck Mileage	7.00	1,680.00
1.00	SER	Manifold & Head Rental	200.00	200.00
240.00	SER	Light Vehicle Mileage	4.00	960.00
1.00	EQP	8.5/8 Top Plug	112.00	112.00
1.00	EQP	8.5/8 Guide Shoe	394.00	394.00
1.00	EQP	8.5/8 AFU	382.00	382.00
2.00	EQP	8.5/8 Basket	478.00	956.00
5.00	EQP	8.5/8 Centralizer	64.00	320.00
1.00	CEMENTER	Bob Ryan		
1.00	EQUIP OPER	Cesar Pavia		
1.00	OPER ASSIST	Ruben Chaves		

Subtotal	30,886.20
Sales Tax	1,060.96
Total Invoice Amount	31,947.16
Payment/Credit Applied	
TOTAL	31,947.16

ALL PRICES ARE NET, PAYABLE
 30 DAYS FOLLOWING DATE OF
 INVOICE. 1 1/2% CHARGED
 THEREAFTER. IF ACCOUNT IS
 CURRENT, TAKE DISCOUNT OF

\$ 31,947.16

ONLY IF PAID ON OR BEFORE

Oct 19, 2011

RECEIVED
 FEB 27 2012
 KCC WICHITA

ALLIED CEMENTING CO., LLC. 036539

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT: LIBERAL KS

DATE <u>9-24-11</u>	SEC <u>6</u>	TWP. <u>26</u>	RANGE <u>41W</u>	CALLED OUT	ON LOCATION	JOB START <u>4:07 PM</u>	JOB-FINISH <u>5:30 AM</u>
WELL # <u>ANN</u>	WELL # <u>1</u>	LOCATION <u>10.75 S of Sykes 2.6</u>	COUNTY <u>Harvey</u>	STATE <u>KS</u>			
OLD OR NEW (Circle one) <u>NEW</u>			4 1/2 W 5th				

CONTRACTOR Trinidad 201 OWNER SAME

TYPE OF JOB YE SFARE

HOLE SIZE 12 1/4 T.D. 1790'

CASING SIZE 8 1/2 24" DEPTH 1790

TUBING SIZE DEPTH

DRILL PIPE DEPTH

TOOL DEPTH

PRES. MAX 1000 PSI MINIMUM 0

MEAS. LINE SHOE JOINT 42

CEMENT LEFT IN CSG. 42

PERFS.

DISPLACEMENT 111.1 BBL

EQUIPMENT

PUMP TRUCK CEMENTER BOB

372 HELPER CEASAR

BULK TRUCK

DRIVER REBIN

BULK TRUCK

DRIVER

CEMENT	AMOUNT ORDERED	<u>575 6.5/35 6% GEL</u>
	<u>3% CC ROSEN</u>	
	<u>150 A 3% CC 2% GEL</u>	
COMMON	<u>150</u>	@ <u>16²⁵</u> <u>2437⁵⁰</u>
POZMIX		@
GEL	<u>4.5% GEL</u>	@ <u>24²⁵</u> <u>88⁰⁰</u>
CHLORIDE	<u>21% CC</u>	@ <u>58¹⁰</u> <u>1222²⁰</u>
ASC		@
	<u>575 GEL</u>	@ <u>15⁰⁰</u> <u>8625⁰⁰</u>
		@
		@
		@
		@
		@
HANDLING	<u>750</u>	@ <u>2²⁵</u> <u>1687⁵⁰</u>
MILEAGE	<u>54 mi x 11</u>	<u>9900⁰⁰</u>
		TOTAL <u>23957²⁰</u>

REMARKS:

Thank you

C/CC cur to surface

SERVICE

DEPTH OF JOB	<u>1790'</u>	
PUMP TRUCK CHARGE		<u>1925⁰⁰</u>
EXTRA FOOTAGE	@	
MILEAGE	<u>240</u>	@ <u>7⁰⁰</u> <u>1680⁰⁰</u>
MANIFOLD + HEAD		@ <u>200⁰⁰</u> <u>200⁰⁰</u>
UT LETH 2 1/2	<u>240</u>	@ <u>4⁰⁰</u> <u>960⁰⁰</u>
		@
		TOTAL <u>4765⁰⁰</u>

CHARGE TO: Hendo Energy

STREET _____

CITY _____ STATE _____ ZIP _____

PLUG & FLOAT EQUIPMENT

<u>878</u>		
1- Top Plug	@	<u>112⁰⁰</u>
1- Guide Shoe	@	<u>394⁰⁰</u>
1- AEU	@	<u>382⁰⁰</u>
2- BASKET	@ <u>478</u>	<u>956⁰⁰</u>
5- Cement Bags	@ <u>64⁰⁰</u>	<u>320</u>
		TOTAL <u>2164⁰⁰</u>

To Allied Cementing Co., LLC.
You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

SALES TAX (if Any) _____

TOTAL CHARGES 30886²⁰

DISCOUNT 6171.24 IF PAID IN 30 DAYS

\$24708.96

PRINTED NAME James W Rowland

SIGNATURE James W Rowland

RECEIVED
FEB 27 2012
KCC WICHITA



24 S. Lincoln Street
 P.O. Box 31
 Russell, KS 67665-2906

Voice: (817) 546-7282
 Fax: (817) 246-3361

INVOICE

Invoice Number: 128810
 Invoice Date: Oct 4, 2011
 Page: 1

Bill To:
Hondo Energy 5472 S Ventura Dt. Centennial, CO 80015

Customer ID	Well Name # or Customer P.O.	Payment Terms	
Hondo	Melissa Ann #1	Net 30 Days	
Job Location	Camp Location	Service Date	Due Date
KS1-03	Liberal	Oct 4, 2011	11/3/11

Quantity	Item	Description	Unit Price	Amount
200.00	MAT	Class A Lightweight	14.50	2,900.00
200.00	SER	Handling	2.25	450.00
100.00	SER	Mileage	22.00	2,200.00
1.00	SER	Plugged to Abandon	1,250.00	1,250.00
200.00	SER	Heavy Vehicle Mileage	7.00	1,400.00
200.00	SER	Light Vehicle Mileage	4.00	800.00
1.00	CEMENTER	Bob Ryan		
1.00	EQUIP OPER	Cesar Pavia		
1.00	OPER ASSIST	Ruben Chaves		

Subtotal	9,000.00
Sales Tax	657.00
Total Invoice Amount	9,657.00
Payment/Credit Applied	
TOTAL	9,657.00

ALL PRICES ARE NET, PAYABLE
 30 DAYS FOLLOWING DATE OF
 INVOICE. 1 1/2% CHARGED
 THEREAFTER. IF ACCOUNT IS
 CURRENT, TAKE DISCOUNT OF

\$1800.00

ONLY IF PAID ON OR BEFORE

Oct 29, 2011

RECEIVED
 FEB 27 2012
 KCC WICHITA

ALLIED CEMENTING CO., LLC. 036545

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT: LIBERAL KS

DATE <u>10-4-11</u>	SEC <u>6</u>	TWP <u>26S</u>	RANGE <u>41W</u>	CALLED OUT	ON LOCATION	JOB START <u>0430</u>	JOB FINISH <u>5:00 AM</u>
LEASE <u>Melisa Ann</u>		WELL # <u>1</u>	LOCATION <u>Johnson Ks</u>		COUNTY <u>Hamilton</u>	STATE <u>KS</u>	
OLD OR NEW (Circle one) <u>NEW</u>			<u>Nite Rd 31 (41W) State</u>				

CONTRACTOR Tyndal #201 OWNER SAME

TYPE OF JOB TA

HOLE SIZE <u>7 1/2"</u>	T.D. <u>6191'</u>
CASING SIZE <u>8 5/8"</u>	DEPTH <u>1790'</u>
TUBING SIZE	DEPTH
DRILL PIPE <u>4 1/2" x 11'</u>	DEPTH <u>1810'</u>
TOOL	DEPTH
PRES. MAX	MINIMUM
MEAS. LINE	SHOE JOINT

CEMENT LEFT IN CSG.
PERFS.
DISPLACEMENT 2213 BBL

CEMENT AMOUNT ORDERED 200 SK
00/40 4 1/2 GEL TA FLO SEAL

EQUIPMENT

PUMP TRUCK	CEMENTER <u>Bob</u>
# <u>372</u>	HELPER <u>CEASAR</u>
BULK TRUCK	
# <u>456-239</u>	DRIVER <u>Rubin</u>
BULK TRUCK	
#	DRIVER

COMMON	@	
POZMIX	@	
GEL	@	
CHLORIDE	@	
ASC	@	

200 SK TA PET @ 14.50 2900.00

HANDLING 200 @ 2.25 450.00
MILEAGE 5K x 2 x 11 2200.00
TOTAL 5550.00

REMARKS:

Thank You

SERVICE

DEPTH OF JOB	<u>1810'</u>
PUMP TRUCK CHARGE	<u>1250.00</u>
EXTRA FOOTAGE	@
MILEAGE <u>200 mi.</u>	@ <u>7.00</u> <u>1400.00</u>
MANIFOLD	@
<u>CT UER m: 200</u>	@ <u>4.00</u> <u>800.00</u>

TOTAL 3450.00

CHARGE TO: Hondo Eng.
STREET _____
CITY _____ STATE _____ ZIP _____

PLUG & FLOAT EQUIPMENT

_____	@	_____
_____	@	_____
_____	@	_____
_____	@	_____
_____	@	_____

TOTAL _____

To Allied Cementing Co., LLC.
You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

SALES TAX (If Any) _____
TOTAL CHARGES 9000.00

PRINTED NAME Chuck Briggs

DISCOUNT _____ IF PAID IN 30 DAYS

SIGNATURE Chuck Briggs

RECEIVED
FEB 27 2012
KCC WICHITA