STATE OF KANSAS
STATE CORPORATION COMMISSION

Give All Information Completely Make Required Affidavit Moli or Deliver Report to:	FORMATION PLUGGING RECORD Strike out upper line when reporting plugging off formations.					
Conservation Division State Corporation Commission B00 Bitting Building	Saline	€			т 16 р	
Wichita, Kansas	Location as "NE	4NW¼SW¼"	or footage fro	m lines NE/4	NE/4 NE	(E) 3 (W)
NORTH	Lease OwnerW	J. Sherr	nan et	al		
·	Lease Name. L					Well No1
						Dry Hole
						Nov. 27 19 47
						27 19 47
						" 27 19 47
						2719.47
						" 27 ₁₉ 47
			_			
				4		19
	•					ore plugging was com-
Locate well correctly on above Section Plat	menced? Yes					
ame of Conservation Agent who super						
oducing formation			Bottom	Т	Cotal Depth of	Well 5,537 Feet
ow depth and thickness of all water, o OIL, GAS OR WATER RECORDS	il and gas formations.					CASING RECORD
			· · · · · · · · · · · · · · · · · · ·			
Formation	Content	From	То	Size .	Put In	Pulled Out
				8-5/8	278!	none
				••••••		
	1	i				
Describe in detail the manner in what traducing it into the hold. If cement	hich the well was plug or other plugs were us	ged, indicating	where the mu	me and depth pl	aced, from	feet to
Describe in detail the manner in wh	hich the well was plug or other plugs were us	ged, indicating	where the mu	me and depth pl	aced, from	feet to
Describe in detail the manner in what troducing it into the hold. If cement feet for each plug so and cirrof drill pipe - Fill Filled hole with he 15 sacks cement on placed second plug	hich the well was plug or other plugs were us	ged, indicating sed, state the character was mud for the heavy 2001 - p. Filled ks cement	where the munaracter of same or thirt mud — laced we nole with the bottom of the botto	me and depth ploy minute Laid down lood plug th heavy ttom of c	aced, froms Laid balance at 2001 mud to 2 ellar.	down 1,800° drill pipe and run
Describe in detail the manner in what troducing it into the hold. If cement feet for each plug so and cirrof drill pipe - Fill Filled hole with he 15 sacks cement on placed second plug	nich the well was plug or other plugs were us et. culated hear led hole wi avy mud to a this plug - Run 5 sacl	ged, indicating sed, state the character was mud for the heavy 2001 - p. Filled ks cement	where the munaracter of same or thirt mud — laced we nole with the bottom of the botto	me and depth ploy minute Laid down lood plug th heavy ttom of c	aced, froms Laid balance at 2001 mud to 2 ellar.	down 1,800° drill pipe and run
Describe in detail the manner in what troducing it into the hold. If cement feet for each plug so and cir of drill pipe - Fill Filled hole with he 15 sacks cement on placed second plug	nich the well was plug or other plugs were us et. culated hear led hole wi avy mud to a this plug - Run 5 sacl	ged, indicating sed, state the character was mud for the heavy 2001 - p. Filled has coment	where the munaracter of sales or thirt mud - laced we nole with to both	me and depth ploy minute Laid down cod plug the heavy atom of c	aced, froms -= Laid balance at 2001 mud to 2 ellar.	down 1,800° drill pipe and run
Describe in detail the manner in what roducing it into the hold. If cement feet for each plug so and cirrof drill pipe - Fill Filled hole with he 15 sacks cement on placed second plug	nich the well was plug or other plugs were us et. culated heav led hole with avy mud to s this plug - Run 5 sacl	ged, indicating sed, state the classed, state the classed way mud for the heavy 2001 - p. Filled has coment	where the munaracter of sales or thiri mud — I Laced we nole with the bottom of the bo	me and depth play minute Laid down cod plug the heavy tom of c	aced, froms -	down 1,800° drill pipe and run
Describe in detail the manner in what troducing it into the hold. If cement feet for each plug so and cirroff drill pipe - Fill Filled hole with he 15 sacks cement on placed second plug	nich the well was plug or other plugs were us et. culated heav led hole with avy mud to s this plug - Run 5 sacl	ged, indicating sed, state the classed, state the classed way mud for the heavy 2001 - p. Filled has coment	where the munaracter of sales or thiri mud — I Laced we nole with the bottom of the bo	me and depth play minute Laid down cod plug the heavy tom of c	aced, froms -	down 1,800° drill pipe and run
Describe in detail the manner in what troducing it into the hold. If cement feet for each plug so and circular of drill pipe - Fill Filled hole with he 15 sacks cement on placed second plug	nich the well was plug or other plugs were us et. culated heav led hole with avy mud to s this plug - Run 5 sacl	ged, indicating sed, state the classed, state the classed way mud for the heavy 2001 - p. Filled has coment	where the munaracter of sales or thiri mud — I Laced we nole with the bottom of the bo	me and depth play minute Laid down cod plug the heavy tom of c	aced, froms -	down 1,800° drill pipe and run
Describe in detail the manner in what troducing it into the hold. If cement feet for each plug so and cir of drill pipe - Fill Filled hole with he 15 sacks cement on placed second plug	nich the well was plug or other plugs were us et. culated heav led hole with avy mud to s this plug - Run 5 sacl	ged, indicating sed, state the classed, state the classed way mud for the heavy 2001 - p. Filled has coment	where the munaracter of sales or thiri mud — I Laced we nole with the bottom of the bo	me and depth play minute Laid down cod plug the heavy tom of c	aced, froms -	down 1,800° drill pipe and run
Describe in detail the manner in what troducing it into the hold. If cement feet for each plug so and circular of drill pipe - Fill Filled hole with he 15 sacks cement on placed second plug	nich the well was plug or other plugs were us et. culated heav led hole with avy mud to s this plug - Run 5 sacl	ged, indicating sed, state the classed, state the classed way mud for the heavy 2001 - p. Filled has coment	where the munaracter of sales or thiri mud — I Laced we nole with the bottom of the bo	me and depth play minute Laid down cod plug the heavy tom of c	aced, froms -	down 1,800° drill pipe and run
Describe in detail the manner in what troducing it into the hold. If cement feet for each plug so and cirroff drill pipe - Fill Filled hole with he 15 sacks cement on placed second plug	nich the well was plug or other plugs were us et. culated heav led hole with avy mud to s this plug - Run 5 sacl	ged, indicating sed, state the classed, state the classed way mud for the heavy 2001 - p. Filled has coment	where the munaracter of sales or thiri mud — I Laced we nole with the bottom of the bo	me and depth play minute Laid down cod plug the heavy tom of c	aced, froms -	down 1,800° drill pipe and run
Describe in detail the manner in what troducing it into the hold. If cement feet for each plug so and circle of drill pipe - Fill Filled hole with he 15 sacks cement on placed second plug	hich the well was plug or other plugs were uset. culated heaveled hole with avy mud to this plug - - Run 5 saci	ged, indicating sed, state the closed, where the closed is the closed in the second se	where the munaracter of sales or thirt mud - Laced we nole with to both	me and depth ploy minute Laid down cod plug th heavy ttom of c	aced, from	down 1,800° drill pipe and run 0° and
Describe in detail the manner in what to ducing it into the hold. If cement feet for each plug so and cirrof drill pipe - Fill Filled hole with he 15 sacks cement on placed second plug Correspondence regarding this well ldress Wichita 2, Kansa	or other plugs were uset. culated heaviled hole with avy mud to atthis plug Run 5 saci	ged, indicating sed, state the chewy mud for the heavy 200' - p. Filled has cement	where the munaracter of sales or third mud - laced we nole with to both the control of the contr	me and depth play minute Laid down od plug the heavy tom of c	aced, from	down 1,800° drill pipe and run 0° and
Describe in detail the manner in what to ducing it into the hold. If cement feet for each plug so and cirrof drill pipe - Fill Filled hole with he 15 sacks cement on placed second plug Correspondence regarding this well lidress Wichita 2, Kansa	culated hear led hole with avy mud to this plug - Run 5 saci	ged, indicating sed, state the clean of the heavy 2001 - p. Filled has coment as coment to Donald	where the munaracter of sales or third mud - laced we nole with to both to both T. Ing	this sheet)	aced, from	down 1,800° drill pipe and run 0° and
Describe in detail the manner in what troducing it into the hold. If cement feet for each plug so and cirrof drill pipe - Fill Filled hole with he 15 sacks cement on placed second plug Correspondence regarding this well didress. Wichita 2, Kansa	culated hear led hole withis plug - Run 5 saci	ged, indicating sed, state the characteristic property of the say 200' - property of the prope	where the munaracter of sales or third mud - Laced we hale with to both to bot	me and depth ploy minute Laid down ood plug the heavy tom of c	aced, from	down 1,800° drill pipe and run 0° and
Describe in detail the manner in what troducing it into the hold. If cement feet for each plug so and cirrof drill pipe - Fill Filled hole with he 15 sacks cement on placed second plug Correspondence regarding this well didress. Wichita 2, Kansa I - W.W. Wright	culated hear led hole withis plug - Run 5 saci	ged, indicating sed, state the characteristic way mud for the heavy 200' - p. Filled has cement as cement as cement as cement as cement as ceription is necessar to Donald y OF SI (em	where the munaracter of sales or third mud - Laced we have been been been been been been been be	me and depth ploy minute Laid down cod plug the heavy tom of c	s-# Laid balance at 200 mud to 2 ellar. 8 4th Na ss. operator) of th	down 1,800° drill pipe and run 0° and t'l Bank Bld
Describe in detail the manner in witroducing it into the hold. If cement feet for each plug so Jetted pits and cirrof drill pipe - Fill Filled hole with he 15 sacks cement on placed second plug Correspondence regarding this well ddress. Wichita 2, Kansa	culated hear led hole with avy mud to this plug - Run 5 sacion (If additional des should be addressed second), COUNT that I have knowledge	ged, indicating sed, state the characteristic property of the facts, state the characteristic property of the facts, state the characteristic property of the facts, state to the facts, state to the facts, state the characteristic property of the facts of the characteristic property of the facts, state the characteristic property of the charact	where the munaracter of sales or third mud - Laced we nole with to both to bot	me and depth ploy minute Laid down cod plug the heavy tom of c	s-# Laid balance at 200 mud to 2 ellar. 8 4th Na ss. operator) of th	down 1,800° drill pipe and run 0° and t'l Bank Bld
Describe in detail the manner in wittenducing it into the hold. If cement feet for each plug some of drill pipe - Fill Filled hole with he 15 sacks cement on placed second plug Correspondence regarding this well ddress Wichita 2, Kansa FATE OF KANSAS I - W.W. Wright eing first duly sworn on oath, says: Tescribed well as filed and that the same	culated hear led hole withis plug - Run 5 saci (If additional des should be addressed S. COUNT hat I have knowledge e are true and correct	ged, indicating sed, state the closed, state the closed, where the property of the heavy 200' - p. Filled by comment of the facts, state to be seen to the facts, state of the facts of the	where the munaracter of sales or third mud - Laced we nole with to both to bot	this sheet) gling, 70 mer) or (owner or d matters herein	s-# Laid balance at 200 mud to 2 ellar. 8 4th Na ss. operator) of th	down 1,800° drill pipe and run 0° and t'l Bank Bld
Describe in detail the manner in wateroducing it into the hold. If cement feet for each plug so Jetted pits and cirrespondence with he Is sacks cement on placed second plug Correspondence regarding this well ddress. Wichita 2, Kansa	culated hear led hole withis plug - Run 5 saci (If additional des should be addressed S. COUNT hat I have knowledge e are true and correct	ged, indicating sed, state the closed, state the closed, state the closed wy mud for the heavy 200' - p. Filled was cement as coment to Donald y OF. SI (em of the facts, st. So help me C Signature)	where the munaracter of sales or third mud - Laced we nole with to both to bot	this sheet) gling, 70 aer) or (owner or d matters herein	s Laid balance at 200 mud to 2 ellar. 8 4th Na ss. operator) of the	t'l Bank Bld de above-described well, the log of the above-
Describe in detail the manner in witroducing it into the hold. If cement feet for each plug soft and cirroft of drill pipe - Fill Filled hole with he 15 sacks cement on placed second plug Correspondence regarding this well ddress. Wichita 2, Kansa FATE OF KANSAS I - W.W. Wright eing first duly sworn on oath, says: Tescribed well as filed and that the same	culated hear led hole withis plug - Run 5 saci (If additional des should be addressed S. COUNT hat I have knowledge e are true and correct	ged, indicating sed, state the closed, state the closed, state the closed wy mud for the heavy 200' - p. Filled was cement as coment to Donald y OF. SI (em of the facts, st. So help me C Signature)	where the munaracter of sales or third mud - Laced we nole with to both to bot	this sheet) gling, 70 at'l Bank	s Laid balance at 200' mud to 2 ellar. 8 4th Na ss. operator) of th contained and	t'l Bank Bld de above-described well, the log of the above-
Describe in detail the manner in what troducing it into the hold. If cement feet for each plug so and cirrof drill pipe - Fill Filled hole with he 15 sacks cement on placed second plug Correspondence regarding this well didress. Wichita 2, Kansa I - W.W. Wright ing first duly sworn on oath, says: Tescribed well as filed and that the same	culated hear led hole withis plug - Run 5 saci (If additional des should be addressed se, COUNT) that I have knowledge e are true and correct	ged, indicating sed, state the check yeth he avy 200' - p. Filled has cement as cerebration is necessar to Donald (em of the facts, st. So help me Cosignature)	where the munaracter of sales or third mud - Laced we have been been been been been been been be	this sheet) call ing, 70 this sheet) calling, 70 this sheet) calling, 70 the author of	s-= Laid balance at 200' mud to 2 ellar. 8 4th Na ss. operator) of th contained and	down 1,800' drill pipe and run O' and t'l Bank Bld te above-described well, the log of the above-
Describe in detail the manner in with troducing it into the hold. If cement feet for each plug so of drill pipe - Fill Filled hole with he 15 sacks cement on placed second plug Correspondence regarding this well ddress. Wichita 2, Kansa TATE OF KANSAS I - W.W. Wright in first duly sworn on oath, says: The scribed well as filed and that the same subscribed as filed and that the same subscribed well as filed	culated hear led hole withis plug - Run 5 saci (If additional des should be addressed se, COUNT) that I have knowledge e are true and correct	ged, indicating sed, state the check yeth he avy 200' - p. Filled has cement as cerebration is necessar to Donald (em of the facts, st. So help me Cosignature)	where the munaracter of sales or third mud - Laced we have been been been been been been been be	this sheet) gling, 70 at'l Bank	s Laid balance at 200' mud to 2 ellar. 8 4th Na ss. operator) of th contained and	down 1,800° drill pipe and run O' and t'l Bank Bld te above-described well, the log of the above-
Describe in detail the manner in wateroducing it into the hold. If cement feet for each plug some of drill pipe - Fill Filled hole with he 15 sacks cement on placed second plug Correspondence regarding this wellders Wichita 2, Kansa TATE OF KANSAS I - W.W. Wright eing first duly sworn on oath, says: Tescribed well as filed and that the same	culated hear led hole withis plug - Run 5 saci (If additional des should be addressed se, COUNT) that I have knowledge e are true and correct	ged, indicating sed, state the check yeth he avy 200' - p. Filled has cement as cerebration is necessar to Donald (em of the facts, st. So help me Cosignature)	where the munaracter of sales or third mud - Laced we have been been been been been been been be	this sheet) call ing, 70 this sheet) calling, 70 this sheet) calling, 70 the author of	s-= Laid balance at 200' mud to 2 ellar. 8 4th Na ss. operator) of th contained and	down 1,800° drill pipe and run O' and t'l Bank Bld te above-described well, the log of the above-

|5=|69-00720-00-00 WELL PLUGGING RECORD

FORMATION PLUGGING RECORD

Make Required Affidavit Mail or Deliver Report to: Conservation Division State Corporation Commission 800 Bitting Bulding Wichita, Kansas
NORTH

Lindstrom

Lease Owner....

Date well completed..

Application for plugging filed...

Plugging commenced.....

.County. Sec. NE/4 16 Location as "NE¼NW¼SW¼" or footage from lines. Well No. Office Address Wichita, Kenses. Character of Well (completed as Oil, Gas or Dry Hole)..... Dry Hole 2719 47 Application for plugging approved... Reason for abandonment of well or producing formation... If a producing well is abandoned, date of last production Was permission obtained from the Conservation Division or its agents before plugging was com-

Locate well correctly on above Section Plat

Name of Conservation Agent who supervised plugging of this well Kr. Ruel Durkee, McPherson, Kanses. Depth to top.....

Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

Formation	Content	From	То	Size	Put In	Pulled Out
		, ,		8-5/8	2781	none
		•		•		· ·
	•				,	
			1.1	Y		
,	•					
•		•				
		-1.			,	

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hold. If cement or other plugs were used, state the character of same and depth placed, from.....feet to Jetted pittorand pittoralated heavy mud for thirty minutes -- Laid down 1,800

of drill pipe - Filled hole with heavy mud - Laid down balance drill pipe Pilled hole with heavy mud to 200' - placed wood plug at 200' and run lo seeks cement on this plug - Filled hole, with heavy mud to 20' and placed second plug - Run 5 seeks coment to bottom of celler.

(If additional description is Becessary duser BACK of this sheet), 708 4th Nat'l Bank Bldg

Correspondence regarding this well should be addressed to Address.

KANSAS STATE OF W.V. W. Lebt SEDGWICK

... (employee of owner) or (owner or operator) of the above-described well,

being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the abovedescribed well as filed and that the same are true and correct. So help me God.


(Signature) 708 4th Nat 1 Bank Bldg., Wichita, Kansas.

28th SUBSCRIBED AND SWORN TO before me this ...

November

April 10, 1948

Notary Public.



15-169-00720-00-00

WELL LOG LINDSTROM NO. 1

W. J. Sherman, et al. - Lease Owners

Sec. 4, Twp. 16S, Range 3

Donald T. Ingling - Contractor

Location: NE NE NE

Total Depth: 3537'

County: Saline (Kansas)

Commenced: November 2, 1947 Completed: November 27, 1947 Elevation: 1300

Casing: 278 of 8-5/8"

Production: Dry

rigures below indicate bottom of formation:

50	Shale & Sand	2730	Shale	
240	Shale & Shells	2780	Shale & Shells	
278	Gypsum and Hard Lime	3007	Shale & Cherty	Lime
365	Lime	3175		
550	Line - Streaks Shale	3220		
740	Lime & Shale		Lime & Shale	
890	Sandy Lime	3293		
950	Shale & Lime	33 05	Lime & Shale	
1010	Sandy Lime & Shale	3365		
1325	Shale & Shells	3455	Lime	
2215	Lime & Shale	34 85	Lime & Shale	
2365		3507	Sand & Shale	
2425	Lime & Shale	35 37	Lime	
	Lime	3537	TOTAL DEPTH	
2560	Lime & Shale	##		
	Shale, Streaks Lime			
	Shale & Shells			
2695	Lime & Shale			

I hereby certify that this is a true and correct log of the abovementioned well.

DONALD T. INGLING

STATE OF KANSAS!

SS.

SEDGWICK COUNTY!

Subscribed and sworn to before me, a Notary Public in said County and State this 28th day of November, 1947.

Notary Public

My Commission expires: 4/10/48

PLUGGING

WELL LOG LINDSTROM NO. 1

W. J. Sherman, et al. - Lease Owners

Sec. 4, Twp. 16S, Range 3W

Donald T. Ingling - Contractor

Location: NE NE NE

Total Depth: 35 37 1 County: Saline (Kansas)

Commenced: November 2, 1947 Completed: November 27, 1947

Elevation: 1300'

Casing: 278! of 8-5/8!

Production: Dry

Figures below indicate bottom of formation:

	Shale & Sand Shale & Shells		Shale & Shells
	Gypsum and Hard Lime		Shale & Cherty Lime
	Lime		Shale & Lime
	Lime - Streaks Shale		Shale & Dime
	Lime & Shale		Lime & Shale
890	Sandy Lime	3293	Shale
950	Shale & Lime	3305	Lime & Shale
	Sandy Lime & Shale	3365	Cherty Lime
1325	Shale & Shells	3455	Lime
2215	Lime & Shale		Lime & Shale
2365	Lime	3507	Sand & Shale
2425	Lime & Shale		Lime
2470	Lime	3537	TOTAL DEPTH
2560	Lime & Shale		
2600	Shale, Streaks Lime		
2650	Shale & Shells		
2695	Lime & Shale		

I hereby certify that this is a true and correct log of the abovementioned well.

DONALD T. INGLING

STATE OF KANSAS

SS.

SEDGWICK COUNTY!

Subscribed and sworn to before me, a Notary Public in said County and State this 28th day of November, 1947.

My Commission expires: 4/10/48