

Kansas Corporation Commission Oil & Gas Conservation Division

1076471

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 34592		<u> </u>	API No. 15
Name: Kansas Resource E		elopment, LLC	Spot Description:
Address 1: 9393 W 110TH ST,	STE 500		SE_NW_NE_NE_Sec15_Twp14_S. R22_ Fast West
Address 2:			4785 Feet from ☐ North / 🗹 South Line of Section
City: OVERLAND PARK St	ate: KS Zip: _	66210 +	Feet from 📝 East / 🗌 West Line of Section
Contact Person: Bradley Krame	er		Footages Calculated from Nearest Outside Section Corner:
Phone: (913) 669-2253			□ NE □ NW ☑ SE □ SW
CONTRACTOR: License #_8509	9		County: Johnson
Name: Evans Energy Develor			Lease Name: KNABE M Well #: KR-5
Wellsite Geologist: N/A			Field Name: Gardner
Purchaser: Coffeyville Resource			Producing Formation: Squirrel Sandstone
Designate Type of Completion:			Elevation: Ground: 1029 Kelly Bushing: 0000
✓ New Well Re-	-Entry	Workover	Total Depth: 764 Plug Back Total Depth: 755
✓ wsw	□swp	□ siow	Amount of Surface Pipe Set and Cemented at: 21 Feet
☐ Gas ☐ D&A	☐ ENHR	☐ sigw	Multiple Stage Cementing Collar Used? ☐ Yes ✔ No
☐ og	☐ GSW	Temp. Abd.	If yes, show depth set:Feet
CM (Coal Bed Methane)			If Alternate II completion, cement circulated from:
Cathodic Other (Core	e, Expl., etc.):	,	feet depth to: 755 w/ 101 sx cmt.
If Workover/Re-entry: Old Well Inf	fo as follows:		
Operator:			Drilling Fluid Management Plan
Well Name:			(Data must be collected from the Reserve Pit)
Original Comp. Date:	Original Total	Depth:	Chloride content: 000000 ppm Fluid volume: 150 bbls
Deepening Re-perf.	Conv. to EN	IHR Conv. to SWD	Dewatering method used: Evaporated
	Conv. to G	•	
Plug Back:	_		Location of fluid disposal if hauled offsite:
Commingled			Operator Name:
Dual Completion	•		Lease Name: License #:
SWD			Quarter Sec TwpS. R
ENHR			County: Permit #:
☐ GSW	Permit #:		County Permit #:
12/22/2011 12/27/2		12/29/2011	
Spud Date or Date Rea Recompletion Date		Completion Date or Recompletion Date	

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Letter of Confidentiality Received
Date:
Confidential Release Date:
✓ Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I I III Approved by: Deenna Garrisov Date: 03/15/2012

Side Two



1076471

Operator Name: Kan	sas Resource Exploi	ration & Development, LL	C Lease N	lame: _	KNABE M		Well #:KR	:-5	
Sec. 15 Twp. 14			County:						
time tool open and clo	osed, flowing and shu es if gas to surface to	nd base of formations pen ut-in pressures, whether s est, along with final chart(I well site report.	hut-in press	ure rea	ched static level,	hydrostatic pre	essures, bottom h	nole temp	perature, fluid
Drill Stem Tests Taker (Attach Additional		☐ Yes ✓ No		٧L	og Formatio	n (Top), Depth	and Datum	. 🗆	Sample
Samples Sent to Geo	logical Survey	∵ ☐ Yes ✓ No		Nam	rel Sandstone		Тор 710'		Datum 19'
Cores Taken Electric Log Run Electric Log Submitte (If no, Submit Copy	•	Yes ✓ No ✓ Yes No ✓ Yes No		Oquiii	er danusione		710	J	
List All E. Logs Run:									
Gamma Ray Neutron CCL	•								
		CASING Report all strings set-	RECORD	☐ N	_	ion etc			
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weig	ht	Setting Depth	Type of Cement	# Sacks Used		and Percent Additives
Surface	9.875	7	14		21	Portland	6		
Production	5.625	2.875	6.5	•	755	50/50 Poz	101		
						,			
		ADDITIONAL	CEMENTIN	IG / SQI	JEEZE REÇORD				
Purpose: Depth Top Bottom Perforate Top Bottom Protect Casing Plug Back TD Plug Off Zone		Type of Cement	- # Sacks	# Sacks Used Type			and Percent Additives		
L	-		<u> </u>						
Shots Per Foot		ION RECORD - Bridge Plug Footage of Each Interval Per				cture, Shot, Cem mount and Kind of	ent Squeeze Recor Material Used)	d	Depth
2	710.0' - 720.0' 2	21 Perfs			2" DML RTG	6			710.0' - 720.0
			**** · · · · · · · · · · · · · · · · ·						l .
		,							
TUBING RECORD:	Size:	Set At: 735 '	Packer At:	:	Liner Run:	Yes 🗸	No		<u> </u>
Date of First, Resumed	Production, SWD or EN	NHR. Producing Meth	nod:	, [Gas Lift C	Other (Explain)			
Estimated Production Per 24 Hours	Oil	Bbls. Gas	Mcf	Wat	er B	bls.	Gas-Oil Ratio		Gravity
	ON OF GAS:		METHOD OF			mminalad	PRODUCTION)N INTER	(VAL:
Vented Solo	Used on Lease bmit ACO-18.)	Open Hole	ren. ∟	Dually (Submit		mmingled mit ACO-4)			



CUSTOMER#

TICKET NUMBER	33195
LOCATION OTT	awa
FOREMAN A Law	2 Made

PO Box 884, Chanute, KS 66720 620-431-9210 or 800-467-8676

DATE

FIELD TICKET & TREATMENT REPORT CEMENT

SECTION

TOWNSHIP

WELL NAME & NUMBER

CUSTOMER	4448 Knabe	M KR-5	NE 15	139	22	US
	· Pagn	Ed)				
Kansa MAILING ADDRE		200	TRUCK#	DRIVER	TRUCK#	DRIVER
9347	W 11075		3/6	Mann	O attery	Meat
CITY	STATE	ZIP CODE	360	Men NI		
Dverlan		66210	102	Easey K	1 CE	<u> </u>
,			1543 H 264	Derek NI	D.7/	718
OB TYPE DEPTH	0,5,0	5 3/8 HOLE DEPT	H	CASING SIZE & V		20
CASING DEPTH SLURRY WEIGH		TOBINGWATER gal/s	-1-	AT1151151	OTHER	
DISPLACEMENT		TPSI 800 MIX PSI	200	CEMENT LEFT in	CASING	<u> </u>
REMARKS: 17	and the second second			RATE 46	fina	0.0
# #	of followed	62 101 (5)	TO ISO	1- 1/1 x2	Do pri	mpea
107 - 50	hem seal do	soll Picc	30130	ODZ piu	5 d 10 3	50/0
1, 10	Pumped 20	lygy to ca	sinc Ti	cemen!	1 /2/1	207
100T	Stat float	105ed valu		1/01	1 held	800
1 / 1/1	Util Vicari	AUSTO DEIL	* 			
				•		
Evans	Engrav Mito	2011	٠,	•		
IND CASO	114194, 11.00	-161	* * * * * * * * * * * * * * * * * * * *	11		
				Hear	v.Ma	der
ACCOUNT	QUANITY or UNITS	DESCRIPTION	6 CED\((CEC DD)	NDUCT.	ł	
CODE	QUANITY or UNITS DESCRIPTION of SERVICES or PRODUCT				UNIT PRICE	TOTAL
5701		PUMP CHARGE				103000
240 B	30	MILEAGE				12000
5402	754	e 93: 25 70	240,00			
5407	ΔΛ' Λ.	To a soil	ء ڊ			137000
		7000 000 19	· \			10000
55026	2	80 Vac			•	180.00
35026	2	80 Wac		.,		180.00
	2					180.00
55026 1124	10 1	30 (50 cem				180.00 1105.95
	10 1 270					180.00 180.00 1105.95 56.70
	270 51	50/50 cem	/			180.00 180.00 1105.95 56.70 65.79
1124 111873 11024						180.00 180.00 1105.95 56.70 65.79
1124	270 51	50/50 cem				180.00 180.00 180.95 56.70 65.79 56.00
1187 1183 11024	270 51	50/50 cem				180.00 180.00 195.95 56.70 65.79 56.00
1124 1183 No 24	270 51	50/50 cem				180.00 180.00 180.00 56.70 65.79 56.00
1187 1183 11024	270 51	50/50 cem	7			180.00 180.00 180.00 56.70 65.79 56.00
1124 111873 11024	270 51	50/50 cem	7			180.00 180.00 195.95 56.70 65.79 56.00
1124 111873 11024	270 51	50/50 cem	7			180.00 180.00 105.95 56.70 65.79 56.00
1124 11.83 11024	270 51	50/50 cem	7			180.00 180.00 1105.95 56.70 65.79 56.00
1124 11.83 11024	270 51	50/50 cem			SALES TAX	180.00 180.00 195.95 56.70 65.79 56.00
11873 11074 11074 1402	270 51	50/50 cem	7		ESTIMATED	180.00 180.00 180.00 15.95 56.70 65.79 56.00
1124 1183 1107A 4402	270 51	50/50 cem	77			180.00 180.00 180.00 56.70 65.79 56.00