

STATE OF KANSAS  
STATE CORPORATION COMMISSION  
200 Colorado Derby Building  
Wichita, Kansas 67202

WELL PLUGGING RECORD  
K.A.R.-82-3-117

API NUMBER 15-101-21204-00-00

LEASE NAME Lohaff

WELL NUMBER A-5

SPOT LOCATION NW NW SW

SEC. 34 TWP. 16 SRGE. 29 W (E) or (W) (W)

COUNTY Lane

Date Well Completed \_\_\_\_\_

Plugging Commenced 3-7-86

Plugging Completed 3-12-86

TYPE OR PRINT  
NOTICE: Fill out completely  
and return to Cons. Div.  
office within 30 days.

LEASE OPERATOR Donald C. Slawson

ADDRESS 200 Douglas Bldg., Wichita, Ks. 67202

PHONE # 316,263-3201 OPERATORS LICENSE NO. 5181

Character of Well Oil  
(Oil, Gas, D&A, SWD, Input, Water Supply Well)

Did you notify the KCC/KDHE Joint District Office prior to plugging this well? Yes

Which KCC/KDHE Joint Office did you notify? Dodge City, Kansas

Is ACO-1 filed? \_\_\_\_\_ If not, is well log attached? \_\_\_\_\_

Producing formation \_\_\_\_\_ Depth to top \_\_\_\_\_ bottom \_\_\_\_\_ T.D. 4625'

Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

Formation	Content	From	To	Size	Put In	Pulled out
				8-5/8"	329'	none
				4-1/2"	4623'	1867'

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used state, the character of same and depth placed, from \_\_\_\_\_ feet to \_\_\_\_\_ feet each set.

Plugged off bottom with sand to 4470' and 4 sacks cement. Shot casing @2831', 2520', 2318', 2115', 1867' and pulled a total of 46 joints (1867') of 4-1/2" casing. Plugged surface with 3 hulls, 15 gel, 70 cement, 10 gel, 1 hull, 8-5/8" plug and 150 cement. Plugging Complete.

(If additional description is necessary, use BACK of this form.)

Name of Plugging Contractor Kelso Casing Pulling License No. 6050  
Address P.O. Box 347 Chase, Kansas 67524


STATE OF Kansas COUNTY OF Rice, ss.

R. Darrell Kelso (employee of operator) or (operator) of above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed that the same are true and correct, so help me God.

(Signature) R. Darrell Kelso

(Address) Box 347 Chase, Ks. 67524

SUBSCRIBED AND SWORN TO before me this 19th day of March, 1986



STATE OF KANSAS Notary Public Irene Hoover

MAR 21 1986  
03-21-1986  
CONSERVATION DIVISION  
Wichita, Kansas

My Commission expires: \_\_\_\_\_

Form CP-4  
Revised 01-84

WF  
cc My Books  
GKT WPH

# DONALD C. SLAWSON

15-101-21204-00-00

## WELL RECORD


LEASE LOHOFF AUG 19 1985 Well No. #5  
 OPERATOR D.C.S.  
 LOCATION NW-NW-SW  
 SECTION 34 TWP 16s RANGE 29w  
 SURVEY \_\_\_\_\_ BLOCK \_\_\_\_\_ SECTION \_\_\_\_\_  
 COUNTY Lane STATE Kansas  
 STAKED BY L & S DATE 7-29-85 ELEVATION 2812 KB

TOOLS	STARTED	COMPLETED	FROM	TO	CONTRACTOR
ROTARY	8-1-85	8-13-85	0'	4625'	Slawson Drlg. Co. Rig #2
COMPLETION	8-19-85	8-22-85			Plains, Inc.

OPEN HOLE LOGS <u>Dresser Atlas Gamma Ray Neutron</u>	FORMATION
COMPLETION INTERVALS <u>Dresser 4520-22, 4527-30 &amp; 4537-39</u>	Johnson
	PBD 4582

### CASING, TUBING AND RODS

Dresser PBD 4541

JOINTS	SIZE	WT	COUPLING	GRADE NEW/USED	SETTING DEPTH	CEMENT		REMARKS
						SACKS	EST. TOP	
7	8 5/8"	23#		new				
2	8 5/8"	24#		used	329'	225		GL Circ.
128	4 1/2"	10.5#		used	4623'	150		
141	2 3/8"	4.7#	Tubing	used	4521'			
179	3/4"		Sucker Rods					

### STIMULATION RECORD

Treatment Frac / Acid	Acid
Date	8-20-85
Quantity (Gals.)	2000
Type	MOD 202
Proppant	
Tubing / Casing	Casing
Breakdown Pressure	600
Treat Pressure	750
Instant SIP	400
Total Bbls. Load	173
Flush Agent	Water
Oil/Gas Before	.62 bbl/hr
Oil/Gas After	2 1/2 bbl/hr
Water Before	1%
Water After	12%
Done By	Halliburton
Initial Potential (Date)	(BOPD/MMCFPD) _____ (% Water) _____

### PUMPING UNIT

Manufacturer Lufkin  
 Size 114  
 Serial No. F74499J-426640

### PRIME MOVER

Manufacturer Arrow  
 Size C66  
 Serial No. 82645

### TANK BATTERY

Western Chemical Feeder #2817