## KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST (See Instructions on Reverse Side)

Type Test	t:				(;	See Instructi	ons on Heve	rse Side	)				
<b>√</b> Op	en Flo	N			Test Date				۸۵	l No. 15			
De	liverab	ilty		^1	lesi Dale					7-30395 ~ (	$\infty$		
Company Westmo		ling	Company, I				Lease Davis Ra	nc <b>h</b> G	<u> </u>		1	Well Number	
			Location W/2	on .	Section 36					RNG (E/W) 15W		Acres Attributed	
Field Aetna G	as Are	ea			Reservoir Mississi	_		,	Gas Ga ONEO	thering Connec K	tion		
Completion Date 1964					Plug Back 4859	k Total Dept	h	Packer Set at		Set at			
Casing S 5 1/2	iize	· · · ·	Weight		Internal Diameter		Set at <b>4874</b>		Perforations 4811		To <b>4841</b>		
Tubing Size Weight 2 3/8					Internal D	Diameter	Set at	Set at Perf		orations	То		
Type Con	npletio	n (De	escribe)		Type Flui	d Production	)		Pump U	nit or Traveling F	Plunger? Yes	/ No	
Producing	g Thru	(Anı	nulus / Tubing	)	% C	arbon Dioxid	de		% Nitro	gen	Gas Gr	avity - G <sub>g</sub>	
Vertical E	Depth(H	1)				Press	sure Taps				(Meter I	Run) (Prover) \$	
										19 20 J 20			
						OBSERVE	D SURFACE	DATA		D	uration of Shut-	in!	
Static / Dynamic Property	ynamic Size		Circle one: Meter Prover Pressu psig (Pm)	Pressure Differential in Inches H <sub>2</sub> 0	Flowing Well Head Temperature t		Casing Wellhead Pressure (P <sub>w</sub> ) or (P <sub>t</sub> ) or (P <sub>c</sub> ) psig psia		(P) or (P) or (P)		ECHIVED	(Barrels)	
Shut-In							84			UE (	VICHITA		
Flow										KCC	VICHITA		
						FLOW STR	EAM ATTRIE	BUTES		1	TIM		
Plate Coeffiecient (F <sub>b</sub> ) (F <sub>p</sub> ) Mcfd		Circle one:  Meter or  Prover Pressure  psia		Press Extension  P <sub>m</sub> x h	Extension Factor		Tomporatura		Deviation Metered Flo Factor R F <sub>pv</sub> (Mcfd)		GOR (Cubic Fe Barrel)	! Grav	
(D.)2		_	(D. )2		•	, ,	ERABILITY)					<sup>2</sup> = 0.207 <sup>2</sup> =	
(P <sub>c</sub> ) <sup>2</sup> - ( or (P <sub>c</sub> ) <sup>2</sup> - (		 (F	P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup>	Choose formula 1 or 2:  1. P <sub>c</sub> <sup>2</sup> - P <sub>a</sub> <sup>2</sup> 2. P <sub>c</sub> <sup>2</sup> - P <sub>d</sub> <sup>2</sup> divided by: P <sub>c</sub> <sup>2</sup> - P <sub>w</sub> <sup>2</sup>	LOG of formula 1. or 2. and divide		Backpressure Curve Slope = "n" or Assigned Standard Slope		n x	rod	Antilog	Open Flow Deliverability Equals R x Antilog (Mcfd)	
Open Flow Mcfd @ 14.65 psia						Deliverabil	Deliverability Mcfd @ 14.65 psia						
		-	•				·			he above report		_	
			Witness (II	any)	- waren		_			For Cor	mpany		
			For Comm	ssion			_			Checke	ed by		

exempt status und and that the foreg correct to the best of equipment insta	ler Rule K.A.R. 82-3-3 joing pressure inform of my knowledge and allation and/or upon ty	04 on behalf of the ation and statem I belief based upo pe of completion o	e operator nents containe on available pr or upon use be	w DC ed on this approduction sun eing made of	am authorized to request plication form are true and maries and lease record the gas well herein named the gas well herein
	ounds that said well:				
_	is a coalbed methand is cycled on plunger is a source of natural is on vacuum at the p is not capable of pro	lift due to water all gas for injection oresent time; KCC oducing at a daily	C approval Do	cket No s of 250 mcf/ orting docum	
Date: 12/20	1/2011				RECEIVED DEC 2 2 2011 KCC WICHITA
·		Signature:	Ruhu Secreta	CHn M	KCC WICHITA

## Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.