## KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

| Type Test  | :<br>en Flow |   |                                       |   | ·  |                            | ctions on Rev                                       | erse Side,   |          |   |                                |  |  |
|--|--------------|---|---------------------------------------|---|--|----------------------------|---|--|----------|---|--------------------------------|--|--|
| Deliverabilty  |              |   |                                       |   | Test Date: API No. 15<br>10/4/11 175-21948-0 |                            |   |  |          |   | 0                              |  |  |
| Company Daystar Petroleum, Inc.                                      |              |   |                                       |   |  | Lease<br>Lynn A            |   |  |          | Well Number 2-22                          |                                |  |  |
| County Seward  F/2 SE  |              |   |                                       | on  | Section<br>22                                |                            |   | TWP<br>31S   |          | W)  | Acres Attributed               |  |  |
| Field<br>Thirty-One SW   |              |   |                                       | Reservoir<br><b>Morrov</b>  |  |                            |   | Gas Gathering Connection  Daystar to NNG               |          |   |                                |  |  |
| Completic<br><b>8/12/05</b>  |              |   |                                       |   | Plug Bac<br>5805                             | Plug Back Total Deptl 5805 |   |  |          | et at                                     |                                |  |  |
| Casing Si<br>5.500   | Casing Size  |   |                                       |   | Internal Diameter 4.950                      |                            |   | Set at<br><b>5980</b>                                  |          | rations<br>4                              | To<br>5478                     |  |  |
| Tubing Si<br>2.375   | Tubing Size  |   |                                       | <u> </u>  | Internal Diameter<br>1.995                   |                            |   | Set at <b>5805</b>                                     |          | rations<br>ng sleeve                      | то<br>@ 5457                   |  |  |
| Type Completion (Describe)  Dual Gas                                 |              |   |                                       | Type Flui<br>None   | d Production                                 | on                         | Pump Unit or Traveling Plung No                     |  |          |   | / No                           |  |  |
| Producing Thru (Annulus / Tubing)                                    |              |   |                                       |   | % C  | % Carbon Dioxide           |   |  | % Nitrog | en  | Gas Gravity - G <sub>g</sub>   |  |  |
| Tubing   |              |   |                                       |   | 0.152  |                            |   | 6.792  |          |   | 0.6853                         |  |  |
| Vertical Depth(H)<br>5466  |              |   |                                       |   |  | Pre<br><b>Fla</b> i        | essure Taps<br>nge                                  |  |          |   |                                | (Meter Run) (Prover) Size 2.067                    |  |
| Pressure   | Buildup      | : 5   | Shut in10/3                           | 3 2   | 11 at 9                                      | :30 AM                     | _ (AM) (PM)   | Taken 10   | )/4      | 20  | 11 at 9:30                     | (AM) (PM)  |  |
| Well on L  | ine:         | \$  | Started                               | 2   | 0 at   |                            | _ (AM) (PM)   | Taken  |          | 20  | at                             | (AM) (PM)  |  |
|  |              |   |                                       |   | T  | OBSERV                     | ED SURFACE  |  |          |   | Duration of Shut-              | n 24 Hours   |  |
| Static /<br>Dynamic<br>Property                                      | Dynamic Size |   | Circle one:<br>Meter<br>Prover Pressu | Pressure<br>Differential<br>in  | Flowing<br>Temperature<br>t                  | Well Head<br>Temperatur    | Wellhead I  | Casing cellhead Pressure $P_w$ ) or $(P_t)$ or $(P_c)$ |          | Tubing<br>ad Pressure<br>· (P, ) or (P, ) | Duration<br>(Hours)            | Liquid Produced<br>(Barrels)                       |  |
| Shut-In  |              | ,   | psig (Pm)                             | Inches H <sub>2</sub> 0   |  |                            | psig<br>185   | psia   | psig     | psia                                      | 24                             | 0.0  |  |
| Flow   |              |   |                                       |   |  |                            |   |  |          |   |                                |  |  |
|  |              |   |                                       |   |  | FLOW ST                    | REAM ATTRI  | BUTES  |          |   |                                |  |  |
| Plate<br>Coeffiecient<br>(F <sub>b</sub> ) (F <sub>p</sub> )<br>Mcfd |              | Circle one:<br>Meter or<br>Prover Pressure<br>psia              |                                       | Press<br>Extension<br>√ P <sub>m</sub> x h  | Extension Fa                                 |                            | Flowing<br>Temperature<br>Factor<br>F <sub>11</sub> | e Deviation Factor                                     |          | Metered Flor<br>R<br>(Mcfd)               | w GOR<br>(Cubic Fe<br>Barrel)  | Flowing Fluid Gravity G <sub>m</sub>               |  |
|  |              |   |                                       |   |  |                            |   |  |          |   |                                |  |  |
| (P )2 –  |              |   | (P \2 -                               | :   | (OPEN FL<br>P <sub>d</sub> =                 |                            | IVERABILITY)  | CALCUL   |          |   | (P <sub>a</sub> ) <sup>2</sup> | 2 = 0.207<br>2 =                                   |  |
| $(P_c)^2 = $ $(P_c)^2 - (P_n)^2$ or $(P_c)^2 - (P_d)^2$              |              | (P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup> |                                       | Choose formula 1 or 2  1. P <sub>c</sub> <sup>2</sup> - P <sub>a</sub> <sup>2</sup> 2. P <sub>c</sub> <sup>2</sup> - P <sub>d</sub> <sup>2</sup> divided by: P <sub>c</sub> <sup>2</sup> - P <sub>d</sub> | LOG of formula 1. or 2. and divide           |                            | Backpres<br>Slop<br>                                | ssure Curve<br>be = "n"<br>or<br>signed<br>ard Slope   | n x      | LOG                                       | Antilog                        | Open Flow Deliverability Equals R x Antilog (Mcfd) |  |
|  |              |   |                                       |   | ,  |                            |   | · · · · · · · · · · · · · · · · · · ·                  |          |   |                                |  |  |
| Open Flo   | w            |   |                                       | Mcfd @ 14   | .65 psia                                     |                            | Deliverab   | ility  |          |   | Mcfd @ 14.65 psi               | a  |  |
|  |              |   | •                                     | n behalf of the   |  |                            | -   |  |          | ne above repo                             | ort and that he ha             | s knowledge of                                     |  |
| 14013 3  | natou-III    | O1 61   | in, and that se                       | and report to tru   | o and conec                                  | Execute                    |   |  |          |   |                                |  |  |
|  |              |   | Witness (i                            | f any)  |  |                            | . <del>-</del>                                      | Mr.  | elis,    | 1.1.                                      | Company                        | DFC 2 1 2  |  |
|  |              |   | For Comm                              | nission   |  |                            | . <u>-</u> '  | J-07   |          |   | ecked by                       | ~ · · · · ·  |  |
|  |              |   |                                       |   |  |                            |   |  |          |   |                                | RECEIVE<br>DEC 2 1 2<br>KCC WICH                   |  |

| I declare under penalty of perjury under the laws of the state of Kansas that I am authorized to request exempt status under Rule K.A.R. 82-3-304 on behalf of the operator Daystar Petroleum, Inc.   |
|---|
| and that the foregoing pressure information and statements contained on this application form are true and correct to the best of my knowledge and belief based upon available production summaries and lease records of equipment installation and/or upon type of completion or upon use being made of the gas well herein named.  I hereby request a one-year exemption from open flow testing for the Lynn A #2-22  gas well on the grounds that said well: |
| (Check one)  is a coalbed methane producer  is cycled on plunger lift due to water  is a source of natural gas for injection into an oil reservoir undergoing ER  |
| is on vacuum at the present time; KCC approval Docket No is not capable of producing at a daily rate in excess of 250 mcf/D   |
| I further agree to supply to the best of my ability any and all supporting documents deemed by Commission staff as necessary to corroborate this claim for exemption from testing.  |
| Date: 12/20/11  |
| Signature: Ululu Salumanico   |
| Title: President, Daystar Petroleum, Inc.   |
|   |

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form rules he signed and dated on the front side as though it was a verified report of annual test results.

DEC 2 1 2011

KCC WICHITA