



WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 33343
Name: PostRock Midcontinent Production LLC
Address 1: Oklahoma Tower
Address 2: 210 Park Ave, Ste 2750
City: OKLAHOMA CITY State: OK Zip: 73102 +
Contact Person: JENNIFER RS BEAL
Phone: (620) 4324205
CONTRACTOR: License # 34453
Name: PostRock Energy Services Corporation
Wellsite Geologist: N/A
Purchaser:

Designate Type of Completion:

- New Well
- Re-Entry
- Workover
- Oil
- WSW
- SWD
- SIOW
- Gas
- D&A
- ENHR
- SIGW
- OG
- GSW
- Temp. Abd.
- CM (Coal Bed Methane)
- Cathodic
- Other (Core, Expl., etc.):

If Workover/Re-entry: Old Well Info as follows:

Operator: POSTROCK
Well Name: BEACHNER BROS 22-31-17-1
Original Comp. Date: 02/04/2002 Original Total Depth: 1080
 Deepening Re-perf. Conv. to ENHR Conv. to SWD
 Conv. to GSW
 Plug Back: Plug Back Total Depth
 Commingled Permit #:
 Dual Completion Permit #:
 SWD Permit #:
 ENHR Permit #:
 GSW Permit #:

03/30/2011 03/31/2011
Spud Date or Date Reached TD Completion Date or Recompletion Date

API No. 15 - 15-125-30075-00-01
Spot Description:
NW SE SE SE Sec. 22 Twp. 31 S. R. 17 East West
500 Feet from North / South Line of Section
500 Feet from East / West Line of Section

Footages Calculated from Nearest Outside Section Corner:

- NE
- NW
- SE
- SW

County: Montgomery
Lease Name: BEACHNER BROS 22-31-17 Well #: 1

Field Name:
Producing Formation: CHEROKEE COALS

Elevation: Ground: 857 Kelly Bushing: 0

Total Depth: 1080 Plug Back Total Depth:

Amount of Surface Pipe Set and Cemented at: 20 Feet

Multiple Stage Cementing Collar Used? Yes No

If yes, show depth set: Feet

If Alternate II completion, cement circulated from:

feet depth to: w/ sx cmft.

Drilling Fluid Management Plan

(Data must be collected from the Reserve Pit)

Chloride content: ppm Fluid volume: bbls

Dewatering method used:

Location of fluid disposal if hauled offsite:

Operator Name:

Lease Name: License #:

Quarter Sec. Twp. S. R. East West

County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY

- Letter of Confidentiality Received
Date:
- Confidential Release Date:
- Wireline Log Received
- Geologist Report Received
- UIC Distribution
- ALT I II III Approved by: Deanna Garriso Date: 04/25/2012



1079620

Operator Name: PostRock Midcontinent Production LLC Lease Name: BEACHNER BROS 22-31-17 Well #: 1
 Sec. 22 Twp. 31 S. R. 17 East West County: Montgomery

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach complete copy of all Electric Wire-line Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken Yes No
 (Attach Additional Sheets)

Samples Sent to Geological Survey Yes No

Cores Taken Yes No

Electric Log Run Yes No

Electric Log Submitted Electronically Yes No
 (If no, Submit Copy)

Log Formation (Top), Depth and Datum Sample
 Name Top Datum
 N/A

List All E. Logs Run:

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
____ Perforate				
____ Protect Casing	-			
____ Plug Back TD	-			
____ Plug Off Zone	-			

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
2	989-994	500 gals 15% acid/ 78 bbls slick water	989-994
	932-934/922-924	400 gals 15% acid/ 728 bbls slick water/ 6000# 20/40 sand	932-934/922-924
	658-660/729-731	800 gals 15% acid/ 709 bbls slick water/ 2400# 20/40 sand	658-660/729-731
	535-540	400 gals 15% acid/ 958 bbls slick water/ 12300# 20/40 sand	535-540
	512-516	400 gals 15% acid/ 582 bbls slick water/ 1600# 20/40 sand	512-516

TUBING RECORD: Size: _____ Set At: _____ Packer At: _____ Liner Run: Yes No

Date of First, Resumed Production, SWD or ENHR. 3/31/2011

Producing Method: Flowing Pumping Gas Lift Other (Explain) _____

Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity

DISPOSITION OF GAS: <input type="checkbox"/> Vented <input checked="" type="checkbox"/> Sold <input type="checkbox"/> Used on Lease (If vented, Submit ACO-18.)	METHOD OF COMPLETION: <input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled (Submit ACO-5) (Submit ACO-4) <input type="checkbox"/> Other (Specify) _____	PRODUCTION INTERVAL: _____ _____
---	--	--

Summary of Changes

Lease Name and Number: BEACHNER BROS 22-31-17 1

API/Permit #: 15-125-30075-00-01

Doc ID: 1079620

Correction Number: 1

Approved By: Deanna Garrison

Field Name	Previous Value	New Value
API	15-125-30075-00-00	15-125-30075-00-01