## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION.

## WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

Form ACO-1
June 2009
Form Must Be Typed
Form must be Signed
All blanks must be Filled

OPERATOR: License # 8653	API No. 15 - 091-23703-00-00
Name: Petroleum Technologies, Inc.	Spot Description:
Address 1: 801 W 47th Street	NW_SE_SE_NE_Sec32_Twp14_SR22_ FEast West
Address 2. Suite 412	3,224 Feet from North / South Line of Section
City: Kansas City State: MO Zip: 64112 + 1253	382 Feet from Feet from Section
Contact Person: Alan J. Seaton	Footages Calculated from Nearest Outside Section Corner:
Phone: (816) 531-6904	□ NE □ NW ☑ SE □ SW
CONTRACTOR: License #_8509	County: Johnson
Name: Evans Energy Development Inc.	Lease Name: Reitz Well #: 37i
Wellsite Geologist: Alan J. Seaton	Field Name: Edgerton Northeast
Purchaser: Sequoyah Trading & Transportation	Producing Formation: Bartlesville Sand
	Elevation: Ground: 985' Kelly Bushing:
Designate Type of Completion:	Total Depth: 883' Plug Back Total Depth: 871'
New Well Re-Entry Workover	Amount of Surface Pipe Set and Cemented at: 22' Feet
Oil WSW SWD SlOW	
☐ Gas ☐ D&A ☑ ENHR ☐ SIGW ☐ Temp. Abd.	Multiple Stage Cementing Collar Used? ☐ Yes ☑ No
CM (Coal Bed Methane)	If yes, show depth set: Feet
Cathodic Other (Core, Expl., etc.):	If Alternate II completion, cement circulated from: 871'  feet depth to: surface w/ 110 sx cmt.
If Workover/Re-entry: Old Well Info as follows:	feet depth to: Surface w/ 110 sx cmt.
Operator:	
Well Name:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth:	, , , , , , , , , , , , , , , , , , ,
Deepening Re-perf. Conv. to ENHR Conv. to SWD	Chloride content: ppm Fluid volume: bbls
☐ Conv. to GSW	Dewatering method used:
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	Operator Name:
Dual Completion Permit #:	
SWD Permit #:	Lease Name:
ENHR Permit #:	County: RECEIVED
GSW Permit #: 11-9-2011 11-11-2011 03-14-2012	MAP 2 1 2010
Spud Date or Date Reached TD Completion Date or	MAR 2 1 2012
Recompletion Date Recompletion Date	KCC WICLITA
INSTRUCTIONS: An original and two copies of this form shall be filed with Kansas 67202, within 120 days of the spud date, recompletion, workover or co	nversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information
of side two of this form will be held confidential for a period of 12 months if required tiality in excess of 12 months). One copy of all wireline logs and geologist well	
BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form	m with all temporarily abandoned wells.
AFFIDAVIT  I am the affiant and I hereby certify that all requirements of the statutes, rules and re	KCC Office Use ONLY
lations promulgated to regulate the oil and gas industry have been fully complied	with Letter of Confidentiality Received
and the statements herein are complete and correct to the best of my knowledge	e. Date:
MI A	Wireline Log Received
Signature:	Geologist Report Received

Date: March 15, 2012

Title: President

Operator Name: Pe	troleum Techn	ologies, Inc.	Lease N	lame: _	Reitz		Well#: 37	<u>′i                                    </u>		
Sec. 32 Twp. 14									· - · · · · · · · · · · · · · · · · · ·	
time tool open and clo	osed, flowing and sho es if gas to surface to	nd base of formations pe ut-in pressures, whether est, along with final chart I well site report.	shut-in press	ure rea	ched static level,	hydrostatic press	sures, bottom	hole temp	perature, fluid	
Drill Stern Tests Taker		Yes No		<b>V</b> L	og Formation (Top), Dep		pth and Datum		Sample	
Samples Sent to Geological Survey  Cores Taken  Electric Log Run  Electric Log Submitted Electronically  (If no. Submit Copy)		☐ Yes 🗹 No	es 🗹 No		e esville Sand		Top 830		Datum 155	
		Yes No								
List All E. Logs Run:										
Gamma Ray /	Neutron / CC	L								
		CASING Report all strings set	RECORD	No		on, etc.				
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weig Lbs./	ht	Setting Depth	Type of Cement	# Sacks Used		e and Percent Additives	
Surface	9 7/8"	7"			22'	common	6 sx	none		
Production	5 5/8"	2 7/8"			871'	50/50 poz	110	2% gel,	, 1/4# Flo Seal	
		ADDITIONA	L CEMENTIN	IG / SQL	JEEZE RECORD					
Purpose: Depth Top Bottom Perforate Protect Casing		Type of Cement # Sacks Used		Used	Type and Percent Additives					
Plug Back TD Plug Off Zone										
Shots Per Foot		ION RECORD - Bridge Plu Footage of Each Interval Pe				cture, Shot, Cement mount and Kind of Ma		rd	Depth	
3 830 - 840			Ac		Acid: 150 gal 15% NeHCL 830			830 - 840		
							DEC	<b>\</b>		
							•	EIVEL		
TUBING RECORD:	Size:	Set At:	Packer At:		Liner Run:	Yes 🔽 No	MAR	2 1 20	12	
Date of First, Resumed Wait on approv	•	NHR. Producing Me	thod:	, []	Gas Lift 🗹 C	other <i>(Explain)</i>	KCC V	NCHI	TA	
Estimated Production Per 24 Hours	Oil	Bbls. Gas	Mcf .	Wat	er B	bls. (	Gas-Oil Ratio		Gravity	
DISPOSITI	ON OF GAS:		METHOD OF	COMPL	ETION:	1	PRODUCTI	ON INTER	?VAI	
Vented Sold		Open Hole	Perf.	Dually Comp. Commingled 830 - 840						
(If vented, Sui	bmit ACO-18.)	Other (Specify)		(Summit)	-CO-9) (Sub	mit ACO-4)				



TICKET NUMBER 33077

LOCATION Oxtown & KS

FOREMAN Fred Wader

PO Box 884, Chanute, KS 66720 620-431-9210 or 800-467-8676

## FIELD TICKET & TREATMENT REPORT CEMENT

- DATE	CUSTOMER#	WE	LL NAME & NUM	BER	SECTION	TOWNSHIP	RANGE	COUNT
11/11/10	6370	Reitz	# 37 · I		NE 32			
CUSTOMER	ا مستند					14	22	
Pexyo .	eum Tech	anolog	y Inc.	_	TRUCK#	DRIVER	TRUCK#	DRIVE
801		+\	·		506	FREMAD	Sate	
ITY .	[67	TATE	Stelliz	-	368	ARLMOD	ARM	7
Kansa	x 6,3%	,	ZIP CODE		369	DERMAS	DM	1 - 1
DVCY 10		Mo.		<u>]</u>	503	CASILEN	C.K	<del>                                     </del>
OB TYPE	1	OLE SIZE	518	HOLE DEPTH	8-8-3'	CASING SIZE &		FUE
ASING DEPTH		RILL PIPE		_TUBING			OTHER	<del>~ ~ ~ ~ </del>
LURRY WEIGH		_URRY VOL_		WATER gal/sl		CEMENT LEFT in		11 2/10
ISPLACEMENT	5.06BBOH	SPLACEMEN	IT PSI	MIX PSI		RATE_ Y /3		1
EMARKS: E	stoblish,	anua	rate s	11x xP.	MAN 108	* Promis		<i>E</i> /1
	CX PUMP	110		0/50 Por	. ^	ement 30	7)(1	# 05 1
F/c	s · Soul /s	K. C.	li di	to Sul		lush pun	10 000 14	
<u> </u>	splace 24	2" Rubl	مدار بعد	to 000	. \ \ - \ .	, , , ,	A 13 . Pre	. 4 !!
Pus	essure to	608 0	SH PSIO	12. l. e. c. 5	00055	ure to s	BBC Fres	n wary
VaJ	lue- Shu 1	13 (a	sike:	· · ·	Press	3 6 6 9 6	ex tlsa	Ar
			0					<del></del>
Eua	ms Freigh	Dark 7	en 'C'Mi	401016	······································	$\rightarrow$	544	<del></del>
	77		1111	revou)		Jud	Moder	
ACCOUNT	QUANITY or L	INITS		CODIDTION			т	
CODE					SERVICES or PRO	DDUCT	UNIT PRICE	TOTAL
5401			PUMP CHARGI	E		368		975
5406	3		MILEAGE			3 र्		120
12A09	871		Casiva	-footos	, Q -			N/c
5407	Minimu	<b>M</b>	Ton MO	las?				
55020	al	115	80 BV	0	Truck			330
				JC VOC	IVUCK		<u> </u>	1809
								<u> </u>
1124	110	SKS	50 /50 D	200	J			
11188	285		7	~ Mix (	ement			11 49 5
1107	28	at t		on all				٥ ح ک
7402	28		Flo.S.					62/2
770 5			25 Ru	bber P	lug			28
					0		DECEN	
		- · · <b>-</b> · · · ·					RECEIVE	
				•		40	MAR 2 1 2	012
								UIS
						/W		
					100	/W	CC WICH	IITA
					1458	/w	CC WICH	IITA
					JUS 9	<u>l</u> w	KCC WICH	IITA
9797			1		JUS 8	7.525X	KCC WICH	IITA 97 <b>€</b> 8
3737					JU58	7.526Z	SALES TAX ESTIMATED	
9797 FHORIZTION		Jem		TTLE	JUS 8		SALES TAX	9) <b>58</b>