

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1079842

Form ACO-1
June 2009
Form Must Be Typed
Form must be Signed
All blanks must be Filled

## WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 32461	API No. 15
Name:Tailwater, Inc.	Spot Description:
Address 1: 6421 AVONDALE DR STE 212	NE_NW_SW_NW Sec. 15 Twp. 20 S. R. 20
Address 2:	1485 Feet from ✓ North / ☐ South Line of Section
City: OKLAHOMA CITY State: OK Zip: 73116 + 6428	495 Feet from East / West Line of Section
Contact Person: Chris Martin	Footages Calculated from Nearest Outside Section Corner:
Phone: ( 405 ) 810-0900	□ NE ☑NW □ SE □ SW
CONTRACTOR: License #8509	County: Anderson
Name: Evans Energy Development, Inc.	Lease Name: SOBBA Well #: 10-T
Wellsite Geologist: n/a	Field Name: Garnett Shoestring
Purchaser: Pacer Energy	Producing Formation: Squirrel
Designate Type of Completion:	Elevation: Ground: 977 Kelly Bushing: 0
✓ New Well Re-Entry Workover	Total Depth: 769 Plug Back Total Depth: 0
Gas D&A ENHR SIGW  GGS GSW Temp. Abd.  CM (Coal Bed Methane)  Cathodic Other (Core, Expl., etc.):	Amount of Surface Pipe Set and Cemented at: 23 Feet  Multiple Stage Cementing Collar Used? Yes No  If yes, show depth set: Feet  If Alternate II completion, cement circulated from: 759  feet depth to: 0 w/ 113 sx cmt.
Operator:	Drilling Fluid Management Plan
Well Name:	(Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth:	Chloride content: 0 ppm Fluid volume: 0 bbls
☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD ☐ Conv. to GSW	Dewatering method used: Evaporated
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	Operator Name:
Dual Completion Permit #:	Lease Name: License #:
SWD Permit #:	QuarterSecTwpS. R East West
ENHR	County: Permit #:
03/13/2012 03/14/2012 04/17/2012	1 GHILL Fr.
Spud Date or Date Reached TD Completion Date or Recompletion Date	

## **AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Letter of Confidentiality Received  Date:
Confidential Release Date:  ✓ Wireline Log Received  Geologist Report Received  UIC Distribution  ALT I I I III Approved by: Deanna Garrisor Date: 04/30/2012

Side Two



Operator Name: Ta				Lease	Name:	SOBBA	-	Well #:10	)-T	
Sec15	0 s. R. <u>20</u>	_ <b> ∠</b> Ea	st 🗌 West			lerson				
recovery, and flow ra	how important tops a losed, flowing and sh ites if gas to surface to Attach final geological	iut-in pres test, along	sures, wnetner with final chart	shut-in pres	sure re	ached static leve	I hydrostatic pro	ssurae hattam	hala tamparatu	A:.
Drill Stem Tests Taken				✓ Log Formation (Top), Dep			th and Datum Sample		le	
Samples Sent to Geological Survey				Name			Тор	Datum		
Cores Taken	,			311 524			lime broken sand	base of th		
-	Electric Log Run			553			oil sand brown, good bi			
(If no, Submit Cop	•	•	Yes		708			oil sand	brown, good b	-
List All E. Logs Run:					711			broken sand	brown & grey sa	and, lite I
Gamma Ray/Neutr	on				721			sand	black, no oil	ishow
-			<del></del>		769			broken sand	brown & grey sa	ind, no s
		Ren		RECORD	vrface int	lew Used termediate, product	tion etc			
Purpose of String	Size Hole Drilled	s	ize Casing et (In O.D.)	Weig	ght	Setting Depth	Type of Cement	# Sacks Used	Type and Pe Additives	
surface	9.8750	7		17		23	Portland	5		
completion	5.6250	2.8750		6.45		759	Portland	113	50/50 POZ	
			ADDITIONAL	L CEMENTIN	NG / SQI	UEEZE RECORD				
Purpose: Depth Top Bottom Protect Casing		Тур	Type of Cement # Sack			Cks Used Type and Percent Additives				
Plug Back TD	-									
Shots Per Foot	PERFORATI Specify	ON RECO	RD - Bridge Plug Each Interval Per	s Set/Type forated			cture, Shot, Cemer			epth
2	701-711				75 gal 15% HCL acid			711		
					40 sx sand; 135 bbls H			20		
							. 1.20			
TUBING RECORD:	Size:	Set At: 759	:	Packer At:	:	Liner Run:	Yes 🗸 No			
Date of First, Resumed 04/17/2012	Production, SWD or EN	HR.	Producing Meth	nod:  Pumping		Gas Lift 🔲 O	ther (Explain)			
Estimated Production Per 24 Hours	Oil 10	Bbls.	Gas	Mcf	Wate	er Bt	ols.	Gas-Oil Ratio	Grav	ity
DISPOSITIO	ON OF GAS:		N	ETHOD OF	COMPLE	ETION:		PRODUCTIO	N INTERVAL:	
Vented Sold	2		-	Perf.	Dually		nmingled nit ACO-4)			
			Other (Specify)							



LOCATION ON awa KS
FOREMAN Fred Mader

PO Box 884, Chanute, KS 66720 620-431-9210 or 800-467-8676

Ravin 3737

## FIELD TICKET & TREATMENT REPORT

620-431-9210	or 800-467-8676			CEMEN	Τ .			•
DATE	CUSTOMER#		L NAME & NUM	BER	SECTION	TOWNSHIP	RANGE	COUNTY
3/14/12	7806	Sob	ba # 10	<u>7</u>	N N 15	20	ಎಂ	AN
CUSTOMER	· ^ ·		•		A STATE OF THE STA	77 - M. Carl	Kerren et al. Commercial	77-70
MAILING ADDR	all water	Luc-		4	TRUCK#	DRIVER	TRUCK#	DRIVER
1	<del></del>				506	FREMAD	Safety	nex
CITY	11 Avando	CLU DR.	5/8 2/2	4	495	HARBEC	14/10	7
1	i		1.		369	DERMAS	DM	
	ona City	OK	73116	J . 1	548	MIKITAD	MH	· · · · · · · · · · · · · · · · · · ·
	70	HOLE SIZE	575	_ HOLE DEPTH	769	CASING SIZE & V		UF
CASING DEPTH	759	DRILL PIPE		_TUBING			OTHER	
SLURRY WEIGH	HT :	SLURRY VOL_		WATER gal/sl	k	CEMENT LEFT in	CASING 7	1 01.
DISPLACEMENT	T 4141	DISPLACEMEN	T PSI			RATE SBAN	1	119
REMARKS: E	Q Nzildotz	ump ra	tu Mix	C + Pomo	100 # Pr	milan Co	O Flush	
<u> </u>	ix x Pum	P 113	SK3 50	50 Por	MixCon	nen x 29	26.0.	
. (/ e	of Russias	SUVfac	e. Flus	Lpump	+ 1 hes c	Cons. Die	21-12-74	· ·
	ubber p	luc to	Cas bia	70 Pr	e.55 tl 25e	€ \$00 €	PSI D	<u>,                                     </u>
يا هر	1622 916	to set	Flor &	ص له/١	Shuy in	1 - 1	37.	1408 4
7				<u> </u>	1 15 10 1 10	casing		
			· · · · · · · · · · · · · · · · · · ·					
Eva	ns Energy	Davi	P. 17	-(0 \ \2)		<del>- 7 0</del>	Made	<u> </u>
			<u> </u>	100.5		1-erd	Made	
ACCOUNT			I					
CODE	QUANITY o	or UNITS	DE	SCRIPTION of	SERVICES or PRO	DUCT	UNIT PRICE	TOTAL
5401	1		PUMP CHARG	Ε		495		103000
.5406		20 mi	MILEAGE			495		10.80-
5402		59	Caisma	Loo Lac	10			
5407	minim	<b>574</b>	Ton 9	7		548		ν/c
<i>55</i> 020		Lhrs		Ic Vac 7	Taylol K			<u>~°</u> 05€
		× · P. ·	. 0 - 0 0	vae i	, r-oeje	369		18000
								·
Иач		135KS	51-	1. 10 2	x Cement			
1118B		703/C	- 7	ion be				/237 35
4402		70 - · 1		ubber a		· · · · · · · · · · · · · · · · · · ·	••.	6020
74021		,	~ ~ ~ ~ ~	מ ההוא פוני	. /	i	1	

AUTHORIZTION

TITLE

DATE

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form.

フェをか

SALES TAX