CONFIDENTIAL

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

ORIGINAL

Form ACO-1 September 1999 Form Must Be Typed 4/15/12

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 30606	API No. 15 - 071-20876-0000
Name: Murfin Drilling Company, Inc.	County: Greeley
Address: 250 N. Water, Suite 300	NE_SW_NW_Sec. 2 Twp. 17 S. R. 43 East West
City/State/Zip: Wichita, Kansas 67202	808 FNL feet from S (N)(circle one) Line of Section
Bureheast NA	445 FWL feet from E (W)circle one) Line of Section
Operator Contact Person: Leon Rodak CONFIDENT	Footages Calculated from Nearest Outside Section Corner:
Phone: (<u>316</u>) <u>267-3241</u>	(circle one) NE SE NW SW
Contractor: Name: Murfin Drilling Company, Inc.	Lease Name: Davis T Well #: 1-2
License: 30606	Field Name: Wildcat
Wellsite Geologist: Brad Rine	Producing Formation:
Designate Type of Completion:	Elevation: Ground: 3904 Kelly Bushing: 3914
New Well Re-Entry Workover	Total Depth: 5235 Plug Back Total Depth: N/A
Oil SWD SIOWTemp. Abd.	Amount of Surface Pipe Set and Cemented at 307 Feet
Gas ENHR SIGW	Multiple Stage Cementing Collar Used?
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFeet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from
Operator:	feet depth tosx cmt.
Well Name:	Dillion Shid Managaman Dian DA A(A () = 1 ()
Original Comp. Date: Original Total Depth:	Drilling Fluid Management Plan PANJ 4-24 40 (Data must be collected from the Reserve Pit)
Deepening Re-perf Conv. to Enhr./SWD	Chloride contentppm Fluid volumebbls
Plug BackPlug Back Total Depth	Dewatering method used
Commingled Docket No	Location of fluid disposal if hauled offsite:
Dual Completion Docket No	Location of huld disposal in hauted offsite.
Other (SWD or Enhr.?) Docket No	Operator Name:
12/18/09 01/01/10 01/02/10	Lease Name: License No.:
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R
Recompletion Date Recompletion Date	County: Docket No.:
Kansas 67202, within 120 days of the spud date, recompletion, workov Information of side two of this form will be held confidential for a period of	th the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, wer or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. 12 months if requested in writing and submitted with the form (see rule 82-3-s and geologist well report shall be attached with this form. ALL CEMENTING s. Submit CP-111 form with all temporarily abandoned wells.
All requirements of the statutes, rules and regulations promulgated to regulater are complete and correct to the best of my knowledge.	late the oil and gas industry have been fully complied with and the statements
Signature: HE/B	KCC Office Use ONLY
Title: Leon Rodak VP Production Date: 0/15/1007AR	Letter of Confidentiality Received
Subscribed and sworn to before me this 5 day of the sworn to before me this 5 day of the sworn to before me this 5 day of the sworn to be	If Denied, Yes Date:
20/0	Wireline Log Received KANSAS CORPORATION COMMISSION
The state of the s	Geologist Report Received UIC Distribution APR 1 6 2010
Notary Public:	UIC Distribution AT N 1 6 2010
Date Commission Expires: 4/11 / 2011	CONSERVATION DIVISION WICHITA, KS

Side Two

1 : i 1

Operator Name: Murfin Drilling Company, Inc.				Well #:					
ec. 2 Twp. 17	S. R. <u>43</u>	East	✓ West	Coun	ty: Greel	э у			
STRUCTIONS: Sho sted, time tool open a mperature, fluid reco ectric Wireline Logs	and closed, flowing very, and flow rate	g and shut- s if gas to s	in pressures, v surface test, al	whether s long with	shut-in pre	ssure reache	d static level, hydr	ostatic pressure	es, bottom hole
rill Stem Tests Taken (Attach Additional SI	heate)	√ Ye	s 🐉 No		V L	og Forma	ation (Top), Depth	and Datum	Sample
amples Sent to Geolo	,	✓ Ye	s No		Nam	Э		Тор	Datum
ores Taken	-g	☐ Ye			•				
ectric Log Run (Submit Copy)		✓ Ye				055 4	TTA OLI ED L 10T		KCC
st All E. Logs Run:						SEE A	TTACHED LIST	AP	R 1 -5 2010
Electronically E-	-mailed:								8
Oual Induction, Microresistivity	Compensate	d Poros	ty,						NFIDENTIAL
	ALUI MULANTE STORY	Benor	CASING I		_	_	uction, etc.		
Purpose of String	Size Hole Drilled	Size	Casing (In O.D.)	We	eight s. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	Dimed	8 5/8	(111 0.0.)		.,,,	307	Common	240	
			ADDITIONAL	OEMENIT.	TING / COL	IEEZE DECOI			
Purpose:	Depth	Type	of Cement		s Used	JEEZE RECOF		Percent Additives	
Perforate Protect Casing Plug Back TD Plug Off Zone	Top Bottom	1,700							
Shots Per Foot			D - Bridge Plug ach Interval Per		е		racture, Shot, Cemer (Amount and Kind of N		rd Depth
				,					
									RECEIVED
									CORPORATION COMMIS
	A STATE OF THE STA								SERVATION DIVIS
UBING RECORD	Size	Set At		Packer	·At	Liner Run	Yes V		WICHITA, KS
Pate of First, Resumerd	Production, SWD or I	Enhr.	Producing Met	hod	Flowin	g Pum	nping Gas L	.ift	er (<i>Explain</i>)
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wat	er	Bbls.	Gas-Oil Ratio	Gravity
Disposition of Gas	METHOD OF	COMPLETIO	N			Production In	terval		
Vented Sold	Used on Lease mit ACO-18.)		Open Hole	Pe	erf. 🔲 l	Dually Comp.	Commingled		

MDCI
Davis T #1-2
808 FNL 445 FWL
Sec. 2-T17S-R43W
Greeley County, Kansas
3914' KB

. . . .

Wiepking Fullerton #1-8 Watson Farms, Inc. 660 FNL 660 FWL Sec. 8-T17S-R41W Kiowa County, CO 3897' KB

	i .		00.	1 110			0001 112		
Formation	Sample top	Datum	Ref	Log tops	Datum	Ref	Log tops	Datum	
Anhydrite	2665	+1249	+5				2653	+1244	
B/Anhydrite	2693	+1221	+4				2680	+1217	
Neva							3382	+515	
Topeka	3849	+65	-4	3845	+69	Flat	3828	+69	
Heebner	4079	-165	-6	4079	-165	-6	4056	-159	
Lansing	4144	-230	-9	4144	-230	-9	4118	-221	
Stark	4420	-506	+5	4418	-504	+7	4480	-511	
Marmaton	4558	-644	+3	4540	-626	+21	4544	-647	
Cherokee	4768	-854	flat	4758	-844	+10	4751	-854	
Atoka							4869	-972	
Morrow	5006	-1092	+3	5006	-1092	+3	4992	-1095	
Keves Lm	5130	-1216	-29	5130	-1216	-29	5084	-1187	
Mississippi				5152	-1238		5130	-1233	
RTD	5235						5543		
LTD				5235					

KCC APR 1-5 2010 CONFIDENTIAL

RECEIVED KANSAS CORPORATION COMMISSION

APR 16 2010

CONSERVATION DIVISION WICHITA, KS



24 S. Lincoln Street P.O. Box 31 Russell, KS 67665-2906

Voice: Fax:

(785) 483-3887 (785) 483-5566

Bill To:

Murfin Drlg. Co., Inc. 250 N. Water STE #300 Wichita, KS 67202 PROD COPY

INVOICE INVOICE

Invoice Number: 120969

Invoice Date: Dec 18, 2009

Page:

1

KCC APR 1 5 2010 CONFIDENTIAL

optiator Pay

DU

Customer ID	Well Name# or Customer P.O.	Paymen	t Terms
Murfin	Davis T #1-2/	Net 30	Days
Job Location	Camp Location	Service Date	Due Date
KS1-01	Oakley	Dec 18, 2009	1/17/10

Quantity	. Item	Desci	iption	3 N 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Unit Price	Amount
240.00	MAT	Class A Common	<u> </u>		15.45	3,708.00
5.00	MAT	Gel			20.80	104.00
8.00	MAT	Chloride		ļ	58.20	465.60
253.00	SER	Handling			2.40	607.20
70.00	SER	Mileage 253 sx @.10 per si	k per mi		25.30	1,771.00
1.00	SER	Surface			1,018.00	1,018.00
70.00	SER	Pump Truck Mileage			7.00	490.00
					-,	RECEIVED KANSAS CORPORATION COMMISSION
	Account	Rig L No.	Amount	Desc	ription	APR 1 6 2010
						CONSERVATION DIVISION WICHITA, KS
	1)3600	OK W 3563	8433.2	g En	gent S.	2
			(2857.	<i>33)</i>		
		 				

ALL PRICES ARE NET, PAYABLE 30 DAYS FOLLOWING DATE OF INVOICE. 1 1/2% CHARGED THEREAFTER. IF ACCOUNT IS CURRENT, TAKE DISCOUNT OF

\$ 2657 33

ONLY IF PAID ON OR BEFORE
Jan 12, 2010

Subtotal	8,163.80
Sales Tax	269.49
Total Invoice Amount	8,433.29
Payment/Credit Applied	
TOTAL	8,433.29

5575.94

ALLIED CEMENTING CO., LLC. 044372

REMIT TO P.O. BOX 31 RUSSELL, KANSAS 67665	A ₄) h	ICE POINT:	y Kj	,
DATE 12/18/09 SEC TWP. RANGE 3	CALLED OUT	ONLOCATION	JOB START	JOB FINISH	•
5.1.2	C To	7. July 12	COUNTY	STATE	
OLD OR DEW Circle one) LOCATION Sharon;			Kur Graday		•
OLD OR NEW Circle one) Rel W 70 Ad 2	35112WS	NO			
CONTRACTOR Mus Fin 19	OWNER 50	me			
TYPE OF JOB Sur Fail HOLE SIZE 18/14 T.D. 3/10	CEMENT	•			
CASING SIZE 8° DEPTH 310'	AMOUNT ORD	ered 240	5Ks Com	300CC	
TUBING SIZE DEPTH		200gel			
DRILL PIPE DEPTH	***				
TOOL DEPTH PRES. MAX MINIMUM	COMMON_&	40611	@1545	25000	2_
MEAS. LINE SHOE JOINT	POZMIX	10/19	_@ <i></i>	3700	
CEMENT LEFT IN CSG. 15	GEL	554	@ 25	1040	- WAS
PERFS.	CHLORIDE	8 5/2	@ 38	46500	- MCC
DISPLACEMENT 1807 9 BBL H2 ()	ASC				APR 1 5 2010
EQUIPMENT			_@	· 	000100
					CONFIDENTI
PUMPTRUCK CEMENTER Ha-					
# 410 HELPER Warne BULK TRUCK					
# 296 DRIVER Laken		·····	_ @		
BUEK TRUCK			_@	·	•
# DRIVER	HANDLING 2	-53 5K.	-@ 40_ _	BOX 20	
	MILEAGE/P4/	sk mile	_	177/	, se
REMARKS:	,,		TOTAL	6655	
lengt And Grantate					d.
		SERVI	CE		
A STATE OF THE STA	DEPTH OF JOB			101280	
	PUMP TRUCK (EXTRA FOOTA		@ 4 an:	1018	
I hand tu	- MILEAGE	DONE	— - · · · · · · · · · · · · · · · · · ·	490	
flon, Wanne, Valler	MANIFOLD				
			@		
$M \sim 0$ 1/1 \sim			_@	<u> </u>	· · · · · · · · · · · · · · · · · · ·
CHARGE TO: My Fin Doilling Co				, ~ B &C	
STREET			TOTAL	1508	ن
CITYSTATEZIP					:
31ALE	PI	LUG & FLOAT	Γ EQUIPMEN		
				<u>.</u>	RECEIVED NSAS CORPORATION COMMISSION
%			@	- KV	NSAS CORPORATION COMMISSION
			_@ _@		
To Allied Cementing Co., LLC.					APR 16 2010
You are hereby requested to rent cementing equipment					- ON DIVISION
and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was					CONSERVATION DIVISION WICHITA, KS
done to satisfaction and supervision of owner agent or			TOTAL		Michael
contractor. I have read and understand the "GENERAL			•	1	
TERMS AND CONDITIONS" listed on the reverse side.	SALES TAX (If	Any)			
0	TOTAL CHARG	ES			
PRINTED NAME CORSCO 2 JNRWA	DISCOUNT		IF PAT	DJN 30 DAYS	
			n iAi	- Job Datio	
/ /2	2-			-1-44	



24 S. Lincoln Street P.O. Box 31

Russell, KS 67665-2906

Voice: Fax:

(785) 483-3887 (785) 483-5566

Bill To:

Murfin Drlg. Co., Inc. 250 N. Water STE #300 Wichita, KS 67202

INVOICE

Invoice Number: 121110

Invoice Date: Jan 2, 2010

Page:

APR 1 5 2010

TOD CONFIDENTIAL

operator Pay

Customer ID	Well Name# or Customer P.O.	Paymen	t Terms
Murfin	Davis T #1-2	Net 30	Days
Job Location	Camp Location	Service Date	Due Date □
KS1-03	Oakley	Jan 2, 2010	2/1/10

KS1-	03	Oakley	Jan 2, 2010	
Quantity	item	Description	Unit Price	Amount
175.00	MAT	Class A Common	15.45	2,703.75
115.00	MAT	Pozmix	8.00	920.00
10.00	MAT	Gel	20.80	208.00
72.00	MAT	Flo Seal	2.50	180.00
303.00	SER	Handling	2.40	727.20
70.00	SER	Mileage 303 sx @.10 per sk per mi	30.30	2,121.00
1.00	SER	Plug to Abandon	1,185.00	1,185.00
70.00	SER	Pump Truck Mileage	7.00	490.00
	6.		65 PTA 0.23)	RECEIVED KANSAS CORPORATION COMM APR 1 6 2010 CONSERVATION DIV WICHITA, KS
II DRICES AL	RE NET, PAYABL	F Subtotal		8,534.95
	OWING DATE O			537.70
	1/2% CHARGED	Total Invoice Amount		9,072.65
	. IF ACCOUNT IS	Dayment/Credit Annied		

CURRENT, TAKE DISCOUNT OF

ONLY IF PAID ON OR BEFORE Jan 27, 2010

9,072.65 2987.23

6085.42

ALLIED CEMENTING CO., LLC. 043761

REMIT TO P.O. I RUS	BOX 31 SELL, KANSAS 676	65			CE POINT:	ey	·
DATE / -2 -10	SEC. TWP.	RANGE	CALLED OUT OF	N LOCATION	JOB START	JOB FINISH	,
Davis T		Ac.h	1.40		COUNTY	STATE_	•
LEASE	WELL# 1-2	LOCATION '	13N 14W 35	1/2 W	Greeley	K5	•
OLD OR NEW (C	Circle one)	sinto			,		
CONTRACTOR A	murfin Orsllin	n Rio 14	OWNER SO	.ev			
TYPE OF JOB	PTA	9110-11	OHILK JOY				
HOLE SIZE	7 1/8 T.D	. 5235	CEMENT	` .	. ede	A) r	
CASING SIZE	DE	PTH	AMOUNT ORDE	RED <i>340 Sk</i>	5 6/40 4	16 gel	
TUBING SIZE		PTH	14thorseal				
DRILL PIPE		ртн <i>2030'</i>					
TOOL		PTH	- COMMON 173	SAS	سى سىنى	2703,75	APD 1 - 2000
PRES. MAX		NIMUM OF JOINT	COMMON_7/3 POZMIX //S	SKS		920,00	5 2010
MEAS. LINE CEMENT LEFT I		OE JOINT	GEL 10	5/5		208,00	CONFIDENTIAL
PERFS.	11 050.		CHLORIDE		@		TO TORK I TAL
DISPLACEMENT	Т		ASC		@		
	EQUIPMENT	1			@		
	DQUI MEN		Flo-seul	727	@ <u>2 /50</u>	180,00	
PUMP TRUCK	CEMENTER	Andrew			_@	 .	
# 431		elly					
BULK TRUCK	TILLI LIC	<u> </u>			.@		
# 394	DRIVER Dar	アル			. @ . @		
BULK TRUCK					. @		
#	DRIVER		- HANDLING 36	2.7 cfs	@2.40	727,20	
			MILEAGE 104	st/mile		2121,00	
	REMARKS:			•	TOTAL	6859,95	
50 Sks @	, 2230' ·						
80 sks @	1900'			SERVIC	CE		
40 SKS @	900'						
50 Sts @	360		DEPTH OF JOB _		·		
20 SES @	60		PUMP TRUCK CI			185,00	
20 365 30 SKS			EXTRA FOOTAG		-@ 	490,00	
3 <u>0 30</u>	<u> </u>		MILEAGE 70.		_@ <i>7,80</i>	170,00	
	Tha	nkyou	— MANIFOLD —		_ @ _ @		
	,	•					
CHARGE TO:	mu-Fin						
					TOTAL	1625,00	
STREET			_				
CITY	STATE	ZIP	_			1781	~
_			PL	UG & FLOAT	EQUIPME	N I	
				156			RECEIVED
N ₂₋₄					_@		KANSAS CORPORATION COMMISSIO
					_		
	enting Co., LLC.				_		APR 1 6 2010
	requested to rent ce		t				
	nenter and helper(s)						CONSERVATION DIVISION
	work as is listed.				TOTAL		WICHITA, KS
	tion and supervision				101.11		
	ve read and underst			.ny)		·	
TERMS AND C	CONDITIONS" liste	eu on the reverse si	TOTAL CHARGE				
	1 pan)	1 Santa					r
PRINTED NAMI	E GR9 2	ATIVILING	DISCOUNT		IF PA	ID IN 30 DAYS	
	di m	21 /	3				: