STATE OF KANSAS STATE CORPORATION COMMISSION 200 Colorado Derby Bldg.

Wichita, Kansas 67202 WELL PLUGGING RECORD 15-135-22115-00-00 Give All Information Completely Make Required Affidavit TWP. 17S RGE. 21W /F/W SEC. 34 Location as in quarters or footage from lines: 150' SW of C SE/4 SE/4 Lease Owner Hummon Corporation Janke Well No. Lease Name Office Address 400 One Main Place, Wichita, Kansas 67202 Character of Well (Completed as Oil, Gas or Dry Hole): D & A September 26, 1981 Date Well Completed September 26, 1981 Application for plugging filed September 26, 1981 Plugging commenced September 26, 1981 Plugging completed Reason for abandonment of well or producing formation_ D & A Locate Well correctly on above Was permission obtained from the Conservation Division or it's Section Platt. Agent's before plugging was commenced? Name of Conservation Agent who supervised plugging of this well Leo F. Massey _ bottom Depth to top Producing formation Show depth and thickness of all water, oil and gas formations. Casing Record OIL, GAS OR WATER RECORDS Pulled Out Put in Tο Size Formation Content From 8 5/8" 416.98' -0-Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hold. If cement or other plugs were used, state the character of same and depth placed, from feet for each plug set. Plugged Hole @ 840' w/70 sx cement @ 420' w/40 sx cement @ 40' w/1/2 sx hulls & 10 sx cement 5 sx cement in rathole 50-50 Pozmix, 4% Gel, 3% C.C RECEIVED STATE CORPORATION COMMISSION (If additional description is necessary, use BACK of this sheet) 15437

Name of Plugging Contractor Red Tiger Drilling Company
1720 KSB Building, Wichita, Kansas 672020NSERVATION DIVISION Wichita, Kansas COUNTY OF Sedgwick Kansas Gloria Fawcett above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God. (Signature) <u>Slova Sawett</u> .1<u>720 KSB Building, Wichita, Kans</u>as 67202 (Address) 1st day of <u>October</u>, 19<u>81.</u> SUBSCRIBED AND SWORN TO before me this JIMMIE L. FARRICE NOTARY PUBLIC STATE OF KANSAS My Commission e My Appt. Exp. 10-28-84

-		\cap		•		\bigcirc		
WELL COMPLET DRILLER'S LOG	TION REPORT	T AND	•	٠.			s. <u>34</u> _ т.	17S R 21W W
API No. 15 -	135	22.1	15 -00-	ر ال			Loc. 150	SW of C SE/4 SE/
API No. 15 —_	County	Nu	mber				County	Ness
Operator Hummon Corpora	tion			kı .	-		County	640 Acres N
Address 400 One Main P	lace, Wichi	ta, Kansa	as 67202)			160	60
Well No.	Lease Name	Janke	•	. •				
Footage Location		Jaine	<u> </u>	. ,				10111
	(N) (S) line			from (E) (W)	line			
Principal Contractor Red Tiger Dril	ling Compan	- 1	ogist Tim P	ierce			- neo	
Spud Date			Ť	Loc	ate well correctly			
9/17/81	9/26/81	4	4,230'				Elev.: Gr	*d
Directional Deviation	;	Oil	ınd/or Gas Purc	haser		*	DF	<u>кв 2,147'</u>
			CASING	RECORD	÷			
Report of all strin	igs set — surface,	intermediate,	production, et	te.	, .			
Purpose of string	Size hole drilled	Size casing set	Weight lbs/ft.	Setting depth	; T;	ype cement .	Sacks	Type and percent additives
Surface	12 1/4"	8 5/8''		424.33'	Ċom		230 sx	- 29/ C C 29/ Cc
Surrace	12 1/4	0 3/0		424.33	COL	mon	230 S2	<u>k 3% C.C., 2% G</u> e
· · · · · · · · · · · · · · · · · · ·								
						· · · · · · · · · · · · · · · · · · ·		
		<u> </u>		L.,	•	•	<u> </u>	i
	LINER RECOI	RD	•			PERFOR	ATION REC	ORD .
Top, ft.	LINER RECOI	RD Sacks c	ement	Shots	per ft.		ATION REC	Depth interval
Top, ft.			ement	Shots	per ft.			
Top, ft.		Sacks c	ement	Shots	per ft.			
Top, ft. Sixe	Bottom, ft.	Sacks c		Shots	per ft.			
	TUBING RECO	Sacks co	set at			S		
	TUBING RECO	Packer	set at URE, SHOT,			S	ixe & type	Depth interval
	TUBING RECO	Sacks co	set at URE, SHOT,			S	ixe & type	Depth interval
	TUBING RECO	Packer	set at URE, SHOT,			RECORD	REC	Depth interval
	TUBING RECO	Packer	set at URE, SHOT,			RECORD	REC	Depth interval Depth interval treated EIVED ATION COMMISSION
	TUBING RECO	Packer	set at URE, SHOT,			RECORD	REC	Depth interval Depth interval treated
	TUBING RECO	Packer	set at URE, SHOT,			RECORD	REC ATE CORPORA	Depth interval Depth interval treated EIVED ATION COMMISSION 131931 3-000 ATION DIVISION
	TUBING RECO	Packer	set at URE, SHOT,	CEMENT SQ		RECORD	REC ATE CORPORA	Depth interval Depth interval treated EIVED ATION COMMISSION
	TUBING RECO	Packer ACID, FRACT	URE, SHOT, material used	CEMENT SQ	UEEZE	RECORD	REC ATE CORPORA	Depth interval Depth interval treated EIVED ATION COMMISSION 131931 3-000 ATION DIVISION
Sixe Date of first production	TUBING RECO	Packer ACID, FRACT	URE, SHOT, material used	CEMENT SQ	UEEZE	RECORD ST	REC ATE CORPORA OCT CONSERVA Wichit	Depth interval Depth interval treated EIVED ATION COMMISSION 131931 3-000 ATION DIVISION

INSTRUCTIONS: As provided in KCC Rule 82-2-125, within 90 days after completion of a well, one completed copy of this Drillers Log shall be transmitted to the State Geological Survey of Kansas, 4150 Monroe Street, Wichita, Kansas 67209. Copies of this form are available from the Conservation Division, State Corporation Commission, 245 No. Water, Wichita, Kansas 67202. Phone AC 316-522-2206. If confidential custody is desired, please note Rule 82-2-125. Drillers Logs will be on open file in the Oil and Gas Division, State Geological Survey of Kansas, Lawrence, Kansas 66044.

Hummon Co	DESIGNATE TYPE OF COMP.: OIL, GAS, DRY HOLE, SWDW, ETC.: D & A				
Well No.	D G A				
s_34_T_17S_R21W_w	Janke .			, , , , , , , , , , , , , , , , , , , ,	
Show all important zones of cluding depth interval tested,	SHOW GEOLOGICAL MARKERS, LOGS RUN, OR OTHER DESCRIPTIVE INFORMATION.				
	RIPTION, CONTENTS, ETC.	ТОР	воттом	NAME	DEPTH
Surface Soil Sand & Shale Shale Shale & Sand Sand Shale Anhydrite Shale Shale & Lime Lime & Shale RTD		0 175 430 710 830 1045 1398 1433 2070 3222 3524	175 430 710 830 1045 1398 1433 2070 3222 3524 4230 4230		
	USE ADDITIONAL SHEETS, IF NE	CESSARY, TO	COMPLETE WE	LL RECORD.	
Date Received			•	ignature Title	