

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1077934

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

## WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 31	486		API No. 15 - 15-125-32114-00-00
Name: Horton, Jack			Spot Description:
Address 1: PO BOX 97			SW_NW Sec. 15 Twp. 34 S. R. 14 🗗 East West
Address 2:			3300 Feet from ☐ North / ✓ South Line of Section
City: SEDAN	_ State: KS Zij	o: 67361 <sub>+ 0097</sub>	660 Feet from East / West Line of Section
Contact Person:Jack Horto			Footages Calculated from Nearest Outside Section Corner:
Phone: (620 ) 249-44	76		□NE □NW □SE ☑SW
CONTRACTOR: License #_			County: Montgomery
Name: Horton, Jack			Lease Name: KELLENBERGER Well #: 20
Wellsite Geologist: Fred Jone	es		Field Name:
Purchaser:			Producing Formation: Weiser
Designate Type of Comptetion	1:		Elevation: Ground: 834 Kelly Bushing: 837
✓ New Well	Re-Entry	Workover	Total Depth: 900 Plug Back Total Depth: 830
✓ Oii  wsw	□ swp	— □ slow	Amount of Surface Pipe Set and Cemented at: 20 Feet
☐ Gas ☐ D&A	☐ ENHR	☐ sigw	Multiple Stage Cementing Collar Used? ☐ Yes ☑ No
☐ OG	☐ GSW	Temp. Abd.	If yes, show depth set:Feet
CM (Coal Bed Methane)	_		If Alternate II completion, cement circulated from: 0
Cathodic Cther	(Core, Expl., etc.):		feet depth to: 828 w/ 83 sx cmt
If Workover/Re-entry: Old We	ill Info as follows:		reet depth to: sx cmt.
Operator:			
Well Name:			Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Original Comp. Date:			<b>1</b> '
☐ Deepening ☐ Re-		ENHR Conv. to SWD	Chloride content: 0 ppm Fluid volume: 300 bbls
_ , ,	. ☐ Conv. to		Dewatering method used: Evaporated
Plug Back:	Plug	g Back Total Depth	Location of fluid disposal if hauled offsite:
☐ Commingled	Permit #:		Operator Name:
Dual Completion	Permit #:		
SWD	Permit #:		Lease Name: License #:
ENHR			Quarter Sec TwpS. R East West
☐ GSW	Permit #:		County: Permit #:
8/27/2011 8/3	0/2011	9/13/2011	
Spud Date or Date	Reached TD	Completion Date or	

## **AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

**Submitted Electronically** 

KCC Office Use ONLY
Letter of Confidentiality Received
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I I II Approved by: NAOMI JAMES Date: 04/04/2012

Side Two



Operator Name: Hor	ton, Jack		Lease N	Name: _	KELLENBER	GER	Well #: 20		
Sec. 15 Twp. 34	S. R. <u>14</u>	✓ East	County	<u>Mont</u>	gomery		<del></del>		<del></del>
time tool open and clo	sed, flowing and shu as if gas to surface to	nd base of formations pen nt-in pressures, whether s est, along with final chart( well site report.	hut-in press	sure read	ched static level,	hydrostatic pres	sures, bottom h	iole temp	erature, fluid
Drill Stem Tests Taken (Attach Additional S		Yes No		Δr	og Formation	ı (Top), Depth ar	id Datum		Sample
Samples Sent to Geol	logical Survey	Yes No		Nam Weise			Тор 760	74	Datum 4
Cores Taken Electric Log Run Electric Log Submitted Electronically (If no, Submit Copy)		<ul><li>✓ Yes</li><li>✓ No</li><li>✓ Yes</li><li>✓ No</li><li>✓ Yes</li><li>✓ No</li></ul>		VVCIGG	•		700	,-	•
List All E. Logs Run:									
Gamma Ray Neutro	in								
		CASING	RECORD	Ne	w / Used				
_	Size Hole	Report all strings set-			1		T	7	
Purpose of String	Drilled	Set (in O.D.)	Weig Lbs./		Setting Depth	Type of Cement	# Sacks Used		and Percent Additives
Surface	9.875	6.625	18		20	Portland	8		
Longstring	5.625	2.875	6.5		828	Portland	83		
<del></del>	<del></del>	ADDITIONAL	CEMENTIN	IG/SQL	JEEZE RECORD				
Purpose:  —— Perforate	Depth Top Bottom	Type of Cement	# Sacks	Used		Type and I	Percent Additives		
Perforate Top Bottom Protect Casing Plug Back TD Plug Off Zone			<del> </del>						
	-								
Shots Per Foot	PERFORATI Specify	ON RECORD - Bridge Plug Footage of Each Interval Per	s Set/Type forated			ture, Shot, Cemen		d	Depth
2 760 - 770					6000lbs sand 760			760 - 770	
				_					
TUBING RECORD:	Size:	Set At: 760	Packer Al	ï	Liner Run:	Yes 📝 No			
Date of First, Resumed 9/14/2011	Production, SWD or EN	IHR. Producing Meta	nod:  Pumpini	g 🗌	Gas Lift 0	ther (Explain)			
Estimated Production Oil Bbis. Per 24 Hours		Bbis. Gas	Mcf Water		er Bt	Bbls. Gas-Oil R		Gravity	
	NACO 40								
				OF COMPLETION: PRODUCTION INTERVAL:  Dually Comp. Commingled 760			VAL:		
Vented Sold Submit ACO-18.) □ Open Hole ✓ F				(Submit		nt ACO-4)	70		

**ELMORE'S INC.**Box 87 - 776 HWY99
Seden KS 67381

Sedan, KS 67361 Cell: (620) 249-2519 Eve: (620) 725-5538

1	
ł	D286
1	8-30-11
1	0 00 /

	Customer	Jack Horton	<del></del>				
	Address	StateZip					
	City.	Description	Price	Amount			
	lo hr	Pulling Unit	120,00	720,	00		
	4 /	Coment Paras	110,00	440.	00		
	4/1/2	Water Truck	85,00	340,	00		
	1/2	Pano Touck	95,00	25,	00		
	930 1	" Jubin	.10	93.	00		
	1 Ba	n/k Tank	85,00	85,	00		
	1 SK	Ge 1	16,00	16.	00		
	90 St	s Cement	10,00	900,	00		
•	124	- Rubber Place	15,00	150	00		
'ellenbergar -	- K1	Ilinbang L #20		2704.	DE		
FILEN DEV JA	Ran	1" To 900' Pumped	Tax	224	43		
•		Sk Gel + Spotted >	-92	2928	4.3		
	Sks		<del>/</del>				
	Ran	2/2 Tubin To 836		140			
		h 3 Joints Washed	1	Hole			
		ented long String To					
	10.4		Shu		W		
		Thank You - We appreciate your be		1000 L			

Rec'd. by

TERMS: Account due upon receipt of services. A 11/96 Service Charge, which is an annual percentage rate of 16% will be charged to accounts after 20 days.