

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION
WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

ORIGINAL

Form ACO-1
June 2009
Form Must Be Typed
Form must be Signed
All blanks must be Filled

OPERATOR: License # 31751
Name: JV Oil LLC
Address 1: PO Box 151
Address 2: _____
City: Chanute State: KS Zip: 66720 + _____
Contact Person: John E Galemore
Phone: (918) 629-1776
CONTRACTOR: License # 31751
Name: JV Oil LLC
Wellsite Geologist: _____
Purchaser: _____

Designate Type of Completion:

- ☒ New Well ☐ Re-Entry ☐ Workover
- ☒ Oil ☐ WSW ☐ SWD ☐ SIOW
☐ Gas ☐ D&A ☐ ENHR ☐ SIGW
☐ OG ☐ GSW ☐ Temp. Abd.
☐ CM (Coal Bed Methane)
☐ Cathodic ☐ Other (Core, Expl., etc.): _____

If Workover/Re-entry: Old Well Info as follows:

Operator: _____
Well Name: _____

Original Comp. Date: _____ Original Total Depth: _____
☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD
☐ Conv. to GSW
☐ Plug Back: _____ Plug Back Total Depth
☐ Commingled Permit #: _____
☐ Dual Completion Permit #: _____
☐ SWD Permit #: _____
☐ ENHR Permit #: _____
☐ GSW Permit #: _____

9-24-11 9-22-11 9-23-11
Spud Date or Date Reached TD Completion Date or
Recompletion Date Recompletion Date

API No. 15 - 205-27954-00-00

Spot Description: 1
NW SE NW SW Sec. 19 Twp. 28 S. R. 15 ☒ East ☐ West
1,910 Feet from ☐ North / ☒ South Line of Section
900 Feet from ☐ East / ☒ West Line of Section

Footages Calculated from Nearest Outside Section Corner:

☐ NE ☐ NW ☒ SE ☐ SW

County: Wilson

Lease Name: Timmons Well #: 15-H

Field Name: Umbarger

Producing Formation: Bartlesville

Elevation: Ground: 870 est Kelly Bushing: _____

Total Depth: 1100 Plug Back Total Depth: surface

Amount of Surface Pipe Set and Cemented at: 20 Feet

Multiple Stage Cementing Collar Used? ☐ Yes ☒ No

If yes, show depth set: _____ Feet

If Alternate II completion, cement circulated from: 100
feet depth to: surface w/ 170 sx cmt.

Drilling Fluid Management Plan

(Data must be collected from the Reserve Pit)

Chloride content: _____ ppm Fluid volume: _____ bbls

Dewatering method used: _____

Location of fluid disposal if hauled offsite: _____

Operator Name: _____

Lease Name: _____ License #: _____

Quarter _____ Sec. _____ Twp. _____ S. R. _____ ☐ East ☐ West

County: _____ Permit #: _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: JV Oil LLC John E Galemore
Title: CO owner Date: 2-23-12

KCC Office Use ONLY

☐ Letter of Confidentiality Received

Date: _____

☐ Confidential Release Date: _____

☐ Wireline Log Received

☐ Geologist Report Received

☐ UIC Distribution

ALT ☐ I ☒ II ☐ III Approved by: Plug Dlg Date: 3/6/12

RECEIVED
FEB 27 2012
KCC-WICHITA

Operator Name: JV Oil LLC Lease Name: Timmons Well #: 15-H
 Sec. 19 Twp. 28 S. R. 15 ☒ East ☐ West County: Wilson

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach complete copy of all Electric Wire-line Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken (Attach Additional Sheets)	☐ Yes ☒ No	☐ Log Formation (Top), Depth and Datum	☐ Sample
Samples Sent to Geological Survey	☐ Yes ☒ No	Name	Top Datum
Cores Taken	☐ Yes ☒ No	none	
Electric Log Run	☐ Yes ☒ No		
Electric Log Submitted Electronically (If no, Submit Copy)	☐ Yes ☒ No		
List All E. Logs Run:			

CASING RECORD ☐ New ☐ Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
surface	13	7		20	portland	6	0

ADDITIONAL CEMENTING / SQUEEZE RECORD

Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
☐ Perforate ☐ Protect Casing ☐ Plug Back TD ☐ Plug Off Zone	dry hole			

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth

TUBING RECORD:		Size:	Set At:	Packer At:	Liner Run: ☐ Yes ☐ No
Date of First, Resumed Production, SWD or ENHR.			Producing Method: ☐ Flowing ☐ Pumping ☐ Gas Lift ☐ Other (Explain) _____		
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity

DISPOSITION OF GAS: ☐ Vented ☐ Sold ☐ Used on Lease (If vented, Submit ACO-18.)	METHOD OF COMPLETION: ☐ Open Hole ☐ Perf. ☐ Dually Comp. (Submit ACO-5) ☐ Commingled (Submit ACO-4) ☐ Other (Specify) _____	PRODUCTION INTERVAL: _____ _____
--	--	--

802 N. Industrial Rd.
P.O. Box 684

Wichita, Kansas 67240
Phone: (620) 365-5588

Payless Concrete Products, Inc.



CONDITIONS:
Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to driveways, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 6 minutes per year. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.
NOTICE TO OWNER:
Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

CASH
CASH CUSTOMER

IV9/23
IV OIL P.O. BOX 151 CHANUTE
39 W TO INMAN RD (4 MI PAST
BENEDICT 6.15 MI
E 9D GRAVEL RD EAST

TIME	FORMULA	LOAD SIZE	YARDS ORDERED	GAL	DRIVER/TRUCK	WATER	PLANT/TRANSACTION #
09:39:34a	WELL	8.50 yd	17.00 yd	0.00	32	0.00	WILCO
DATE	LOAD #	YARDS DEL	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER	
09-23-11	2	17.00 yd	18543	6/yd -70.0	4.00 in	30251	

WARNING
IRRITATING TO THE SKIN AND EYES
Concrete is a hazardous material. Prolonged contact may cause severe skin irritation and/or burns. In case of contact with skin, wash immediately with water. In case of contact with eyes, flush immediately with water. Keep children away.

CONCRETE IS A PERISHABLE COMMODITY AND BECOMES THE PROPERTY OF THE PURCHASER UPON LEAVING THE PLANT. ANY CHARGES OR CANCELLATION OF ORIGINAL INSTRUCTIONS MUST BE TELEPHONED TO THE OFFICE BEFORE LOADING STARTS.
The undersigned promise to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.
All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.
Not Responsible for Receptive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.
A \$25 Service Charge and Loss of the Cash Account will be collected on all Returned Checks.
Excess Delay Time Charged @ \$30/Hr.

PROPERTY DAMAGE RELEASE
(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)
Dear Customer: The driver of the truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if it should be parked in the yard where you desire it. It is our wish to help you in every way we can to avoid any damage, and the driver is requesting that you sign this RELEASE. We warrant that we will supply from any responsibility for any damage that may occur to the premises and/or adjacent property, buildings, driveways, curbs, etc., by the delivery of this material, and that you also agree to help him remove and tow the wheels of his vehicle so that he will not bear the push or pull. Further, an additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this order.
SIGNED

X

Excessive Water is Detrimental to Concrete Performance
H₂O Added By Request/Authorized By
GAL X

WEIGHMASTER

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE ABOVE WARNING AND THE SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHILE UNLOADING INSIDE CURB LINE

LOAD REQUESTED BY:
X *John E. Gubner*

QUANTITY	CODE	DESCRIPTION	UNIT PRICE	EXTENDED PRICE
----------	------	-------------	------------	----------------

8.50	WELL	WELL (10 SACKS PER UNIT)	17.00	79.00
------	------	--------------------------	-------	-------

1548 1000
T.M. MOUS

RECEIVED .50
FEB 27 2012
KCC WICHITA

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED	Sub Total \$
	100		1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN 5. ADDED WATER		671.50
			6. TRUCK BROKE DOWN 7. ACCIDENT 8. DETENTION 9. OTHER		Tax % 6.300 42.30
					Total \$ 713.80
				TIME DUE	Order \$ 1640.20
					ADDITIONAL CHARGE 1
					ADDITIONAL CHARGE 2
					GRAND TOTAL

Payless Concrete Products, INC.



CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road. Concrete to be delivered to the above or intermediate location, direction, under truck's own power. Due to delivery at owner's convenience to sidewalk, dealer assumes no responsibility for damages in any manner to sidewalks, curbs, driveways, buildings, fences, shrubbery, etc., which are at customer's risk. The maximum elapsed time for unloading trucks is 6 minutes per yard. A charge will be made for holding trucks longer than this. This concrete contains cement water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

NOTICE TO OWNER

Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

JV 9/23
JV OIL P.O. BOX 131 CHANUTE
39 W TO 1800RD @ BENEDICT
W 4MI TO INMAN RD S 1.5 MI.
E 90 GRAVEL RD EAST

Excessive Water is Detrimental to Concrete Performance
H₂O Added By Request/Authorized By

IRRITATING TO THE SKIN AND EYES
Contains Portland Cement, Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water. If Irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks.
Excess Delay Time Charged @ \$50/Hr.

X

LOAD RECEIVED BY:

16-A

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED	SubTotal \$	871.50
	100		1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN 5. ADDED WATER		Tax % 6.300	54.90
			6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION 9. OTHER		Total \$	926.40
LEFT PLANT	ARRIVED JOB	START UNLOADING		TIME DUE	Order \$	926.40
1600	1050				ADDITIONAL CHARGE 1	
				DELAY TIME	ADDITIONAL CHARGE 2	
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME			GRAND TOTAL	

RECEIVED
FEB 27 2012
KCC WICHITA