KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

| Type Test | : | | | | | (| See Ins | truct | ions on Re | verse S | ide) | • | | | | | | | |
|--|----------|---|---|----------|--|--|--------------------------------------|----------------|--|-----------------|--|------------------|---------------------------------------|---------------------------|-------------|------------------------------|-------------|---|--|
| Open Flow | | | | | | Test Date: API No. 15 | | | | | | | | | | | | | |
| De | liverabi | ilty | | | | 10/25/1 | 1 | | | | | 15- | 007-2 | 3363- | 0000 | | | | |
| Company WOOLS | | PER | ATING CO | MPA | ANY, LLC | | | | Lease HARBA | UGH | | | | | | F-1 | Well Nu | mber | |
| County Location BARBER 1180' FSL & 2160' FWL | | | | | Section 33 | | | | | | | RNG (E/W) 11W | | | | Acres A | Attributed | | |
| | | | | | | Reservoir MISSIS | | | Gas Gathering (APC | | | | Conn | ection | | | | | |
| Completion Date 10/9/08 | | | | | | Plug Bac 4902 | k Total I | h | Packer S NONE | | | Set at | | | | | | | |
| Casing Size Weight 4.500 10.50 | | | | | Internal Diameter 4.052 | | | Set at 4943 | | | Perforations 4521 | | | то 4608 | | | | | |
| Tubing Size Weight 2.375 4.70 | | | | | Internal Diameter 1.995 | | | Set at 4664 | | | Perforations OPEN | | | То | | | | | |
| Type Completion (Describe) SINGLE | | | | | Type Flui | Type Fluid Production WATER | | | | | | | raveling | aveling Plunger? Yes / No | | | | | |
| Producing | Thru | (Anı | nulus / Tubin | g) | | | arbon E | Dioxid | de | | | % Nitrog | | | | Gas Gr | avity - (| 3, | |
| Vertical D | | 1) | | | | | F | Press | sure Taps | | | | | | | (Meter F | Run) (P | rover) Size | |
| 4564 Pressure | Buildus | o: | Shut in10/ | 24/ | 11 20 | 0 at | | _ | (AM) (PM) | Taken_ | 10 | /25/11 | | 20 | at | | | AM) (PM) | |
| | | | | | | | | | M) (PM) Taken | | | | | | | | | | |
| | | | | | | | OBSE | RVE | D SURFACI | E DATA | | | | | Duratio | on of Shut- | in | Hours | |
| Static / Dynamic Property | nic Size | | Circle one: Meter Prover Pressure | | Pressure Differential in | Flowing Temperature t | Well H | Casin | | ing Pressure | essure Wellho | | Tubing pad Pressure | | Du | Duration (Hours) | | Liquid Produced (Barrels) | |
| Shut-In | Shut-In | | ' psig (Pm) | | Inches H ₂ 0 | | | | psig 80 | psia | 1 | psig 80 | sig psla | | 24 | | | | |
| Flow | | | | | | | | | | | 1 | | + | | | | | | |
| <u> </u> | | - | 1 | | | | FLOW | STR | EAM ATTR | IBUTES | 1 } | | | | <u> </u> | | | | |
| Plate Coeffiecient (F _b) (F _p) Mcfd | | Circle one: Meter or Prover Pressure psia | | | Press Extension ✓ P _m x h | Fac | Gravity Factor F _g | | Flowing Temperature Factor F _r , | | Deviation Factor F _{pv} | | Metered Flow R (Mcfd) | | * | GOR (Cubic Fee Barrel) | | Flowing Fluid Gravity G _m | |
| | | | | | | (OPEN EL | OW) (DE | FLIV | ERABILITY | CALC | :UL A | ATIONS | | | | | | | |
| (P _c) ² = | | _:_ | (P _*) ² = | | : | P _d = | | | | - 14.4 | | | | _: | | (P _a) | 2 = 0.2 | 07 | |
| $(P_c)^2 - (P_a)^2$ or $(P_c)^2 - (P_d)^2$ | | (P _c) ² - (P _*) ² | | 1. 2. | se formuta 1 or 2: . P ₀ ² - P _a ² . P _a ² - P _a ² of by: P _a ² - P _a ² | LOG of formula 1. or 2. and divide by: | formuta 1. or 2. and divide p_2.p. | | | | = "n" n x | | -og [] | | Aı | Antilog | | Open Flow Deliverability Equals R x Antilog (Motd) | |
| | | | | | | | | | | | | | | | | | | | |
| Open Flo | | | | | Mcfd @ 14. | 65 neia | | | Deliverab | | | <u>l</u> . | · · · · · · · · · · · · · · · · · · · | | Metal @ | 14.65 psi | • | | |
| | | nne | d authority, o | | | , | tates th | at h | | - | d to | make II | ha sho | ve ren | | • | | ladge of | |
| | | - | in, and that s | | | • • | | | • | | | day of | | • | ir and i | | | 20 <u>11</u> | |
| | | | | | | | | | | | | In) | _ | Hul | Da | h | | ECEIVE | |
| | | | Witness | (if any) | | | | _ | _ | | | | ¥ | For | Company | | DE | EC 3 0 20 | |
| | | | For Com | niasion | 1 | | | _ | - | | | | | Che | cked by | | KC | C WICH | |

| exempt status unand that the fore correct to the best of equipment instance. | der penalty of perjury under the laws of the state of Kansas that I am authorized to request ader Rule K.A.R. 82-3-304 on behalf of the operator WOOLSEY OPERATING CO., LLC egoing pressure information and statements contained on this application form are true and st of my knowledge and belief based upon available production summaries and lease records stallation and/or upon type of completion or upon use being made of the gas well herein named. Lest a one-year exemption from open flow testing for the HARBAUGH F-1 prounds that said well: |
|--|---|
| I further agre | is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No is not capable of producing at a daily rate in excess of 250 mcf/D et to supply to the best of my ability any and all supporting documents deemed by Commission my to corroborate this claim for exemption from testing. |
| Date: 12/20/11 | Signature: Who L Halland. Title: FIELD MGR. |

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption IS denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.