## KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

| Type Test  | t:        |   |                 |  | (  | See Instruc     | tions on Re  | verse Side  | )  |                             |                               |   |  |
|--|-----------|---|-----------------|--|--|-----------------|--|---|--|-----------------------------|-------------------------------|---|--|
| Open Flow  |           |   |                 | Test Date  | Test Date: API No. 15  |                 |  |   |  |                             |                               |   |  |
| De   | liverab   | ilty  |                 |  | 7/26/11  |                 |  | _   | 15-  | 007-22805-0                 | 0000                          |   |  |
| Company<br>WOOLSEY OPERATING COMPANY, LLC                            |           |   |                 |  |  |                 | Lease<br>BAIER   |   |  |                             | #3                            | Well Number   |  |
| County Location BARBER Apx SW NW SE                                  |           |   |                 | Section<br>31  |  |                 |  | RNG (E/W)<br>13W  |  |                             | Acres Attributed              |   |  |
| Field<br>AETNA   |           |   |                 | Reservoir<br>MISSIS  | r<br>SIPPIAN   |                 |  | Gas Gat<br>APC  | hering Conn  | ection                      |                               |   |  |
| Completion Date 4/12/2004  |           |   |                 | Plug Bac<br>4974   | k Total Dep  | th              |  | Packer Set at<br>NONE                                     |  |                             |                               |   |  |
| Casing Size Weight<br>4.500 10.50                                    |           |   |                 |  | Internal I<br>4.052  | Diameter        | Set at<br>5025   |   | Perforations<br>4852   |                             | To<br>4876                    | то<br>4876  |  |
| Tubing Si<br>2.375   | ize       |   | Weigh<br>4.70   | Internal Diameter<br>1.995   |  | Set at<br>4889  |  | Perforations<br>OPEN                                      |  | То                          |                               |   |  |
| Type Completion (Describe) SINGLE                                    |           |   |                 |  | d Productio  |                 | <del></del>  | Pump Ur   | nit or Traveling   | Plunger? Yes                | / No                          |   |  |
| Producing Thru (Annulus / Tubing)                                    |           |   |                 |  | % Carbon Dioxide   |                 |  | PUMPING % Nitrogen  |  |                             | Gas Gravity - G               |   |  |
| Vertical D   |           | 1)  |                 |  |  | Pres            | sure Taps  | <del></del>   |  | <del></del>                 | (Meter I                      | Run) (Prover) Size  |  |
| 4864<br>Pressure   | Builde    | n:  | Shut in 7/25    | 5/11 2   | 0 at   |                 | (AM) (PM)  | Taken 7/  | 26/11  | 20                          | at                            | (AM) (PM)   |  |
| Well on L  |           |   |                 |  |  |                 |  |   |  |                             | at                            |   |  |
|  |           |   |                 |  |  | OBSERVE         | D SURFAC   | E DATA  |  |                             | Duration of Shut-             | inHours   |  |
| Static / Orific<br>Dynamic Size<br>Property (inche                   |           | ize Prover Pressu   |                 | Pressure<br>Differential   | Flowing<br>Temperature   |                 | Casing Wellhead Pressure $(P_a)$ or $(P_t)$ or $(P_c)$ |   | Tubing Wellhead Pressure $(P_w)$ or $(P_i)$ or $(P_c)$ psig psia |                             | Duration<br>(Hours)           | Liquid Produced<br>(Barrels)                                |  |
|  |           |   |                 | Inches H <sub>2</sub> 0  |  | t               | psig psia  |   |  |                             |                               |   |  |
| Shut-In  |           |   |                 |  |  |                 | 48   |   | 50   |                             | 24                            |   |  |
| Flow   |           |   |                 |  |  |                 |  |   | <u></u>  |                             |                               |   |  |
|  | ····      | -   | Circle one:     |  |  | FLOW STE        | REAM ATTR  | IBUTES  |  |                             |                               |   |  |
| Plate<br>Coeffiecient<br>(F <sub>b</sub> ) (F <sub>p</sub> )<br>Mcfd |           | Meter or<br>Prover Pressure<br>psia                             |                 | Press<br>Extension<br>√P <sub>m</sub> x h  | Grav<br>Fac<br>F   | tor Temperature |  | Fa  | iation<br>ctor<br>-<br>pv  | Metered Flow<br>R<br>(Mcfd) | v GOR<br>(Cubic Fe<br>Barrel) | Genuity   |  |
|  |           |   |                 |  |  |                 |  |   |  |                             |                               |   |  |
|  |           |   |                 |  | (OPEN FL   | OW) (DELIV      | ERABILITY  | ) CALCUL  | ATIONS   |                             | (P_)                          | ² = 0.207   |  |
| (P <sub>e</sub> )2 =   |           | _:  |                 | <u> </u>   | P <sub>d</sub> =   |                 | % (F   | o - 14.4) +   | 14.4 =   | <del>:</del>                | (P <sub>d</sub> )             | <sup>2</sup> =  |  |
| $(P_c)^2 - (P_a)^2$<br>or<br>$(P_c)^2 - (P_d)^2$                     |           | (P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup> |                 | Choose formula 1 or 2  1. P <sub>c</sub> <sup>2</sup> - P <sub>d</sub> <sup>2</sup> 2. P <sub>c</sub> <sup>2</sup> - P <sub>d</sub> <sup>2</sup> divided by: P <sub>c</sub> <sup>2</sup> - P <sub>d</sub> <sup>3</sup> | 1. P <sub>c</sub> <sup>2</sup> - P <sub>a</sub> <sup>2</sup> LOG of formuta 2. P <sub>c</sub> <sup>2</sup> - P <sub>d</sub> <sup>2</sup> 1. or 2. and divide |                 | Šloj<br>As   | Backpressure Curve Slope = "n" Or Assigned Standard Slope |  | roe                         | Antilog                       | Open Flow<br>Deliverability<br>Equals R x Antilog<br>(Mcfd) |  |
|  |           |   |                 |  |  |                 |  |   |  |                             |                               |   |  |
| Open Flo   |           |   |                 | Mcfd @ 14.   | SE pois  |                 | Deliverab  | sitis.  |  |                             | Mcfd @ 14.65 ps               | in  |  |
|  |           |   |                 |  |  |                 |  | -   |  |                             | <u> </u>                      |   |  |
|  |           | _   | •               | n behalf of the<br>aid report is true  |  |                 | <del>-</del>   |   |  | ovember                     | rt and that he ha             | s knowledge of  |  |
| 14013 3  | ilatoù ti | 1010  | ii, and that se | na report is true  | and contec   | A. EXOCUTOR     |  | Win   |  |                             | Q_                            | RECEIVED  |  |
|  |           |   | Witness (i      | fany)  |  |                 | -  |   | ~ <i>U</i>   |                             | Company                       | DEC 3 0 2011  |  |
|  |           |   | For Comm        | ission   |  |                 |  |   |  | Che                         | cked by                       | CC WICHITA  |  |

| exempt status       | under penalty of perjury under the laws of the state of Kansas that I am authorized to request sunder Rule K.A.R. 82-3-304 on behalf of the operator WOOLSEY OPERATING CO., LLC foregoing pressure information and statements contained on this application form are true and  |
|---------------------|--|
| correct to the      | best of my knowledge and belief based upon available production summaries and lease records  |
|                     | installation and/or upon type of completion or upon use being made of the gas well herein named. equest a one-year exemption from open flow testing for the BAIER 3  |
|                     | ne grounds that said well:   |
| I further a         | is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No. is not capable of producing at a daily rate in excess of 250 mcf/D agree to supply to the best of my ability any and all supporting documents deemed by Commission ssary to corroborate this claim for exemption from testing. |
| Date: <u>11/10/</u> | <i>M</i> 10  |
|                     | Signature:   |

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption IS denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.