KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Test:				(S	ee Instruction	ons on Reve						
Ope	n Flow verabilty	,		Test Date:	2-	28 - 2	0//	API No	o. 15 -//9	7-21/750	000	
Company	FAG	LE CLE	EX CORPO	2 4 T70 A	ل	LeaseRo	EHR			W	ell Number 1-17	
County.					17	TWP	32	RNG (E/W	30	W	cres Attributed	
Field /)			HASAIVOIT	row Sa	wo		Gas Gathe	ring Connec	ction M10 STRE	AM	
Completio:	AINS n Date			Plug Back	Total Depti			Packer Set				
	22-2				824	Set at		Perfora	101 C	To		
Casing Size		Weig	Weight 10.5		internal Diameter 4.05Z		5864		5596		" 5604	
Tubing Siz	3/4"	. Weig	ht 7#	Internal D	iameter	Set at	515	Perfora	tions	То		
Type Com		(Describe)	<u> </u>	Type Fluid	Production	•		Pump Unit	or Traveling	Plunger? (Yes)	No	
Producino	Thru	Annulus / Tubir	ng)	% C	arbon Dioxid	de		% Nitroger	1	Gas Gra		
		mulus									un) (Prover) Size	
Vertical D						oure Taps				3	uni i riover) Sizo	
	56a		2/27 2	0 11 at 6		(A) (PM)	Token	2-28-1	1 20	11 at 9:0	O (AM)(PM)	
Pressure	Buildup	Shut in	-			\smile					_	
Well on L	ine:	Started	2	0 at		(AM) (PM)	Taxen			at		
					OBSERVE	D SURFACE	DATA			Duration of Shut-i	n Hours	
Static / Orifice		Circle one Motor	: Pressure Differential	Itterestal Flowing		Wellhead !	Casing Wellhead Pressure		Tubing Wellhead Pressure		Liquid Produced	
Dynamic Property	Size (inche	Prover Pres	sure in	Temperature t	Temperature t	(P _m) or (P _m) or (P _c)	(P _w) or (P _t) or (P _d) psia	(Hours)	(Barrels)	
Shut-In		parg (Fit	ij Michos H _g o			60	74.4					
Flow				ļ								
			!		FLOW STE	REAM ATTR	BUTES					
Plate Coefficient (F _b) (F _a)		Circle one:	Press	Gra	Gravity			wiation Meterec		GOR (Cubic Fe	I Huki i	
		Meter or Prover Pressure	Extension Pxh	Fac F	TOF	Temperature Factor		ctor R (Mcfd)		Barrel)	Gravity G.,	
Mofe		psia	* * * * * * * * * * * * * * * * * * * *		-	F _{it}						
				(OBEN EL	OW) (DELI)	/ERABILITY	CALCUI	LATIONS		(P.)	² = 0.207	
/D \2		_: (P")	²= :	Pas			P _a - 14.4) ·		:	(P _d)		
(P _a) ² =	 1		Choose formula 1 or		<u> </u>	Backpre	ssure Curv		Γ ¬		Open Flow	
(P _e) ² · 1	(P,)2	(P _c) ² - (P _w) ²	1, P ₂ -P ₂ ² 2, P ₂ -P ₂ ²	tomula 1, or 2.			rpe = "⊓" or	nxL	.00	Antilog	Deliverability Equals R x Antilog	
(P _e)2-	(P _a) ²		divided by: Pa - F	and divide	P,2-P,2		ssigned dard Slope		ال ا		(Mcfd)	
-											,,	
			1									
Open Fl	low	ar Charles Ton William	Mcfd Ø 1	4.65 pala	=a. === /= ∞	Delivera	bility		· · · · · · · · · · · · · · · · · · ·	Mcfd @ 14.65 ps	ia .	
The	undare	ioned authority			states that	he is duly a	uthorized	to make th	e above rep	ort and that he h	as knowledge of	
			t said report is to				157	_ daỳ of	Occ	EMBER	, 20	
and 19628	oldidi i	noros, and the	<u></u>					12-	allu	1		
		With	ss (If any)						Fd	Company	Dr	
		ForC	onvinission		·				Ch	acked by	KECEIVED	

DEC 1 9 2011 KCC WICHITA

exempt status und and that the fore correct to the bes of equipment inst I hereby requ	der Rule K.A.R. 82-3-304 on behalf of the operator
(Check	is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No is not capable of producing at a daily rate in excess of 250 mcf/D e to supply to the best of my ability any and all supporting documents deemed by Commission
	y to corroborate this claim for exemption from testing.
	Signature:

instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.